

Index

The same fonts are used here as in the text of the book (see *About this book* on p. xxi) to distinguish between different meanings:

Notation	Meaning
CTAN	Acronyms (small caps in some typefaces)
\command	LaTeX control sequences (monospace font)
term	Defining instance of a specialist term (bold italics)
<i>product</i>	program or product name (italics)
environment	LaTeX environment (sans-serif bold)
package	LaTeX package (sans-serif; all available from CTAN)
options	Options to environments (sans-serif oblique)
variables	Variables (monospace oblique)

In the online version, the entries below are all hyperlinked to their source, with subsequent multiple occurrences giving the section number or name. Page or section numbers in **bold type** indicate a defining instance.

Special characters

\(29
\)	29
\-	25
\#	18
\\$	18
\%	18
\&	18
\]	29

11pt	34
12pt	34
3B2	152

A

a4paper	34, 35
AbiWord	152, 154, 155
abstract	39, 40
\abstractname	39
abstracts	37
accents	20

Acrobat	161
Acrobat Reader	4, 5, 7, 48, 57
Acronyms, defined	
AFM	131
AMS	121
ANSI	169
ASCII	169
BMP	86
CGI	xix
CLI	xix
CM	116
CMYK	129
CSS	160
CTAN	61
DEC	xiii
DSSSL	162
DTP	xiii
DVI	48
ECDL	xvi
EPS	86
FAQ	69
FTP	61

- GIF 88
GNU xiv
GUI 49
HTML 152
HTTP 61
IEEE TR 104
JPG 86
NFSS 130
NTS xiv
PCL 86
PDA xv
PDF 57
PEA 131
PFB 131
PNG 86
PS 161
RGB 129
RIS 106
RTF 153
SGML 162
SVG 128
TDS 68
TEI 161
TIFF 89
TUG 167
URI 90
URL 90
WYSIWYG xx
XHTML 153
XML 152
XSL 162
XSLT 153
\addcontentsline 45
\addtocontents 45
\affiliation 37
AFM 131
 $afm2tfm$ 133, 136
agsm 104
alpha 103
AMS 121
ANSI 169
apacite 103
Apple Mac 1
aprs 104
 apt xviii, 2
\arabic 148
ArcInfo 88
arguments 16
array 81
\arraystretch 82
article 32, 33
ASCII xvi, 22, 29, 55, 87, 91, 130,
157, 169, 169
\author 37, 99, 142
AutoCAD 88
avant 118
B
b 92
babel 21, 28, 44
backslash 14
backtick 90
badness 54
BaKoMa T_EX xx
BaKoMa xxi
\baselineskip 114
\baselinestretch 114
bbding 74, 149
beer 108
lite 108
American 108
\begin 36
Berger, Jens 108
Berry, Karl 1, 132, 134, 135
\bfseries 123
biblatex 102
bibliographies 102
\bibliography 103
\bibliographystyle 103, 104
\bibName 106
bibtex 104
bibunits 104
\bigskip 113
BMP 86, 89
book 32, 41
bookman 118, 120

boxes	92	\)	29
bp (big points)	24	\-	25
braces.....	<i>see</i> curly braces	\#	18
C		\\$	18
Capacity exceeded.....	53	\%	18
\caption.....	80, 101	\&	18
cc (Ciceros).....	24	\]	29
ccr.....	118	\abstractname.....	39
cd.....	49	\addcontentsline.....	45
CD-ROM	152	\addtocontents.....	45
center.....	27, 82, 83, 122	\affiliation.....	37
\centering.....	27, 82, 122	\arabic.....	148
<i>cep</i>	87	\arraystretch.....	82
CGI.....	xix	\author.....	37, 99, 142
\chapter.....	41, 42	\baselinestretch.....	114
<i>chapter</i>	147	\begin.....	36
chapterbib.....	104	\bfseries.....	123
<i>charmap</i>	22	\bibliography.....	103
charter.....	119	\bibliographystyle....	103, 104
Chassell, Bob.....	xiv	\bibname.....	106
<i>ChemDraw</i>	88	\bigskip.....	113
Chikrii, Kirill A.....	160	\caption.....	80, 101
Chocolate Stout.....	109	\centering.....	27, 82, 122
<i>Chocolate Stout</i>	109	\chapter.....	41, 42
\cite.....	103, 104	\cite.....	103, 104
\citequote.....	98	\citequote.....	98
\clearpage.....	xxii	\clearpage.....	xxii
CLI.....	xii, xix, xix	\cline.....	82
\cline.....	82	\color.....	128
CM.....	116 , 117, 138	\colorbox.....	129
cm (centimeters).....	24	\columnsep.....	110
CMYK.....	128, 129	\command.....	xxii, 182
\color.....	128	\date.....	37, 52, 53, 142
color names	128	\datesubmitted.....	37
\colorbox.....	129	\DeclareFontFamily.....	137
colortbl.....	81	\DeclareFontShape....	137, 138
colour.....	128	\def.....	146
columns.....	110	\definecolor.....	128, 129
\columnsep.....	110	\documentclass.....	32, 40
\command.....	xxii, 182	\dvips.....	90
Commands		\ef.....	142
\ (.....	29	\emph.....	127
		\end.....	36

-
- `\enspace`..... 114
 - `\EUR`..... 19, 81
 - `\fancyhead`..... 116
 - `\fbox`..... 93, 96, 129
 - `\flushleft`..... 122
 - `\flushright`..... 122
 - `\fnsymbol`..... 100
 - `\fontencoding`..... 121
 - `\fontfamily`..... 121
 - `\fontsize`..... 125, 126
 - `\footnote`..... xxii, 98, 99
 - `\footnotesize`..... 125
 - `\foreign`..... 127
 - `\glossary`..... 109
 - `\graphicspath`..... 89
 - `\hline`..... 82
 - `\hrule`..... 143
 - `\hspace`..... 114
 - `\Huge`..... 125
 - `\huge`..... 125
 - `\hyphenation`..... 25
 - `\i`..... 22
 - `\includegraphics`..... 84–87, 89
 - `\index`..... 108, 109, 146
 - `\item`..... 73
 - `\itshape`..... 123
 - `\label`..... 76, 80, 101, 102
 - `\LARGE`..... 125
 - `\Large`..... 125
 - `\large`..... 125
 - `\LaTeX`..... 155
 - `\leftmark`..... 116
 - `\linebreak`..... 145
 - `\listoffigures`..... 45
 - `\listoftables`..... 45
 - `\makeatletter`..... 143
 - `\makeatother`..... 143
 - `\makeglossary`..... 109
 - `\makeindex`..... 108
 - `\maketitle`..... 37, 39, 40, 53, 63, 142, 143
 - `\markboth`..... 115
 - `\markright`..... 115
 - `\mbox`..... 26, 145
 - `\medskip`..... 113
 - `\multicolumn`..... 83
 - `\newcommand`..... 142, 146
 - `\newgeometry`..... 112
 - `\normalsize`..... 125
 - `\ovalbox`..... 96
 - `\P`..... 101
 - `\pageref`..... 102
 - `\pagestyle`..... 115, 116
 - `\par`..... 83, 113, 122, 125, 143
 - `\paragraph`..... 41, 76
 - `\parbox`..... 92, 93
 - `\part`..... 41
 - `\part*`..... 43
 - `\person`..... 145–147
 - `\printindex`..... 109
 - `\product`..... 122, 127, 144
 - `\protect`..... 99
 - `\ProvidesPackage`..... 136
 - `\qqquad`..... 114
 - `\quad`..... 25, 114
 - `\raggedleft`..... 27
 - `\raggedright`..... 27, 92, 94
 - `\raisebox`..... 149
 - `\ref`..... 76, 101, 102
 - `\refname`..... 106
 - `\reindex`..... 145, 146
 - `\renewcommand`..... 39, 40, 82, 143, 147
 - `\rightmark`..... 116
 - `\rmdefault`..... 136
 - `\S`..... 101
 - `\scriptsize`..... 125
 - `\scshape`..... 123
 - `\section`..... 41, 44
 - `\selectfont`..... 121, 123
 - `\sentinel`..... 146
 - `\setcounter`..... 42
 - `\setlength`..... 43, 44, 93
 - `\sfdefault`..... 136
 - `\sffamily`..... 123, 143
 - `\shadowbox`..... 96, 146

<code>\slshape</code>	123	Unix commands	
<code>\small</code>	97, 125	<code>cd</code>	49
<code>\smallskip</code>	113	<code>dvips</code>	3
<code>\space</code>	147	<code>latex</code>	3, 49
<code>\subparagraph</code>	41, 76	<code>ls</code>	163
<code>\subparagraph*</code>	43	<code>man</code>	109
<code>\subsection</code>	41	<code>mkdir</code>	134
<code>\subsubsection</code>	41	<code>pdflatex</code>	49
<code>\tableofcontents</code>	16, 45, 51	<code>sudo</code>	2, 3
<code>\textbackslash</code>	18	<code>texconfig</code>	3
<code>\textbrokenbar</code>	28	<code>texdoc</code>	63
<code>\textbullet</code>	74	comment character	18
<code>\textcolor</code>	128, 129	commercial implementations.....	xx
<code>\texteuro</code>	19	commutative	123
<code>\textit</code>	127	<code>configure</code>	67
<code>\textlangle</code>	28	consistency	31
<code>\textrangle</code>	28	Cont.....	xiii
<code>\textsterling</code>	19	<code>counter</code>	xxii
<code>\textsuperscript</code>	126	Counters	
<code>\texttrademark</code>	144	<code>chapter</code>	147
<code>\thechapter</code>	147	<code>counter</code>	xxii
<code>\theenumi</code>	78	<code>enumi</code>	78
<code>\theenumii</code>	78	<code>enumii</code>	78
<code>\theenumiii</code>	78	<code>enumiii</code>	78
<code>\theenumiv</code>	78	<code>enumiv</code>	78
<code>\TheSbox</code>	146	<code>example</code>	78
<code>\thinspace</code>	20, 114	<code>secnumdepth</code>	42, 43
<code>\thispagestyle</code>	115	<code>section</code>	xxii, 147, 148
<code>\tiny</code>	125	<code>tocdepth</code>	42, 45
<code>\title</code>	37, 99, 142	<code>variables</code>	182
<code>\tmproduct</code>	144	<code>courier</code>	118
<code>\ttdefault</code>	136	<i>Crayola</i>	xi, 128
<code>\ttfamily</code>	123	cross-references.....	100
<code>\uline</code>	124	CSS.....	160
<code>\upshape</code>	123	CTAN.....	ix, xii, xvii, xviii, xxii, 1, 8, 33,
<code>\url</code>	91, 92, 99, 159		59, 61, 61 , 62, 64, 69, 87,
<code>\usepackage</code>	54, 62, 63, 107, 128,		103, 107, 109, 117, 130,
	131		153, 159, 161, 167, 182
<code>\vbox</code>	93	curly braces	17
<code>\verb</code>	19, 90–92, 98	<i>Cygwin</i>	68
<code>\VerbatimFootnotes</code>	98	D	
<code>\vspace</code>	113, 114	<code>datatool</code>	82
<code>\vspace*</code>	113		

- `\date` 37, 52, 53, 142
`\datesubmitted` 37
 `dcolumn` 81
 `dcu` 104
`dd` (Didot points) 24
`DEC` **xiii**
`\DeclareFontFamily` 137
`\DeclareFontShape` 137, 138
`\def` 146
`\definecolor` 128, 129
 `description` 75
`detex` 161
 `dimension` 24
dimension 43
 `dimensions` 22
`DOC` 64
`DocBook` **xxi**
 `document` xvii, 36, 40
 `document class` 32
`\documentclass` 32, 40
 Dorner, Fernando 160
 `double-spacing` 113
 `draft` 34
`Draw` 88
`DSSSL` **162**
`DTP` xii, **xiii**, 78, 117
 DuBois, Paul 153
`DVD` 152
`DVI` ... xii, **xiii**, **48**, 49, 55–57, 63, 64,
 89, 92, 161
 `dviaw` 59
 `dviaps` 59
 `dvihp` 59
 `dvips` ... 56–58, 86, 87, 89, 128, 135,
 139
`\dvips` 90
`dvips` 3
`dviview` 55
`DynaTag` 153
- E**
- `ECDL` xvi, **xvi**
`\ef` 142
`eiad` 118
element 31
`elsevier` 107
`em` (relative measure) 24
`Emacs` ... xix, 2, 7, 20, 48, 50, 51, 58,
 82, 105
`\emph` 127
 `empty` 115
`\end` 36
`EndNote` 106
 `endnote` 99
`\enspace` 114
`enumerate` 74
`enumerate*` 74
 `enumi` 78
 `enumi i` 78
 `enumi i i` 78
 `enumiv` 78
`environment` 73
environment 36
`environment` xxii, 182
- Environments**
- `abstract` 39, 40
 `center` 27, 82, 83, 122
 `description` 75
 `document` xvii, 36, 40
 `enumerate` 74
 `enumerate*` 74
 `environment` xxii, 182
 `equation` 29
 `figure` 84
 `figure*` 110
 `flushleft` 83, 122, 143
 `flushright` 83, 122
 `inparaenum` 75
 `itemize` 73
 `itemize*` 74
 `minipage` 93, 96, 99, 146
 `multicols` 110
 `multirow` 83
 `picture` 85
 `quotation` xxii, 98
 `quote` 98

raggedleft	27	filenames	47
raggedright	27	Fine, Jonathan	xx
Sbox	96, 146	fix-cm	125, 126
table	80, 84	float	80
table*	110	floats	79, 84
tabular	80, 83, 93	<code>\flushleft</code>	122
Verbatim	91, 92	flushleft	83, 122, 143
verbatim	91, 92	<code>\flushright</code>	122
EPS	86, 86, 87–89	flushright	83, 122
epsf	85	fnpara	99
equation	29	<code>\fnsymbol</code>	100
Error messages		font definition	137
File not found	54	font family	123
Overfull hbox	54	font series	123
Runaway argument	53	font shape	123
Too many }'s	52	fontenc	22, 136
Undefined control sequence	52	<code>\fontencoding</code>	121
Underfull hbox	53	<code>\fontfamily</code>	121
Esser, Thomas	1	FontForge	131
<code>\EUR</code>	19, 81	fontname	132
€	19	fontname	137, 138
<i>EuroMath</i>	152	fonts	
ex (relative measure)	24	METAFONT	116
<i>example</i>	78	changing temporarily	121
extarticle	35	changing the default	120
extbook	35	colour	128
extreport	35	Computer Modern	116
extsizes	35	encoding	133
		families	120
F		in general	116
fancybox	91, 96, 146	installing	129
fancyhdr	115	METAFONT	117
<code>\fancyhead</code>	116	PostScript	117, 131
fancyvrb	91, 98	sizes	34, 124
FAQ	ix, 61, 69, 69	styles	123
<code>\fbox</code>	93, 96, 129	TrueType	117
<code>\fboxrule</code>	94	Type 1	117
<code>\fboxsep</code>	94	<code>\fontsize</code>	125, 126
Feuerstack, Thomas	1	footmisc	xxii
figure	84	<code>\footnote</code>	xxii, 98, 99
figure*	110	footnotes	98
figures	84	<code>\footnotesize</code>	125
File not found	54	<code>\foreign</code>	127

- Foxit* 48
FrameMaker 152
 FTP **61**
 full 6
- G**
 geometry 34, 63, 64, 100, 112
GhostScript 1, 5
Ghostscript 57, 59, 119
 GIF 86, **88**
GIMP 88
 glossaries 108
 \glossary 109
 GNU **xiv**, xxii
GNUplot 88
 Granzer, Andreas 160
 graphics 85
 graphics 65
 \graphicspath 89
 graphicx 85, 87
grave accent 90
 Gregorio, Enrico 86
group 122
 grouping 122
GSView xviii, 1
GSview 5, 48, 57, 58, 119
 GUI xi, **49**
- H**
 Hagen, Hans xiii
 har2nat 104
 hard space 26
harvard 107
 harvard 104
hash mark 19
 headings 115
 help 69
 helvet 118, 120
 Hennings, Wilfried 160
 H&J ... *see* hyphenation, justification
 \hline 82
 \hrule 143
 \hspace 114
 HTML ii, xxi, 12, 32, 44, 78, **152**,
 153, 156, 160–162
HTML Tidy 153
 HTTP **61**
 \Huge 125
 \huge 125
 hyphenation 22
 \hyphenation 25
 hyphens
 discretionary 25
 soft 25
- I**
 \i 22
 IBM xxi
 IEEE TR **104**
ieetr 107
Illustrator 88
ImageMagick 87
 images 85
 in (inches) 24
 \includegraphics 84–87, 89
 \index 108, 109, 146
 indexes 108
InkScape 88
Inline lists 77
 inparaenum 75
 inputenc 21, 22, 29, 169
Instant Preview xx
 \item 73
 itemize 73
 itemize* 74
 \itshape 123
- J**
 Jørgensen, Palle 119
JabRef 106
 Java xxi, 154
 JPG 86, **86**, 88, 89
 jurabib 108
 justification 22
- K**
 Kastrup, David xx

Kay, Michael	xxi	ls	163
<i>kdvi</i>	3, 7	LyX	xx
Kew, Jonathan	xiii, 117	M	
<i>Kile</i>	xiii, xix, 2, 7, 15, 104	Mac OS X	1
<i>kluwer</i>	107	macros	141
<i>kluwer</i>	104	macros	141
Knuth, Donald	xii, 145, 167	<i>MacTeX</i>	1, 4, 7
<i>komascript</i>	32, 33	<code>\makeatletter</code>	143
<i>kpdf</i>	3, 7, 48	<code>\makeatother</code>	143
<i>kpsewhich</i>	164	<i>makebst</i>	107
<i>Kword</i>	152	<code>\makeglossary</code>	109
		<i>makeidx</i>	108
L		<i>makeindex</i>	108, 109
<code>\label</code>	76, 80, 101, 102	<code>\makeindex</code>	108
Lamport, Leslie	xiii, 146	<code>\maketitle</code> ... 37, 39, 40, 53, 63, 142,	143
<i>landscape</i>	81	Malyshev, Basil K.	xxi
<code>\LARGE</code>	125	<i>man</i>	109
<code>\Large</code>	125	<i>Maple</i>	88, 152
<code>\large</code>	125	marginal notes	100
<code>\LaTeX</code>	155	margins	112
<i>latex</i>	3, 49	<code>\markboth</code>	115
<i>LaTeX2HTML</i>	104, 159–161	<code>\markright</code>	115
<i>latex2rtf</i>	160	markup	11
<code>\leftmark</code>	116	<i>marvosym</i>	19, 81
length	43	math characters	28
<i>length</i>	xxii	<i>MathCAD</i>	88
<i>letter</i>	32	<i>Mathematica</i>	88, 152
<i>letterpaper</i>	34, 35	mathematics	xvii, 28
<i>letterspacing</i>	114	<i>mathpazo</i>	121
<code>\linebreak</code>	145	<i>mathptmx</i>	121
Linux	1	<code>\mbox</code>	26, 145
<code>\listoffigures</code>	45	<i>mdwlist</i>	74, 113
<code>\listoftables</code>	45	<code>\medskip</code>	113
<i>lists</i>	73	<i>memoir</i>	32, 33
<i>bulleted</i>	73	<i>Mendeley</i>	106
<i>description</i>	75	metacharacters	18
<i>discussion</i>	75	metadata	36
<i>enumerated</i>	74	METAFONT	xii, 55, 66, 117, 119,
<i>inline</i>	75	120, 124, 129, 130, 138,	
<i>itemized</i>	73	164, 167, 188	
<i>numbered</i>	74	metainformation	36
<i>longtable</i>	81		
Lotz, Manfred	1		

- Microbrew *see* beer
- Microsoft Windows 1
- MiKTeX* xviii, 1, 5, 6, 9
- MikTeX* 134
- minipage 93, 96, 99, 146
- mirror 87
- mkdir 134
- mktexlsr* 67, 163, 164
- mm (millimeters) 24
- Mozilla* 70
- multicol 110
- multicols 110
- `\multicolumn` 83
- multiplier** 82
- multirow 81
- multirow 83
- myheadings 115
- N**
- N800* xiv
- natbib 103, 104
- NetPBM* 160
- newcent 118, 121
- `\newcommand` 142, 146
- `\newgeometry` 112
- NFSS **130**
- `\normalsize` 125
- Notepad* xvi
- Notes* xvi
- NTS xiv
- O**
- octothorpe** 19
- Okular* 3, 7, 48
- Omnimark* 153
- oneside 34
- OpenOffice* xvi, 152, 153
- Options**
- 11pt 34
- 12pt 34
- a4paper 34, 35
- agsm 104
- alpha 103
- aprs 104
- b 92
- dcu 104
- draft 34
- empty 115
- full 6
- headings 115
- kluwer 104
- letterpaper 34, 35
- myheadings 115
- oneside 34
- options 182
- pdftex 129
- plain 103, 115
- scaled 120
- svgnames 128
- t 92
- T1 22, 136
- titlepage 34
- twoside 34
- utf8x 22
- options *see* Class Options
- options 182
- Rogue 109
- OS X 1
- Ota, Takaaki 82
- `\ovalbox` 96
- Overfull hbox 54
- oxford* 107
- P**
- `\P` 101
- package xxii, 182
- Packages**
- apacite 103
- array 81
- article 32, 33
- avant 118
- babel 21, 28, 44
- bbding 74, 149
- biblatex 102
- bibunits 104
- book 32, 41

bookman	118, 120	multirow	81
ccr	118	natbib	103, 104
chapterbib	104	newcent	118, 121
charter	119	package	xxii, 182
colortbl	81	palatino	118, 121
courier	118	pandora	117
datatool	82	paralist	54, 67, 68, 75, 77
dcolumn	81	parskip	44
eiad	118	pifont	74, 118
endnote	99	preview-latex	xx
epsf	85	pslatex	121
extarticle	35	ragged2e	27
extbook	35	report	32, 41
extreport	35	rotating	81
extsizes	35	section	41, 113
fancybox	91, 96, 146	sectsty	41, 113
fancyhdr	115	setspace	114
fancyvrb	91, 98	soul	27, 115
fix-cm	125, 126	tabular	95
float	80	tabularx	81
fnpara	99	tabulary	81
fontenc	22, 136	textcomp	19, 28, 74, 126
fontname	137, 138	times	118, 120, 121
footmisc	xxii	ucs	22
geometry ...	34, 63, 64, 100, 112	ulem	124
graphics	65	url	91
graphicx	85, 87	utopia	119
har2nat	104	xcolor	62–65, 128, 129
harvard	104	zapfchan	118
helvet	118, 120	packages	
inputenc	21, 22, 29, 169	documentation	63
jurabib	108	downloading	64
komascript	32, 33	installing	64, 65
landscape	81	using	62
letter	32	packages	33, 62
longtable	81	page size	
makeidx	108	margins	112
marvosym	19, 81	scaling	58
mathpazo	121	<i>PageMaker</i>	152
mathptmx	121	<code>\pageref</code>	102
mdwlist	74, 113	<code>\pagestyle</code>	115, 116
memoir	32, 33	<i>PaintShop Pro</i>	88
multicol	110	palatino	118, 121

- pandora 117
 panels 92
 paper sizes 34
`\par` 83, 113, 122, 125, 143
`\paragraph` 41, 76
 `paralist` 54, 67, 68, 75, 77
`\parbox` 92, 93
 `\parindent` 44, 93
 `parskip` 44
 `\parskip` 43, 44
`\part` 41
`\part*` 43
 pc (picas) 24
 PCL **86**
 PC xxi
 PDA xiv, xv, 151
 PDF ii, xii, 20, 33, 48–50, 55, 57,
 57, 58, 63–65, 86, 88, 89,
 92, 131, 135, 161, 162
`pdfLATEX` 34, 48, 50, 55, 65,
 86, 89, 117, 120, 129, 131,
 139, 152, 161
`pdflatex` 104
`pdflatex` 49
 `pdftex` 129
`pdftotext` 161
`\person` 145–147
 PFA **131**
 PFB **131**, 135
PhotoShop 88
 picas 24
 picture 85
 `pifont` 74, 118
 plain 103, 115
plain-text 11
 PNG **86**, **86**, 88, 89
 points 24
 PostScript xii, 55–59, 89, 120,
 128–131, 135, 136
 19
preable 40
Preview xviii, 4, 7
 preview 54
 `preview-latex` xx
`\printindex` 109
 printing 47, 57
 reverse order 58
 selected pages 58
ProCite 106
product xxii, 182
`\product` 122, 127, 144
Products
 3B2 152
 AbiWord 152, 154, 155
 Acrobat 161
 Acrobat Reader 4, 5, 7, 48, 57
 `afm2tfm` 133, 136
 `apt` xviii, 2
 ArcInfo 88
 AutoCAD 88
 BaKoMa T_EX xx
 bibtex 104
 `cep` 87
 `charmap` 22
 ChemDraw 88
 Chocolate Stout 109
 `configure` 67
 Crayola xi, 128
 Cygwin 68
 `detex` 161
 DocBook xxi
 Draw 88
 `dvialw` 59
 `dvieps` 59
 `dvihp` 59
 `dvips` 56–58, 86, 87, 89, 128,
 135, 139
 `dviview` 55
 DynaTag 153
 elsevier 107
 Emacs xix, 2, 7, 20, 48, 50, 51,
 58, 82, 105
 EndNote 106
 EuroMath 152
 FontForge 131
 `fontname` 132

<i>Foxit</i>	48	<i>OpenOffice</i>	xvi, 152, 153
<i>FrameMaker</i>	152	<i>oxford</i>	107
<i>GhostScript</i>	1, 5	<i>PageMaker</i>	152
<i>Ghostsript</i>	57, 59, 119	<i>PaintShop Pro</i>	88
<i>GIMP</i>	88	<i>pdfL^AT_EX</i>	34, 48, 50, 55, 65, 86, 89, 117, 120, 129, 131, 139, 152, 161
<i>GNUplot</i>	88	<i>pdflatex</i>	104
<i>GSView</i>	xviii, 1	<i>pdftotext</i>	161
<i>GSview</i>	5, 48, 57, 58, 119	<i>PhotoShop</i>	88
<i>harvard</i>	107	<i>Preview</i>	xviii, 4, 7
<i>HTML Tidy</i>	153	<i>ProCite</i>	106
<i>ieeetr</i>	107	<i>product</i>	xxii, 182
<i>Illustrator</i>	88	<i>ProT_EXt</i>	5, 7
<i>ImageMagick</i>	87	<i>proT_EXt</i>	9
<i>InkScape</i>	88	<i>psnup</i>	58
<i>Instant Preview</i>	xx	<i>pstops</i>	58
<i>JabRef</i>	106	<i>Publisher</i>	152
<i>Java</i>	xxi, 154	<i>pybliographic</i>	106
<i>kdvi</i>	3, 7	<i>Reference Manager</i>	106
<i>Kile</i>	xiii, xix, 2, 7, 15, 104	<i>rtf2latex2e</i>	153, 160
<i>kluwer</i>	107	<i>Runoff</i>	12
<i>kpdf</i>	3, 7, 48	<i>Saxon</i>	xxi, 154, 156
<i>kpsewhich</i>	164	<i>Scientific Word</i>	xx
<i>Kword</i>	152	<i>Synaptic</i>	xviii, 2
<i>L^AT_EX2HTML</i>	104, 159–161	<i>t1binary</i>	131
<i>latex2rtf</i>	160	<i>t1utils</i>	131
<i>L_AX</i>	xx	<i>T_EX2Word</i>	160
<i>MacT_EX</i>	1, 4, 7	<i>T_EX4ht</i>	159, 161
<i>makebst</i>	107	<i>texconfig</i>	3
<i>makeindex</i>	108, 109	<i>texhash</i>	67, 163, 164
<i>Maple</i>	88, 152	<i>T_EXnicCenter</i>	xviii, xix, 1, 5–7, 13, 82, 104
<i>MathCAD</i>	88	<i>T_EXshop</i>	xviii, xix, 1, 4, 7
<i>Mathematica</i>	88, 152	<i>TextEdit</i>	xvi
<i>Mendeley</i>	106	<i>Textures</i>	xx
<i>MiK_T_EX</i>	xviii, 1, 5, 6, 9	<i>Tidy</i>	160
<i>Mik_T_EX</i>	134	<i>tkbibtex</i>	106
<i>mktxlsr</i>	67, 163, 164	<i>tkPaint</i>	88
<i>Mozilla</i>	70	<i>updmap</i>	135, 138, 139
<i>N800</i>	xiv	<i>updmap-sys</i>	135
<i>NetPBM</i>	160	<i>Velcro</i>	144
<i>Notepad</i>	xvi	<i>vi</i>	xix
<i>Notes</i>	xvi		
<i>Okular</i>	3, 7, 48		
<i>Omnimark</i>	153		

- vptovf* 133
which 164
Windows xviii, 7
WinEDT xiii
Winedt 82
Word ... xvi, xvii, 126, 152, 153,
159–161
WordPerfect xvi
xdvi 55, 57
xkeycaps 22
xpdf 48
XPress 152
Yap xviii
yum xviii, 2
Zaurus xiv
Zotero 106
\protect 99
ProT_EXt 5, 7
proT_EXt 9
\ProvidesPackage 136
PS **161**
pslatex 121
psnup 58
pstops 58
pt (points) 24
Publisher 152
pybliographic 106
Q
\qqquad 114
\quad 25, 114
quotation xxii, 98
quotation marks 19
quote 98
R
ragged2e 27
\raggedleft 27
raggedleft 27
\raggedright 27, 92, 94
raggedright 27
Raggett, Dave 153
Rahtz, Sebastian 1
\raisebox 149
\ref 76, 101, 102
Reference Manager 106
references 102
\refname 106
\reindex 145, 146
\renewcommand... 39, 40, 82, 143, 147
report 32, 41
RGB 128, 129, **129**
\rightmark 116
RIS 106, **106**
\rmdefault 136
rotate 87
rotating 81
RTF **153**, 154, 160
rtf2latex2e 153, 160
Runaway argument 53
Runoff 12
S
\S 101
Sathyam, Ujwal 153
Saxon xxi, 154, 156
Sbox 96, 146
scale 87
scaled 120
Schenk, Christian 1
Scientific Word xx
\scriptsize 125
\scshape 123
secnumdepth 42, 43
section 41, 113
\section 41, 44
section xxii, 147, 148
section numbering 42
sections 31, 40
sectsty 41, 113
\selectfont 121, 123
\sentinel 146
\setcounter 42
\setlength 43, 44, 93
setspace 114
\sfdefault 136

<code>\sffamily</code>	123, 143	tabulary	81
SGML	12, 32, 152, 162, 162	Talbot, Nicola	82
<code>\shadowbox</code>	96, 146	TDS	62, 66–68, 68 , 129
sidebars	92	TEI	161
<code>\slshape</code>	123	temporary directory	65
<code>\small</code>	97, 125	term	xxii
<code>\smallskip</code>	113	te	1
soul	27, 115	<code>T_EX2Word</code>	160
sp (scaled points)	24	<code>T_EX4ht</code>	159, 161
space	<i>see</i> white-space	<code>texconfig</code>	3
<code>\space</code>	147	<code>texconfig</code>	3
<code>\spaceskip</code>	26	<code>texdoc</code>	63
spacing	<i>see</i> double-spacing, <i>see</i> white-space	<code>texhash</code>	67, 163, 164
special characters	18	Live	1
Stallman, Richard	xiv	<code>T_EXnicCenter</code>	xviii, xix, 1, 5–7, 13, 82, 104
Stephani, Philipp	86	<code>T_EXshop</code>	xviii, xix, 1, 4, 7
<code>\subparagraph</code>	41, 76	<code>\textbackslash</code>	18
<code>\subparagraph*</code>	43	<code>\textbrokenbar</code>	28
<code>\subsection</code>	41	<code>\textbullet</code>	74
<code>\subsubsection</code>	41	<code>\textcolor</code>	128, 129
sudo	2, 3	<code>textcomp</code>	19, 28, 74, 126
summaries	37	<code>TextEdit</code>	xvi
SVG	128	<code>\texteuro</code>	19
svgnames	128	<code>\textit</code>	127
<i>Synaptic</i>	xviii, 2	<code>\textlangle</code>	28
T		<code>\textrangle</code>	28
t	92	<code>\textsterling</code>	19
T1	22, 136	<code>\textsuperscript</code>	126
<code>t1binary</code>	131	<code>\texttrademark</code>	144
<code>t1utils</code>	131	<i>Textures</i>	xx
<code>\tabcolsep</code>	82	<code>\textwidth</code>	xxii
table	80, 84	Th'ê Thành, Hàn	xiii
table of contents		<code>\thechapter</code>	147
adding manual entry	45	<code>\theenumi</code>	78
automated entries	45	<code>\theenumii</code>	78
table*	110	<code>\theenumiii</code>	78
<code>\tableofcontents</code>	16, 45, 51	<code>\theenumiv</code>	78
tables	78	<code>\TheSbox</code>	146
tabular	95	<code>\thinspace</code>	20, 114
tabular	80, 83, 93	<code>\thispagestyle</code>	115
tabularx	81	<i>Tidy</i>	160
		TIFF	89

- times 118, 120, 121
- `\tiny` 125
- `\title` 37, 99, 142
- titlepage 34
- titles 36
- `tkbibtex` 106
- `tkPaint` 88
- `\tmproduct` 144
- `tocdepth` 42, 45
- Too many }'s 52
- tools 97
- tracking *see* letterspacing
- True xxi
- `\ttdefault` 136
- `\ttfamily` 123
- TUG ix, xiii, xiv, xviii, xxi, 1, **167**
- twoside 34
- typesetting 47
- typographics 111
- U**
- ucs 22
- ulem 124
- `\uline` 124
- Undefined control sequence 52
- Underfull hbox 53
- units 24
- Unix 1
- `updmap` 135, 138, 139
- `updmap-sys` 135
- `\upshape` 123
- URI 8, 47, 69, 90, **90**, 91, 92, 154
- URL **90**
- url 91
- `\url` 91, 92, 99, 159
- `\usepackage` 54, 62, 63, 107, 128, 131
- utf8x 22
- utopia 119
- V**
- variables* 182
- `\vbox` 93
- `Velcro` 144
- `\verb` 19, 90–92, 98
- Verbatim 91, 92
- verbatim 91, 92
- verbatim text 90
- `\VerbatimFootnotes` 98
- vertical bar** 90
- vi xix
- viewing 47
- `vptovf` 133
- `\vspace` 113, 114
- `\vspace*` 113
- V xxi
- W**
- Wawrykiewicz, Staszek 87
- which* 164
- white-space 17
- double-spacing 113
- hard 26
- horizontal 114
- vertical
- disappearing 113
- fixed 113
- flexible 113
- white-space** 16
- Windows xviii, 7
- `WinEDT` xiii
- `Winedt` 82
- `Word` xvi, xvii, 126, 152, 153, 159–161
- `WordPerfect` xvi
- WYSIWYG xii, xviii, **xx**, 31, 55
- X**
- xcolor 62–65, 128, 129
- `xdvi` 55, 57
- xetex xiii
- XHTML **153**, 160
- `xkeycaps` 22
- XML ii, x, xiv, xvii, xxi, 32, 78, 90, 152, **152**, 153–155, 157, 159, 161, 162, 169
- `xpdf` 48

<i>XPress</i>	152	<i>yum</i>	xviii, 2
<i>XSL</i>	162, 162		
<i>XSLT</i> ii, xxi, 153, 153 , 154–157, 162, 169		Z	
Y		<i>zapfchan</i>	118
<i>Yap</i>	xviii	<i>Zaurus</i>	xiv
		<i>Zotero</i>	106