

Index

See Table 2 on page xxx for the meanings of the typographic formatting used here and in the text.

- `\", 22`
- `\', 22`
- `\(, 31, 32`
- `\), 31, 32`
- `\-, 26`
- `\., 22`
- `/p, 236`
- `\=, 22`
- `\@, 162, 164`
- `\[, 32`
- `\], 32`
- `\^, 21, 22`
- `\`, 22`
- `\ , 21, 22`

- `10pt, 37`
- `11pt, 37`
- `12pt, 11, 37`

- `a4paper, 36, 38`
- `\AA, 22`
- `\aa, 22`
- `AbiWord, 175, 177, 178`
- `abstract, 44, 45`
- `\abstractname, 45`
- `abstracts, 44`
- `accents, 19`
- `Acrobat Reader, 185, 194, 222, 258`
- `acronym, 126`
- `\addbibresource, 120`
- `\addcontentsline, 52`
- `\addtocontents, 53`
- `\AE, 22`

- `\ae, 22`
- `\affiliation, 42`
- `afm2tfm, 234`
- `textbf, 17`
- Apple Mac
 - editor, 189, 194
 - installation, 189
- `apt, 190`
- `apt-get, xxvi`
- `Aquamacs, 222`
- `\arabic, 170`
- `ArcInfo, 96`
- `textbf, 13`
- array, 85
- `\arraybackslash, 85`
- `\arraystretch, 87`
- `article, 11, 35`
- `\author, xxx, 42–44, 108, 162`
- `AutoCAD, 95`
- avant, 143

- `b, 100`
- `\b, 22`
- babel, 20, 30, 50, 120
- `textbf, 9`
- `textbf, 254`
- BaKoMa TeX, xxix
- `\baselinestretch, 133`
- bbding, 73, 171
- beer, 123
 - lite, 123
 - American, 123
 - Rogue

FORMATTING INFORMATION

Chocolate Stout, 124
`\begin`, 20, 40, 41, 45, 74, 82, 163, 180
`\bfseries`, 12, 149
biber, ix, 5, 19, 62, 112–114, 120–122, 125
biber, 247, 249
BIBINPUTS, 116
biblatex, 5, 112, 113
biblatex, ix, 5, 19, 112–114, 116–121
biblatex-apa, 114
biblatex-cheatsheet, 114
biblatex-chicago, 114
`textbf`, 112
bibliographies, 111
`\bibliography`, 121
`\bibliographystyle`, 117, 121
bibtex, 5, 62, 112–114, 118, 122, 125
bibtex, 247, 249
`\bigskip`, 132
`textbf`, 2, 229
book, 35
book, 47
bookman, 143
boxes, 99
bp (big points), 25
`\c`, 22
`\c` , 22
Calibre, 2
`\caption`, 81, 89, 111
cat, 237
cc (Ciceros), 25
cd, 66, 250
center, 11, 12, 29, 87, 88, 148
`\centering`, 29, 85, 87, 148
cep, 93
chancery, 143
`textbf`, 247
`\chapter`, 47, 48
chapter, 170
characters
 accented, 19
 ASCII, 267
 math, 31
 special, 15, 31
charmap, 21
charter, 144
ChemDraw, 95
Chocolate Stout, 124
Chocolate Stout, 124
`\cite`, 112, 117–119, 121, 122, 125
`\citep`, 118, 121, 122
`\citet`, 118, 121
`textbf`, 56
Classes
 article, 11, 35
 book, 35
 letter, 35
 memoir, xxx
 report, 34
 thesis, 34
classes, 56
`\clearpage`, xxx
`\cline`, 84
 cm (centimeters), 25
`\color`, 58, 155
`\colorbox`, 102, 156
colortbl, 86
 colour, 155
 columns, 127
`\columnsep`, 127

Command, 218

Commands

\", 22
\', 22
\(, 31, 32
\), 31, 32
\-, 26
\., 22
\=, 22
\@, 162, 164
\[, 32
\], 32
\^, 21, 22
\`, 22
\ , 21, 22
\AA, 22
\aa, 22
\abstractname, 45
\addbibresource, 120
\addcontentsline, 52
\addtocontents, 53
\AE, 22
\ae, 22
\affiliation, 42
\arabic, 170
\arraybackslash, 85
\arraystretch, 87
\author, xxx, 42–44, 108, 162
\b, 22
\begin, 20, 40, 41, 45, 74, 82, 163, 180
\bfseries, 12, 149
 biber, 247, 249
\bibliography, 121
\bibliographystyle, 117, 121
 bibtex, 247, 249
\bigskip, 132
\c, 22
\c , 22
\caption, 81, 89, 111
 cat, 237
 cd, 66, 250
\centering, 29, 85, 87, 148
\chapter, 47, 48
\cite, 112, 117–119, 121, 122, 125
\citep, 118, 121, 122
\citet, 118, 121
\clearpage, xxx
\cline, 84
\color, 58, 155
\colorbox, 102, 156
\d, 22
\date, 42, 44, 162, 252, 253
\datesubmitted, 42
\DeclareFontFamily, 239
\DeclareFontShape, 239, 240
\def, 167
\definecolor, 155, 156
 del, 248
\documentclass, 20, 34, 38, 45, 57, 152, 180
\doublespacing, 133
 dvips, 97, 193
\EF, 162
\emph, 154, 180
\end, 11, 39, 40, 45, 105, 180
\enspace, 134
\EUR, 17, 85
 exit, 139, 246
\fancyhead, 136
\fbox, 90, 101, 102, 156

FORMATTING INFORMATION

`fc-cache`, 139
`fc-list`, 230
`\fcolorbox`, 102, 156
`\flushleft`, 148
`\flushright`, 148
`\fnsymbol`, 108
`\fontencoding`, 147
`\fontfamily`, 143, 148
`\fontsize`, 152
`\footcite`, 118, 119
`\footnote`, xxx, 103, 107, 108
`\footnotesize`, 152
`\foreign`, 154, 165
`\foreignlanguage`, 30
`\gloss`, 125
`\glossary`, 125
`\gls`, 125
`\graphicspath`, 96, 97
 `grep`, 230
`\H`, 22
 `.h1`, 3
 `:h1`, 3
 `@Heading`, 3
`\hline`, 84
`\hrule`, 164
`\hspace`, 134
`\Huge`, 152
`\huge`, 152
`\hyphenation`, 26, 27
`\i`, 22
`\includegraphics`, 90–93, 96, 97, 103
`\index`, 123–125, 168
`\input`, 125
`\item`, 72
`\itshape`, 149
 `kpsewhich`, 158
`\I`, 22
`\l`, 22
`\label`, 77, 81, 89, 110–112
`\labelitemi`, 171
`\labelitemiv`, 172
`\LARGE`, 152
`\Large`, 12, 152
`\large`, 152
`\LaTeX`, 179
 `latex`, 8, 62, 193, 247, 249
 `latexmk`, 247, 249
`\leftmark`, 137
`\linebreak`, 166
`\listoffigures`, 52
`\listoftables`, 52
 `ls`, 227
`\lstinline`, 104, 106
`\makeatletter`, 163
`\makeatother`, 163
`\makeglossary`, 124
`\makeindex`, 123
 `makeindex`, 124, 247, 249
`\maketitle`, 42–45, 52, 58, 147, 162, 163, 253
 `man`, 124
`\marginal`, 109
`\markboth`, 135
`\markright`, 135
`\mbox`, 27, 166
`\medskip`, 132
 `mkdir`, 217, 218, 231, 236
`\multicolumn`, 86, 88
 `mv`, 248
`\newcommand`, 162, 167
`\newcounter`, 78
`\newfontface`, 146
`\newfontfamily`, 146
`\newgeometry`, 132

`\newglossaryentry`, 125
`\noindent`, 98
`\normalsize`, 152
`\O`, 22
`\o`, 22
`\OE`, 22
`\oe`, 22
`\onehalfspacing`, 133
`\ovalbox`, 102
`\P`, 110
`\pageref`, 111
`\pagestyle`, 135, 136
`\par`, 88, 132, 148, 152, 164
`\paragraph`, 47, 77
`\parbox`, 99–101
`\parencite`, 117–119
`\part`, 47
`\part*`, 49
`pdflatex`, 247, 249
`\person`, 167, 168
`\printbibliography`,
120
`\printglossaries`, 125
`\printindex`, 124
`\product`, 154, 165
`\protect`, 108
`\ProvidesPackage`, 238
`\qqquad`, 134
`\quad`, 25, 134
`\RaggedLeft`, 29
`\raggedleft`, 29, 85
`\RaggedRight`, 29
`\raggedright`, 29, 85, 100
`\raisebox`, 171
`\ref`, 77, 110–112
`\reindex`, 167, 168
`ren`, 248
`\renewcommand`, 45, 49, 87,
133, 163, 170
`\RequirePackage`, 152
`\rightmark`, 137
`rm`, 248
`\rmdefault`, 238
`\rule`, 84
`\S`, 110
`\scriptsize`, 152
`\scshape`, 149
`\section`, 3, 47, 51, 170
`\selectfont`, 147, 148, 150
`\selectlanguage`, 30
`\sentinel`, 167, 168
`\setcounter`, 49
`\setlength`, 49–51, 101
`\setmainfont`, 139
`\setmonofont`, 139
`\setsansfont`, 139
`\sfdefault`, 238
`\sffamily`, 12, 149, 164
`\shadowbox`, 102, 168
`\singlespacing`, 133
`\slshape`, 149
`\small`, 98, 152
`\smallskip`, 132
`\ss`, 22
`\subparagraph`, 47, 77
`\subparagraph*`, 49
`\subsection`, 47
`\subsubsection`, 47
`sudo`, 138, 191
`\t`, 22
`\tableofcontents`, 14,
51, 52, 250
`\tablefont`, 146
`texconfig`, 191
`texdoc`, 59

`\text`, 124
`\textbf`, 150
`\textbrokenbar`, 31
`\textbullet`, 73
`\textcite`, 117–119
`\textcolor`, 155, 156
`\textdegree`, 32
`\texteuro`, 17
`\textit`, 150, 154
`\textlangle`, 31
`\textrangle`, 31
`\textsc`, 150
`\textsf`, 150
`\textsl`, 150
`\textsterling`, 17
`\textsuperscript`, 18
`\texttrademark`, 166
`\texttt`, 150
`\thechapter`, 170
`\theenumi`, 78
`\theenumii`, 78
`\theenumiii`, 78
`\theenumiv`, 78
`\theexample`, 78
`\TheSbox`, 168
`\thesection`, 170
`\thinspace`, 18, 19, 134
`\thispagestyle`, 135
`\tiny`, 152
`\title`, 42, 44, 108, 162
`\titlecite`, 118
`\tmproduct`, 165
`\ttdefault`, 238
`\ttfamily`, 149
`\u`, 22
`\uline`, 151
`\upshape`, 149
`\url`, 104, 106, 108, 180
`\usepackage`, 38, 57, 58, 91, 97, 106, 155, 159, 180, 231, 239, 255
`\v`, 22
`\verb`, 102–106, 108
`\VerbatimFootnotes`, 108
`\vspace`, 132, 134
`\vspace*`, 133
`xelatex`, xxvii, 247, 249
commands, 13
`textbf`, 16
commercial distributions, xxix
`textbf`, 150
Computer, 157, 206, 219
concrete, 142
configure, 65
ConTeXt, xvii
`textbf`, 11
Counters
chapter, 170
enumi, 78
enumii, 78
enumiii, 78
enumiv, 78
example, 78
footnote, 108
secnumdepth, 11, 49
section, xxx, 170, 171
tocdepth, 49, 52
courier, 143
Crayola, xv, 155
cross-references, 109
csquotes, 120
`textbf`, 13, 14
Cygwin, 67
cypriot, 146

- `\d`, 22
- `dash`, 28
 - long, 28
 - short, 28
- `datatool`, 81, 86
- `\date`, 42, 44, 162, 252, 253
- `\datesubmitted`, 42
 - DCF*, 3
 - `dcolumn`, 86
 - dd (Didot points), 25
- `\DeclareFontFamily`, 239
- `\DeclareFontShape`, 239, 240
- `\def`, 167
- `\definecolor`, 155, 156
- `del`, 248
- `textbf`, 248
- `description`, 74, 75
- `description*`, 75
- detex*, 186
- `textbf`, 49
- dimensions, 23
- DOCT_EX, 61
- DocBook*, 177
- DocBook 5*, xxxi
- document, xxiii, 11, 12, 20, 41, 42
- document class, 34
- `\documentclass`, 20, 34, 38, 45, 57, 152, 180
 - Dolphin*, 62, 157, 217
- double-spacing, 133
- `\doublespacing`, 133
 - draft*, 37
 - Draw*, 92, 96
 - duerer, 142
 - dviaw*, 260
 - dviaps*, 260
 - dvihp*, 260
 - dvips*, 93, 97, 257, 259
 - dvips*, 97, 193
 - dvipsnames*, 155
 - dviview*, 255
 - DynaTag*, 176
- `\EF`, 162
- `eiad`, 142
- El Capitan*, 194
- em (relative measure), 25
- Emacs*, xxvi, 10, 18, 86, 87, 222–224, 251, 259
- emacs*, 138
- `\emph`, 154, 180
- empty*, 135
- `\end`, 11, 39, 40, 45, 105, 180
- `endnote`, 108
- `\enspace`, 134
- `enumerate`, 73
- `enumerate*`, 75, 76
- enumi*, 78
- enumii*, 78
- enumiii*, 78
- `enumitem`, 65, 74, 75, 77, 132
- enumiv*, 78
- environment, 72
- environment, xxx
- `textbf`, 11, 40
- Environments**
 - abstract, 44, 45
 - center, 11, 12, 29, 87, 88, 148
 - description, 74, 75
 - `description*`, 75
 - document, xxiii, 11, 12, 20, 41, 42
 - enumerate, 73
 - `enumerate*`, 75, 76

environment, xxx
equation, 32
figure, 89, 148
figure*, 127
flushleft, 88, 164
flushright, 88
inparaenum, 76
itemize, 11, 73
itemize*, 75
lrbox, 101
minipage, 100–102, 108, 168
multicols, 127
picture, 90, 91
quotation, xxx, 98, 148
raggedleft, 29
raggedright, 29
Sbox, 101, 102, 168
spacing, 133
table, 81, 82, 90, 148
table*, 127
tabular, 82, 88, 90, 101
Verbatim, 105
verbatim, 105
epsf, 91
equation, 32
error
 messages, 243
Error messages
 Capacity exceeded, 253
 File not found, 254
 Overfull hbox, 254
 Runaway argument, 253
 Too many }'s, 252
 Undefined control sequence, 252
 Underfull hbox, 253
etruscan, 146
\EUR, 17, 85
Euro, 17
EuroMath, 175
Evince, 191, 222
ex (relative measure), 25
example, 78
exit, 139, 246
extarticle, 38
extbook, 38
extreport, 38
extsizes, 38
fancybox, 101, 102, 168
fancyhdr, 135, 136
\fancyhead, 136
fancyvrb, 105, 108
\fbox, 90, 101, 102, 156
\fboxrule, 101, 156
\fboxsep, 101, 156
fc-cache, 139, 230
fc-cache, 139
fc-list, 230
\fcolorbox, 102, 156
figure, 89, 148
figure*, 127
figures, 89
filenames, 244
Finder, 62, 157
fix-cm, 152
float, 80
floats, 79, 89
\flushleft, 148
flushleft, 88, 164
\flushright, 148
flushright, 88
fnpara, 108
\fnsymbol, 108
textbf, 238

- textbf, 149
- textbf, 149
- fontenc, 19, 23
- \fontencoding, 147
- \fontfamily, 143, 148
 - FontForge, 150, 232
 - fontname, 234
 - fontname, 233, 239
- fonts
 - METAFONT, 137
 - changing temporarily, 146, 147
 - colour, 155
 - Computer Modern, 137
 - encoding, 234
 - families, 144
 - in general, 137
 - installing, 229
 - METAFONT, 143
 - PostScript, 143, 231
 - setting the default, 141
 - sizes, 37
 - TrueType, 143
 - Type 1, 143
- \fontsize, 152
- fontspec, 139, 141
- \footcite, 118, 119
- footmisc, xxx
- \footnote, xxx, 103, 107, 108
 - footnote, 108
- footnotes, 107
- \footnotesize, 152
- \foreign, 154, 165
- \foreignlanguage, 30
 - FrameMaker, 174
 - FreeType, 144
- gedit, 138
- geometry, 37, 58–60, 109, 131, 135
- Ghostsript, 189, 257, 259
- GIMP, 92, 96
- gloss, 125
- \gloss, 125
- glossaries, 123
- glossaries, 125, 126
- glossary, 125
- \glossary, 125
- \gls, 125
- GML, 3
- GNUplot, 96
- graphics, 91
- graphics, 61
- \graphicspath, 96, 97
- graphicx, 90, 91, 94
- grep, 230
- textbf, 29, 147, 148
- grouping, 148
- groups, 148
- GSview, 189, 257–259
- \H, 22
- .h1, 3
- :h1, 3
- har2nat, 121
- textbf, 17
- @Heading, 3
- headings, 135
- help, 67
- helvet, 143, 145
- textbf, 151
- \hline, 84
- \hrule, 164
- \hspace, 134
- HTML Tidy, 175
- \Huge, 152

- `\huge`, 152
- `hyphen`, 104
- hyphenation, 26
- `\hyphenation`, 26, 27
- hyphens, 26
 - soft, 26
- `\i`, 22
 - Illustrator*, 96
 - ImageMagick*, 93
 - images, 91
 - in (inches), 25
- `\includegraphics`, 90–93, 96,
 - 97, 103
 - InDesign*, 174
- `\index`, 123–125, 168
- indexes, 123
 - InkScape*, 96
 - inline*, 75
 - inparaenum*, 76
- `\input`, 125
- inputenc, 19, 21, 23, 32, 267
- Installation
 - Apple Mac, 189
 - Linux, 189
 - Mac OS X, 189
 - Microsoft Windows, 189
 - OS X, 189
 - Unix, 189
 - Instant Preview*, xxviii
- `\item`, 72
- itemize, 11, 73
- itemize*, 75
- `\itshape`, 149
- JabRef*, 113, 120, 263
- Java*, xxxi, 177
- JSTOR*, 113
- kate*, 138
- kdvi*, 191
- Kile*, xviii, xxvi, 6, 10, 222
- kindlegen*, 2
- komascript, 35
- kpdf*, 191
- kpsewhich*, 228
- kpsewhich*, 158
- Kword*, 175
- `\L`, 22
- `\l`, 22
- `\label`, 77, 81, 89, 110–112
- `\labelitemi`, 171
- `\labelitemiv`, 172
- landscape, 86
- `\LARGE`, 152
- `\Large`, 12, 152
- `\large`, 152
- `\LaTeX`, 179
- latex, 8, 62, 193, 247, 249
- latex-mode*, 18
- latex2rtf*, 184
- latexmk*, 62, 125
- latexmk*, 247, 249
- `\leftmark`, 137
- textbf, 49
- Lengths**
 - `\baselinestretch`, 133
 - `\columnsep`, 127
 - `\fboxrule`, 101, 156
 - `\fboxsep`, 101, 156
 - `\parindent`, 50, 101
 - `\parskip`, 49–51
 - `\spaceskip`, 26
 - `\tabcolsep`, 86
 - `\textwidth`, xxx
- letter**, 35

- letterpaper*, 37, 38
- letterspacing, 134
- linearb, 146
- `\linebreak`, 166
- Linux
 - installation, 189
- Lisp*, 224
- listings, 104–106
- `\listoffigures`, 52
- `\listoftables`, 52
- lists, 72
 - bulleted, 73
 - description, 74
 - discussion, 74
 - enumerated, 73
 - inline, 75
 - itemized, 73
 - numbered, 73
- longtable, 86
- lrbbox, 101
- ls, 227
- `\lstinline`, 104, 106
- lwrap*, 183
- lwrap, iv, 183, 184
- Mac OS X
 - installation, 189
- macros, 161
- textbf, 161
- `\makeatletter`, 163
- `\makeatother`, 163
- makeglossaries*, 125
- makeglossariesgui*, 125
- `\makeglossary`, 124
- makeidx, 123
- makeindex*, 62, 123–125
- `\makeindex`, 123
- makeindex, 124, 247, 249
- `\maketitle`, 42–45, 52, 58, 147, 162, 163, 253
 - man, 124
 - Maple*, 96, 175
- `\marginal`, 109
- marginal notes, 109
- margins, 131
- `\markboth`, 135
- `\markright`, 135
- textbf, 2
- marvosym, 17, 84
- math characters, 31
- MathCAD*, 95
- Mathematica*, 96, 175
- mathematics, xxiv, 31
- MathJax*, 184
- mathpazo, 143, 145
- mathptmx, 143, 145
- `\mbox`, 27, 166
- measurements, 23
- `\medskip`, 132
- memoir**, xxx
- memoir, 35
- Mendeley*, 113
- textbf, 15
- textbf, 42
- Microbrew, *see* beer
- Microsoft Windows
 - installation, 189
- minipage, 100–102, 108, 168
- mirror, 94
- mkdir, 217, 218, 231, 236
- mktxlsr*, 65, 227
- mm (millimeters), 25
- textbf, 248
- multicol, 127
- multicols, 127
- `\multicolumn`, 86, 88

- textbf, 87
- multirow, 86
- mv, 248
- My Computer*, 62, 157, 206, 219
- myheadings*, 135

- N800, xix
- natbib, 118, 121
- Nautilus*, 157, 217
- NetPBM*, 184
- newcent, 143, 145
- \newcommand, 162, 167
- \newcounter, 78
- \newfontface, 146
- \newfontfamily, 146
- \newgeometry, 132
- \newglossaryentry, 125
- nimbus, 144
- \noindent, 98
- noitemsep, 74
- normalem, 151
- \normalsize, 152
- nosep, 74
- Notepad*, xxii, 241
- Notes*, xxii

- \O, 22
- \o, 22
- textbf, 17
- \OE, 22
- \oe, 22
- Okular*, 191, 222
- oldgerm, 142
- Omnimark*, 176
- \onehalfspacing, 133
- oneside, 37
- OpenOffice*, xxii, 175, 177
- OpenType*, 144

- Options**
 - /p, 236
 - 10pt, 37
 - 11pt, 37
 - 12pt, 11, 37
 - a4paper, 36, 38
 - b, 100
 - draft, 37
 - dvipsnames, 155
 - empty, 135
 - headings, 135
 - hyphen, 104
 - inline, 75
 - letterpaper, 37, 38
 - myheadings, 135
 - noitemsep, 74
 - normalem, 151
 - nosep, 74
 - oneside, 37
 - plain, 135
 - Scale, 141
 - scaled, 94, 145
 - Show Library Folder, 218
 - svgnames, 155
 - t, 100
 - T1, 23
 - titlepage, 37
 - twocolumn, 127
 - twoside, 37
 - unboxed, 75
 - utf8, 19
 - utf8x, 19, 23
 - V, 235
- options, *see* Class Options
- textbf, 57
- Rogue, 124
- OS X
 - installation, 189

- `\ovalbox`, 102
- `oXygen`, 177
- `\P`, 110
- package, `xxx`
- Packages**
 - acronym, 126
 - array, 85
 - avant, 143
 - babel, 20, 30, 50, 120
 - bbding, 73, 171
 - biblatex, ix, 5, 19, 112–114, 116–121
 - biblatex-apa, 114
 - biblatex-cheatsheet, 114
 - biblatex-chicago, 114
 - book, 47
 - bookman, 143
 - chancery, 143
 - charter, 144
 - colortbl, 86
 - concrete, 142
 - courier, 143
 - csquotes, 120
 - cyriot, 146
 - datatool, 81, 86
 - dcolum, 86
 - duerer, 142
 - eiad, 142
 - endnote, 108
 - enumitem, 65, 74, 75, 77, 132
 - epsf, 91
 - etruscan, 146
 - extarticle, 38
 - extbook, 38
 - extreport, 38
 - extsizes, 38
 - fancybox, 101, 102, 168
 - fancyhdr, 135, 136
 - fancyvrb, 105, 108
 - fix-cm, 152
 - float, 80
 - fnpara, 108
 - fontenc, 19, 23
 - fontname, 233, 239
 - fontspec, 139, 141
 - footmisc, `xxx`
 - geometry, 37, 58–60, 109, 131, 135
 - gloss, 125
 - glossaries, 125, 126
 - glossary, 125
 - graphics, 61
 - graphicx, 90, 91, 94
 - har2nat, 121
 - helvet, 143, 145
 - inputenc, 19, 21, 23, 32, 267
 - komascript, 35
 - landscape, 86
 - linearb, 146
 - listings, 104–106
 - longtable, 86
 - lwrap, iv, 183, 184
 - makeidx, 123
 - marvosym, 17, 84
 - mathpazo, 143, 145
 - mathptmx, 143, 145
 - memoir, 35
 - multicol, 127
 - multirow, 86
 - natbib, 118, 121
 - newcent, 143, 145
 - nimbus, 144
 - oldgerm, 142
 - package, `xxx`
 - palatino, 11, 145

pandora, 142
paralist, 75–77, 255
parskip, 51
phoenician, 146
pifont, 73, 143
preview-latex, xxviii
pslatex, 145
ragged2e, 29
report, 47
rotating, 86
runic, 146
rustic, 142
section, 47, 132
sectsty, 47, 132
setspace, 133
soul, 29, 134
tabularx, 86
tabulary, 86
textcomp, 17, 18, 31, 73
times, 145
tocloft, 53
ulem, 151
uncial, 142
uni, 142
url, 11, 103, 104
urw, 144
utopia, 144
varioref, 111
verbatim, 105
xcolor, 57–59, 61, 102, 155,
156, 163, 311
packages, 56
 documentation, 59
 downloading, 59
 indexing, 64
 installing, 59, 61
textbf, 35, 56
page size
 scaling, 259
PageMaker, 174
`\pageref`, 111
`\pagestyle`, 135, 136
PaintShop Pro, 96
palatino, 11, 145
Pandoc, 175, 182
pandora, 142
panels, 99
paper sizes, 36
`\par`, 88, 132, 148, 152, 164
`\paragraph`, 47, 77
 paralist, 75–77, 255
`\parbox`, 99–101
`\parencite`, 117–119
`\parindent`, 50, 101
 parskip, 51
`\parskip`, 49–51
`\part`, 47
`\part*`, 49
 pc (picas), 25
 PCT_EX, xxix
 pdf2ps, 257
 pdflatex, 8, 194
 pdflatex, 247, 249
 pdftotext, 186
`\person`, 167, 168
 textbf, 217
 textbf, 217
 phoenician, 146
 PhotoShop, 92, 96
 picas, 25
 picture, 90, 91
 pifont, 73, 143
 plain, 135
 textbf, 1
 points, 25

- PostScript*, xviii, 63, 93, 97, 143, 144, 157, 158, 229, 231, 232, 234–236, 256, 257, 259
- textbf*, 20
- Preview*, xxv, 194, 222
- preview*, 255
- preview-latex*, xxviii
- `\printbibliography`, 120
- `\printglossaries`, 125
- `\printindex`, 124
- printing*, 243, 258
 - reverse order, 259
 - selected pages, 259
- `\product`, 154, 165
- Products**
 - AbiWord*, 175, 177, 178
 - Acrobat Reader*, 185, 194, 222, 258
 - afm2tfm*, 234
 - apt*, 190
 - apt-get*, xxvi
 - Aquamacs*, 222
 - ArcInfo*, 96
 - AutoCAD*, 95
 - BaKoMa T_EX*, xxix
 - biber*, ix, 5, 19, 62, 112–114, 120–122, 125
 - biblatex*, 5, 112, 113
 - bibtex*, 5, 62, 112–114, 118, 122, 125
 - Calibre*, 2
 - cep*, 93
 - charmap*, 21
 - ChemDraw*, 95
 - Chocolate Stout*, 124
 - Command*, 218
 - Computer*, 157, 206, 219
 - configure*, 65
 - Crayola*, xv, 155
 - Cygwin*, 67
 - DCF*, 3
 - detex*, 186
 - DocBook*, 177
 - DocBook 5*, xxxi
 - Dolphin*, 62, 157, 217
 - Draw*, 92, 96
 - dviaw*, 260
 - dvieps*, 260
 - dvihp*, 260
 - dvips*, 93, 97, 257, 259
 - dviview*, 255
 - DynaTag*, 176
 - El Capitan*, 194
 - Emacs*, xxvi, 10, 18, 86, 87, 222–224, 251, 259
 - emacs*, 138
 - EuroMath*, 175
 - Evince*, 191, 222
 - fc-cache*, 139, 230
 - Finder*, 62, 157
 - FontForge*, 150, 232
 - fontname*, 234
 - FrameMaker*, 174
 - FreeType*, 144
 - gedit*, 138
 - Ghostsript*, 189, 257, 259
 - GIMP*, 92, 96
 - GML*, 3
 - GNUplot*, 96
 - GSview*, 189, 257–259
 - HTML Tidy*, 175
 - Illustrator*, 96
 - ImageMagick*, 93
 - InDesign*, 174
 - InkScape*, 96

Instant Preview, xxviii
JabRef, 113, 120, 263
Java, xxxi, 177
JSTOR, 113
kate, 138
kdvi, 191
Kile, xviii, xxvi, 6, 10, 222
kindlegen, 2
kpdf, 191
kpsewhich, 228
Kword, 175
latex-mode, 18
latex2rtf, 184
latexmk, 62, 125
Lisp, 224
lwrap, 183
makeglossaries, 125
makeglossariesgui, 125
makeindex, 62, 123–125
Maple, 96, 175
MathCAD, 95
Mathematica, 96, 175
MathJax, 184
Mendeley, 113
mktextsr, 65, 227
My Computer, 62, 157, 206, 219
N800, xix
Nautilus, 157, 217
NetPBM, 184
Notepad, xxii, 241
Notes, xxii
Okular, 191, 222
Omnimark, 176
OpenOffice, xxii, 175, 177
OpenType, 144
oXygen, 177
PageMaker, 174
PaintShop Pro, 96
Pandoc, 175, 182
pdf2ps, 257
pdflatex, 8, 194
pdftotext, 186
PhotoShop, 92, 96
PostScript, xviii, 63, 93, 97, 143, 144, 157, 158, 229, 231, 232, 234–236, 256, 257, 259
Preview, xxv, 194, 222
ps2pdf, 257
psnup, 259
pstops, 259
Publisher, 174
PubMed, 113
qpdfview, 191, 222
Rexx, 224
rpm, xxvi
rtf2latex2e, 177, 184
Runoff, 3
Saxon, xxxi, 177, 180
Scientific Word, xxviii
Scribe, 3
Script, 3
Software Center, 190
Software Installer, xxvi
Synaptic, xxvi, 190, 191
t1binary, 232
t1utils, 232
T_EXShop, 20
T_EXshop, 194
tables-mode, 86
Terminal, 218
texconfig, 191, 193
texhash, 65, 227
T_EX Live, 191
texlive-full, 192

- TeXStudio, 119, 213, 215
- TextEdit, xxii
- Textures, xxviii
- Thunar, 62, 157, 217
- Tidy, 184
- TikZ, 91
- tkPaint, 96
- tlmgr, 57, 59, 65, 66
- TrueType, 144
- Ubuntu, 191
- Ubuntu Software Centre, 190
- updmap, 159
- Velcro, 165
- Verilog, 104
- vi, xxvi, 138, 223, 224
- vptovf, 234, 235
- Web of Science, 113
- which, 228
- Windows, xxv, 222
- Windows 7/8, 219
- WinEdt, xviii
- Word, xvi, xxii, xxiv, 18, 175–177, 183–185
- WordPerfect, xxii, 153
- xdvi, 255–258
- XEdit, 224
- xkeycaps, 21
- XPress, 174
- XQuartz, 255
- yap, 255
- yum, xxvi, 190
- Zaurus, xix
- Zotero, 113
- textbf, 246
- \protect, 108
- \ProvidesPackage, 238
- ps2pdf, 257
- pslatex, 145
- psnup, 259
- pstops, 259
- pt (points), 25
- Publisher, 174
- PubMed, 113
- qpdfview, 191, 222
- \qqquad, 134
- \quad, 25, 134
- quotation, xxx, 98, 148
- quotation marks, 17
- ragged2e, 29
- \RaggedLeft, 29
- \raggedleft, 29, 85
- raggedleft, 29
- \RaggedRight, 29
- \raggedright, 29, 85, 100
- raggedright, 29
- \raisebox, 171
- \ref, 77, 110–112
- references, 111
- \reindex, 167, 168
- textbf, 248
- ren, 248
- textbf, 248
- \renewcommand, 45, 49, 87, 133, 163, 170
- report**, 34
- report, 47
- \RequirePackage, 152
- Rexx, 224
- \rightmark, 137
- rm, 248
- \rmdefault, 238
- rotate, 94
- rotating, 86
- rpm, xxvi

rtf2latex2e, 177, 184
rule
 em, 28
 en, 28
\rule, 84
runic, 146
Runoff, 3
rustic, 142

\S, 110
Saxon, xxxi, 177, 180
Sbox, 101, 102, 168
Scale, 141
scale, 94
scaled, 94, 145
Scientific Word, xxviii
textbf, 150
Scribe, 3
Script, 3

\scriptsize, 152
\scshape, 149
 secnumdepth, 11, 49
 section, 47, 132
\section, 3, 47, 51, 170
 section, xxx, 170, 171
 section numbering, 48
 sections, 47
 sectsty, 47, 132
\selectfont, 147, 148, 150
\selectlanguage, 30
\sentinel, 167, 168
\setcounter, 49
\setlength, 49–51, 101
\setmainfont, 139
\setmonofont, 139
\setsansfont, 139
 setspace, 133
\sfdefault, 238

\sffamily, 12, 149, 164
\shadowbox, 102, 168
 Show Library Folder, 218
 sidebars, 99
\singlespacing, 133
 size (fonts), 151
 textbf, 151
\slshape, 149
\small, 98, 152
\smallskip, 132
 Software Center, 190
 Software Installer, xxvi
 soul, 29, 134
 sp (scaled points), 25
 space, *see* white-space
\spaceskip, 26
 spacing, 133
 special characters, 15, 31
\ss, 22
 textbf, 84
 style (fonts), 149
\subparagraph, 47, 77
\subparagraph*, 49
\subsection, 47
\subsubsection, 47
 sudo, 138, 191
 summaries, 44
 svgnames, 155
 Synaptic, xxvi, 190, 191

t, 100
\t, 22
T1, 23
t1binary, 232
t1utils, 232
T_EXShop, 20
T_EXshop, 194
\tabcolsep, 86

table, 81, 82, 90, 148
table of contents
 adding manual entry, 52
 automated entries, 51
table*, 127
\tableofcontents, 14, 51, 52, 250
tables, 79
tables-mode, 86
\tablefont, 146
tabular, 82, 88, 90, 101
tabularx, 86
tabulary, 86
textbf, 60
textbf, xxx
Terminal, 218
terminal, 243
texconfig, 191, 193
texconfig, 191
texdoc, 59
texhash, 65, 227
T_EX Live, 191
texlive-full, 192
T_EXStudio, 119, 213, 215
\text, 124
textbf, 244
\textbf, 150
\textbrokenbar, 31
\textbullet, 73
\textcite, 117–119
\textcolor, 155, 156
textcomp, 17, 18, 31, 73
\textdegree, 32
TextEdit, xxii
\texteuro, 17
\textit, 150, 154
\textlangle, 31
\textrangle, 31
\textsc, 150
\textsf, 150
\textsl, 150
\textsterling, 17
\textsuperscript, 18
\texttrademark, 166
\texttt, 150
Textures, xxviii
\textwidth, xxx
\thechapter, 170
\theenumi, 78
\theenumii, 78
\theenumiii, 78
\theenumiv, 78
\theexample, 78
\TheSbox, 168
\thesection, 170
thesis, 34
\thinspace, 18, 19, 134
\thispagestyle, 135
Thunar, 62, 157, 217
Tidy, 184
TikZ, 91
textbf, 16
times, 145
\tiny, 152
\title, 42, 44, 108, 162
\titlecite, 118
titlepage, 37
titles, 42
tkPaint, 96
tlmgr, 57, 59, 65, 66
\tmproduct, 165
tocdepth, 49, 52
tocloft, 53
tools, 107
tracking, *see* letterspacing
TrueT_EX, xxix

- TrueType*, 144
- `\ttdefault`, 238
- `\ttfamily`, 149
- twocolumn*, 127
- twoside*, 37
- typographics, 129

- `\u`, 22
- Ubuntu*, 191
- Ubuntu Software Centre*, 190
- ulem, 151
- `\uline`, 151
- unboxed*, 75
- uncial, 142
- textbf, 151
- uni, 142
- units, 23
- Unix
 - installation, 189
- textbf, 148
- updmap*, 159
- `\upshape`, 149
- url, 11, 103, 104
- `\url`, 104, 106, 108, 180
- urw, 144
- `\usepackage`, 38, 57, 58, 91, 97, 106, 155, 159, 180, 231, 239, 255
- utf8*, 19
- utf8x*, 19, 23
- utopia, 144

- V, 235
- `\v`, 22
- varioref, 111
- Velcro*, 165
- `\verb`, 102–106, 108
- Verbatim, 105

- verbatim, 105
- verbatim, 105
- verbatim text, 102
- `\VerbatimFootnotes`, 108
- Verilog*, 104
- vi, xxvi, 138, 223, 224
- viewer, 243
- vptovf*, 234, 235
- `\vspace`, 132, 134
- `\vspace*`, 133
- VI_{TEX}, xxix

- Web of Science*, 113
- which*, 228
- white-space
 - baselines, 133
 - double-spacing, 133
 - hard, 27
 - horizontal, 134
 - margins, 131
 - vertical
 - disappearing, 132
 - fixed, 132
 - flexible, 132
- textbf, 14
- Windows, xxv, 222
- Windows 7/8, 219
- WinEdt*, xviii
- Word, xvi, xxii, xxiv, 18, 175–177, 183–185
- WordPerfect*, xxii, 153

- xcolor, 57–59, 61, 102, 155, 156, 163, 311
- xdvi*, 255–258
- XEdit*, 224
- xelatex, xxvii, 247, 249
- X_{VI}TEX, xviii

xkeycaps, 21
XPress, 174
XQuartz, 255
yap, 255

yum, xxvi, 190
Zaurus, xix
Zotero, 113

