

Index

See Table 3 on page xl for the meanings of the typographic formatting used here and in the text.

- \", 28
- \', 28
- \(, 39–41
- \), 39–41
- \-, 32
- \., 28
- \=, 28
- \@, 205, 207
- \[, 39–41
- \], 39, 41
- \^, 26, 28
- \` , 28
- \ , 26, 28
 - 10pt*, 47
 - 11pt*, 47
 - 12pt*, 12, 47
 - a4paper*, 46, 48
- \AA, 28
- \aa, 28
- AbiWord*, 221, 225, 226
- abstract*, 55, 112
- \abstractname, 55
- abstracts, 53
- accents, 25
- Acrobat Reader*, 9, 237, 247
- acronym, 156
- Acronyms
 - undefined
 - DOS, 108
 - FTW, 83
- ADA*, 132
- \addbibresource, 152
- \addcontentsline, 61
- \addtocontents, 62
- \AE, 28
- \ae, 28
- ampersand, 23
- Apple Mac
 - editor, 241, 247
 - installation, 247
- apt*, xxxv, 244
- apt-get*, xxxv
- \arabic, 214
- ArcInfo*, 120
- argument, 16
- arguments, 17
- array, 104, 232
- \arraybackslash, 104
- \arraystretch, 106, 107
- article, 143
- article**, 12, 44, 45
- \author, xl, 52, 54, 136, 205
- AutoCAD*, 120
- \autocite, 147, 149
- awk*, 231
- b*, 112, 126
- \b, 28
- \babel, 26, 37, 38, 63, 110, 150
- backslash, 12
- badness, 295
- BaKoMa T_EX, xxxviii
- \bar, 40

FORMATTING INFORMATION

\baselineskip, 113
\baselinestretch, 163
bash, 224
bbding, 89, 180, 214, 215
beer, 154
 lite, 154
 American, 154
 Rogue
 Chocolate Stout, 154
Beeton, Barbara, 9, 39
\begin, 15, 21, 49–51, 55, 90, 205, 212, 222, 228
Berry, Karl, 242
\bfseries, 189
biber, xv, 6, 7, 76, 143, 145, 150–153, 156
biber, 289
BIBINPUTS, 146
biblatex, 7, 142
biblatex, x, xv, 7, 83, 142, 143, 145–152
biblatex-cheatsheet, 150
bibliographic reference database, 141
bibliographies, 140
bibtex, 7, 76, 142, 143, 153, 156
bibtex, 289
\bigskip, 162
binary, 2, 276
biocon, 156
book, 143
book, 44
book, 57
booktabs, 84
boxes, 125
bp (big points), 31
\c, 28
\c , 28
Calabash, 222
Calibre, 2
caption, 99
\caption, 98, 114, 136, 139
Carlisle, David, 192
cc (Ciceros), 31
ccaption, 99
cd, 290
censor, 84
\censor, 84
 center, 16, 36, 107, 108, 202
\centering, 36, 104, 107, 202
 centering, 110
cep, 118
\chapter, 21, 58, 59, 64, 136
 chapter, 213, 214
characters
 accented, 25
 ASCII, 303
 math, 38
 special, 22, 38
charmap, 27
Chassell, Bob, xxvii
ChemDraw, 120
Chikrii, Kirill A, 232
Chocolate Stout, 154
 Chocolate Stout, 154
\cite, 140, 146, 147, 149, 153, 155
class, 65
Classes
 article, 12, 44, 45
 book, 44
 internet, 238
 letter, 44, 45
 memoir, xl
 report, 44, 213

INDEX

scrartcl, 66
thesis, 44
classes, 44, 65
\cline, 103
cm (centimeters), 31
\color, 67, 195
\colorbox, 128, 197
colortbl, 105, 112
colour, 195
columns, 158
\columnsep, 158
Command, 273
Commands
\", 28
\', 28
\(, 39–41
\), 39–41
\-, 32
\., 28
\=, 28
\@, 205, 207
\[, 39–41
\], 39, 41
\^, 26, 28
\` , 28
_, 26, 28
\AA, 28
\aa, 28
\abstractname, 55
\addbibresource, 152
\addcontentsline, 61
\addtocontents, 62
\AE, 28
\ae, 28
\arabic, 214
\arraybackslash, 104
\arraystretch, 106, 107
article, 143
\author, xl, 52, 54, 136, 205
\autocite, 147, 149
\b, 28
\bar, 40
\baselineskip, 113
\begin, 15, 21, 49–51, 55, 90,
205, 212, 222, 228
\bfseries, 189
biber, 289
bibtex, 289
\bigskip, 162
book, 143
\c, 28
\c, 28
\caption, 98, 114, 136, 139
cd, 290
\censor, 84
\centering, 36, 104, 107,
202
\chapter, 21, 58, 59, 64, 136
\cite, 140, 146, 147, 149, 153,
155
\cline, 103
\color, 67, 195
\colorbox, 128, 197
\d, 28
\date, 52, 54, 205, 293, 294
\datesubmitted, 52
\def, 210
\definecolor, 196
\documentclass, 15, 44, 49,
55, 66, 193, 228
\doublespacing, 163
dvips, 123, 246
\editversion, 52
\EF, 204
\emph, 194, 195, 229

FORMATTING INFORMATION

\end, 15, 49, 50, 55, 132, 212,
222, 228
\enspace, 164
\EUR, 23, 103
exit, 171–173, 288
\fancyhead, 167
\fbox, 114, 127, 128, 197
fc-list, 184, 277
\fcolorbox, 128, 197
\flushleft, 202
\flushright, 202
\fnsymbol, 137
\fontsize, 193
\footcite, 147–149
\footnote, xl, 130, 135–137
\footnotesize, 192
\foreign, 195, 207
\foreignlanguage, 38
\frac, 40
\gloss, 155
\glossary, 155
\glsl, 156
\graphicspath, 123
grep, 277
\H, 28
.h1, 4
:h1, 4
@Heading, 4
\hline, 102, 103
\hrule, 207
\hspace, 164
\Huge, 192
\huge, 192
\hyphenation, 32, 33
\i, 28
\includegraphics, 114–

INDEX

\newcommand, 204, 210
\newcounter, 94
\newfontface, 187
\newfontfamily, 187, 188
\newgeometry, 162
\newglossaryentry, 155
\noindent, 124
\normalsize, 192
\O, 28
\o, 28
\OE, 28
\oe, 28
\onehalfspacing, 163
\ovalbox, 128
\P, 139
\pageref, 140
\pagestyle, 165, 167
\par, 108, 162, 192, 202, 207
\paragraph, 58, 93
\parbox, 125–127
\parencite, 147, 149, 151
\part, 58
\part*, 60
\person, 209, 210
\printbibliography, 151, 152
\printglossaries, 156
\printindex, 155
\product, 188, 195, 207, 208
\protect, 136, 137
\qquad, 164
\quad, 31, 164
\RaggedCenter, 36
\RaggedLeft, 36
\raggedleft, 36, 104
\RaggedRight, 36
\raggedright, 32, 36, 104, 126
\raisebox, 215
\ref, 93, 139, 140
\reindex, 209, 210
\ renewcommand, 55, 59, 106, 107, 163, 206, 213
\RequirePackage, 193
\rightmark, 167
\rule, 102
\S, 139
\scriptsize, 192
\scriptstyle, 192
\scshape, 189, 190
\section, 4, 58, 64, 136, 213
\selectfont, 189
\selectlanguage, 38
\sentinel, 210
\setcounter, 59, 62
\setlength, 62, 63, 127
\setmainfont, 183
\setmonofont, 183
\setsansfont, 183
\sffamily, 189, 206
\shadowbox, 128, 211
\singespacing, 163
\slshape, 189
\small, 123, 192
\smallskip, 162
\ss, 28
\ subparagraph, 58, 93
\ subparagraph*, 60
\ subsection, 58
\ subsubsection, 58
 sudo, 171–173, 246
\t, 28
\tableofcontents, 16, 60, 61, 291
\tablesfont, 187
\texconfig, 245

FORMATTING INFORMATION

`\texdoc`, 69
`\text...`, 154
`\textbf`, 190
`\textbrokenbar`, 39
`\textbullet`, 89
`\textcite`, 147, 149, 151
`\textcolor`, 195, 196
`\textdegree`, 40
`\texteuro`, 23
`\textit`, 21, 190, 195
`\textangle`, 39
`\texttriangle`, 39
`\textsc`, 190
`\textsf`, 190
`\textsl`, 190
`\textsterling`, 23
`\textsuperscript`, 24
`\texttrademark`, 208
`\texttt`, 190
`\the...`, 213
`\thechapter`, 214
`\theenumi`, 94
`\theenumii`, 94
`\theenumiii`, 94
`\theenumiv`, 94
`\theexample`, 94
`\TheSbox`, 211
`\thesection`, 213
`\thinspace`, 25, 26, 164
`\thispagestyle`, 165
`\tiny`, 192
`\title`, 52, 54, 136, 205
`\titlecite`, 148
`\tmproduct`, 207, 208
`\today`, 21
`\ttfamily`, 189
`\u`, 28
`\uline`, 191
`\upshape`, 189
`\url`, 131, 133, 137, 229
`\UrlFont`, 131
`\usepackage`, 49, 67, 115, 122, 133, 195, 228, 276, 278, 296
`\v`, 28
`\verb`, 129–133, 137
`\VerbatimFootnotes`, 137
`\vspace`, 162–164
`\vspace*`, 163
`\xelatex`, xxxvi, 12, 289
commands, 16
comment character, 22
commercial distributions, xxxviii
commutative, 189
Computer, xxx, 260, 273
`configure`, 77
`ConTeXt`, xxiii
counter, 15
Counters
`chapter`, 213, 214
`enumi`, 94
`enumii`, 94
`enumiii`, 94
`enumiv`, 94
`example`, 94
`footnote`, 137
`secnumdepth`, 15, 59, 60
`section`, xl, 213, 214
`tocdepth`, 60, 61
`Crayola`, xxi, 196
cross-references, 138
`csquotes`, 150
`csvtools`, 100
curly braces, 19
`Cygwin`, 81

INDEX

\d, 28
dash, 34
 long, 34
 short, 34
datatool, 100
\date, 52, 54, 205, 293, 294
\datesubmitted, 52
 datetime2, 16
DCF, 4
dcolumn, 101, 105
dd (Didot points), 31
\def, 210
 default, 174
\definecolor, 196
 description, 90, 91
 description*, 91
DEST, 246
detex, 231, 238
dimension, 62
dimensions, 28
dnf, xxxv, 244
DOCTEX, 74
DocBook, xxvii, 220, 221, 225,
 231, 235, 236
Docbook, 236
DocBook 5, xxxix
Docs, 2
document, xxxii, 15, 16, 51, 52
document class, 44
\documentclass, 15, 44, 49, 55,
 66, 193, 228
Dolphin, xxx, 75, 271
Dorner, Fernando, 232
double-spacing, 163
\doublespacing, 163
draft, 48
Draw, 118, 120
DuBois, Paul, 223
DVIPS, 246
dvips, 119, 123
dvips, 123, 246
dvipsnames, 195, 196
DynaTag, 224
\editversion, 52
\EF, 204
El Capitan, 247
elisp, 236
em (relative measure), 31
Emacs, xxxvi, 2, 6, 9, 10, 25, 105,
 106, 236, 292
emacs, 172, 173
\emph, 194, 195, 229
empty, 165
\end, 15, 49, 50, 55, 132, 212, 222,
 228
endfloat, 132
endnote, 136
\enspace, 164
enumerate, 89
enumerate*, 91, 92
enumi, 94
enumii, 94
enumiii, 94
enumitem, 80, 90–92, 112, 162,
 167
enumiv, 94
environment, 15, 50, 88
environment, xl
Environments
 abstract, 55, 112
 center, 16, 36, 107, 108, 202
 centering, 110
 description, 90, 91
 description*, 91

FORMATTING INFORMATION

document, xxxii, 15, 16, 51,
 52
enumerate, 89
*enumerate**, 91, 92
environment, xl
equation, 41
figure, 97, 114, 202
*figure**, 158
flushleft, 108, 206
flushright, 108
itemize, 15, 89
*itemize**, 91
lrbox, 127
minipage, 126–128, 136, 211
multicols, 158
*multicols**, 158
picture, 115
quotation, xl, 112, 124, 202
raggedleft, 36, 110
raggedright, 36, 110
Sbox, 127, 128, 211
sidebar, 128
spacing, 163
table, 97–99, 114, 202
*table**, 158
tabular, 96, 99, 101, 103,
 108–110, 112, 113, 115,
 127
Verbatim, 132, 133
verbatim, 132, 133
epsf, 115
epstopdf, 118
equation, 41
error
 messages, 285
Error messages
 Capacity exceeded, 294
 File not found, 295
Overfull hbox, 295
Runaway argument, 294
Too many }'s, 293
Undefined control sequence,
 293
Underfull hbox, 295
\EUR, 23, 103
Euro, 23
EuroMath, 222
Evince, 9, 245
ex (relative measure), 31
example, 94
exit, 171–173, 288
extarticle, 48
extbook, 48
extreport, 48
extsizes, 48
fancybox, 127, 128, 210
fancyhdr, x, 165, 166
\fancyhead, 167
 fancyvrb, 132, 133, 137
\fbox, 114, 127, 128, 197
\fboxrule, 127, 197
\fboxsep, 127, 197
 fc-cache, 170, 276
 fc-list, 184, 277
\fcolorbox, 128, 197
 figure, 97, 114, 202
 figure*, 158
figures, 113
filenames, 286
Finder, xxx, 75
Fine, Jonathan, xxxviii
fix-cm, 193
float, 98, 128
floats, 96, 113
\flushleft, 202

INDEX

flushleft, 108, 206
\flushright, 202
flushright, 108
Flynn, Peter, 1, 3
fnpara, 136
\fnsymbol, 137
font series, 189
font shape, 189
fontaxes, 190
FontBook, 171
FontConfig, 276, 277
FontForge, 190
fontname, 295
fonts, 159
 METAFONT, 168
 changing temporarily, 187
 colour, 195
 Computer Modern, 168
 in general, 168
 installing, 275
 sizes, 47
\fontsize, 193
 fontspec, 12, 174, 183, 186, 190, 232
\footcite, 147–149
 footmisc, xl
\footnote, xl, 130, 135–137
 footnote, 137
 footnotes, 135
\footnotefontsize, 192
\foreign, 195, 207
\foreignlanguage, 38
\frac, 40
 FrameMaker, 219

gedit, 172, 173
gellmu, 236

geometry, 47, 64, 67, 68, 70, 112, 137, 161, 165
Ghostscript, 241
GIMP, 118, 120
gloss, 155
\gloss, 155
glossaries, 153
glossaries, 155, 156
glossary, 155
\glossary, 155
\gls, 156
 GML, 4
 GNUpot, 121
 Granzer, Andreas, 232
graphics, 115
graphics, 74, 115
\graphicspath, 123
graphicx, 115, 120
Gregorio, Enrico, 117
grep, 231
grep, 277
grid, 113
GrindEQ, 222
group, 202
grouping, 202
groups, 202
GSview, 241

\H, 28
.h1, 4
:h1, 4
 Hagen, Hans, xxvi, 6
 Hans, Hagen, 5
hash mark, 23, 23
Haskell, 220
@Heading, 4
 headings, 165
help, 82

FORMATTING INFORMATION

- Henkel, Hartmut, 6
Hennings, Wilfried, 232
hep-font, 174
hinting, 191
\hline, 102, 103
Hoekwater, Taco, 6
\hrule, 207
\hspace, 164
HTML Tidy, 222
\Huge, 192
\huge, 192
hyperref, 130, 131
hyphen, 131
hyphenation, 32
\hyphenation, 32, 33
hyphens, 32
 soft, 32
- \i, 28
Illustrator, 120
ImageMagick, 117
images, 115
in (inches), 31
\includegraphics, 114–116,
 118, 119, 122, 123, 129
InDesign, 219, 220
\index, 154, 155, 210
indexes, 153
InkScape, 121
inline, 91
\input, 156
inputenc, 40, 303
install-tl, 243
Installation
 Apple Mac, 247
 Linux, 243
 Mac OS X, 247
 Microsoft Windows, 256
- OS X, 247
Unix, 243
Instant Preview, xxxviii
internet, 238
\item, 88
 itemize, 15, 89
 *itemize**, 91
\itshape, 189, 190
- JabRef*, 141, 150, 151
Java, xxxix, 222, 225
Joshi, Yateendra, 35
JSTOR, 141
Jørgensen, Palle, 181, 197
- Kastrup, David, xxxviii
kate, 172, 173
Kay, Michael, xxxix
kdvi, 245
Kew, Jonathan, xxvi, 5, 180
Kile, xxvi, xxxvi, 9
kindlegen, 2
Knuth, Donald, xxii, xxiii, 209,
 297
- Koch, Richard, 242
Kohm, Markus, 66
komascript, 44, 45
kpdf, 245
kpsewhich, 283
kpsewhich, 66
- \L, 28
\l, 28
L_X, 9
label, 168
\label, 93, 98, 114, 138–140
\labelitemi, 214
\labelitemiv, 215
Lamport, Leslie, xxiii, 113, 210

INDEX

landscape, 105
\LARGE, 192, 201
\Large, 192
\large, 192
\LaTeX, 16, 21, 227
latex, xxvi, 193
latex, 75, 246
latex-mode, 25
latexmk, 61, 76, 153, 156
latexmk, 289
layouts, 159
\leftmark, 167
length, 62
Lengths
 \baselinestretch, 163
 \columnsep, 158
 \fboxrule, 127, 197
 \fboxsep, 127, 197
 \parindent, 63, 127
 \parskip, 62–64, 113
 \spaceskip, 32
 \tabcolsep, 105
 \textwidth, xl
letter, 44, 45
letterpaper, 46, 48
letterspacing, 164
letrine, 112
Libre Office, xxx, 2, 220–223, 225, 235
\linebreak, 209
Linux
 installation, 243
lire sign, 23
Lisp, 10
listings, 131, 133
\listoffigures, 60
\listoftables, 60
lists, 88
bulleted, 89
description, 90
discussion, 90
enumerated, 89
inline, 91
itemized, 89
numbered, 89
longtable, 105
Lotz, Manfred, 242
1rbox, 127
1s, 282
\lstinline, 132, 133
Lua, xxvi, 6, 231
Ludwichowski, Jerzy, 299
lwarf, 232, 234
m, 112
M-x, 6
Mac OS X
 installation, 247
macros, 203, 203
Maden, Christopher, 35
\makeatletter, 205, 206
\makeatother, 205, 206
makeglossaries, 155, 156
makeglossariesgui, 155
\makeglossary, 155
 makeidx, 153
 makeindex, 76, 153, 155, 156
\makeindex, 153
 makeindex, 155, 290
\maketitle, 52, 54, 55, 64, 68, 204–206, 294
Malyshev, Basil K, xxxviii
man, 236
man, 155
Maple, 120, 222
Maranget, Luc, 235

FORMATTING INFORMATION

\marginal, 138
marginal notes, 137
margins, 161
\markboth, 165
Markdown, 220
\markright, 165
markup, 2, 3
marvosym, 23, 103, 180
matchlowercase, 201
math characters, 38
MathCAD, 120
Mathematica, 120, 222
mathematics, xxxiii, 38
\mbox, 32, 209
McKenna, Doug, 192
measurements, 28
\medskip, 162
memoir, xl
memoir, 44, 45
Mendeley, 141
metacharacters, 22
Microbrew, *see* beer
Microsoft Windows
 installation, 256
minipage, 126–128, 136, 211
mirror, 120
mkdir, 278
mktexlsr, 77, 282
mm (millimeters), 31
MODE, 246
multicol, 158
multicols, 158
*multicols**, 158
\multicolumn, 105, 107
multiplier, 106
multirow, 105
Musacchio, Fabrizio, 9
My Computer, xxx, 75, 260, 273
myheadings, 165
N800, xxv
Nautilus, xxx, 271
NetPBM, 117
\newcommand, 204, 210
\newcounter, 94
\newfontface, 187
\newfontfamily, 187, 188
\newgeometry, 162
\newglossaryentry, 155
\noindent, 124
noitemsep, 90, 167
normalem, 191
\normalsize, 192
nosep, 90, 167
Notepad, xxx, 2
Notes, xxx
noto, 66
notomath, 41
number sign, 23
\O, 28
\o, 28
octothorpe, 23, 23
\OE, 28
\oe, 28
OFFSET, 246
Okular, 9, 245
Omnimark, 225
\onehalfspacing, 163
oneside, 47
OpenOffice, 222, 223, 225
Options
 10pt, 47
 11pt, 47
 12pt, 12, 47
 a4paper, 46, 48

INDEX

b, 112, 126
default, 174
DEST, 246
draft, 48
DVIPS, 246
dvipsnames, 195, 196
empty, 165
headings, 165
hyphen, 131
inline, 91
label, 168
letterpaper, 46, 48
m, 112
matchlowercase, 201
MODE, 246
myheadings, 165
noitemsep, 90, 167
normalem, 191
nosep, 90, 167
OFFSET, 246
oneside, 47
p, 112
PAPER, 246
plain, 165
REHASH, 246
Scale=MatchLowercase, 186, 201
scaled, 120
scheme-basic, 243
scheme-small, 242, 243
svgnames, 196
t, 126
titlepage, 47
twocolumn, 158
twoside, 47
unboxed, 91
options, *see* Class Options
Rogue, 154

OS X
 installation, 247
Ota, Takaaki, 105
Otten, Ton, 5
\ovalbox, 128
 Overleaf, xxix, xxxiv, 11, 12
 oXygen, 225

\P, 139
p, 112
package, 65
package, xl

Packages

- acronym*, 156
- array*, 104, 232
- babel*, 26, 37, 38, 63, 110, 150
- bdding*, 89, 180, 214, 215
- biblatex*, x, xv, 7, 83, 142, 143, 145–152
- biblatex-cheatsheet*, 150
- biocon*, 156
- book*, 57
- booktabs*, 84
- caption*, 99
- ccaption*, 99
- censor*, 84
- colortbl*, 105, 112
- csquotes*, 150
- csvtools*, 100
- datatool*, 100
- datetime2*, 16
- dcolumn*, 101, 105
- endfloat*, 132
- endnote*, 136
- enumitem*, 80, 90–92, 112, 162, 167
- epsf*, 115

FORMATTING INFORMATION

epstopdf, 118
extarticle, 48
extbook, 48
extreport, 48
extsizes, 48
fancybox, 127, 128, 210
fancyhdr, x, 165, 166
fancyvrb, 132, 133, 137
fix-cm, 193
float, 98, 128
fnpara, 136
fontaxes, 190
fontname, 295
fontspec, 12, 174, 183, 186,
 190, 232
footmisc, xl
gellmu, 236
geometry, 47, 64, 67, 68, 70,
 112, 137, 161, 165
gloss, 155
glossaries, 155, 156
glossary, 155
graphics, 74, 115
graphicx, 115, 120
grid, 113
hep-font, 174
hyperref, 130, 131
inputenc, 40, 303
komascript, 44, 45
landscape, 105
letrine, 112
listings, 131, 133
longtable, 105
l warp, 232, 234
makeidx, 153
marvosym, 23, 103, 180
memoir, 44, 45
multicol, 158
multirow, 105
noto, 66
notomath, 41
package, xl
paralist, 91, 92, 296
parskip, 63
pifont, 89
polyglossia, 26, 37, 38, 63,
 110, 150
preview-latex, xxxviii
ragged2e, 36
reledpar, 111
report, 57
revtex, 243
rotating, 105
rtf2latex2e, 223
section, 58, 162
sectsty, 58, 162
setspace, 163
siunitx, 84
soul, 36, 165
tabularx, 105
tabulary, 105
textcomp, 23, 24, 39, 89
tgcursor, 201
tikz, 115
tocloft, 62
tth, 236
ulem, 191
url, 12, 130, 131
varioref, 139, 140
verbatim, 133
xcolor, xi, 67–70, 74, 128,
 195–197, 205, 351
packages, 65
 documentation, 69
 downloading, 70
 indexing, 77

INDEX

- installing, 70, 75
- PageMaker*, 219
- \pageref, 140
- Pages*, xxx, 2
- \pagestyle, 165, 167
- PaintShop Pro*, 120
- Pakin, Scott, 180
- Pandoc*, 220
- panels, 125
- PAPER*, 246
- paper sizes, 46
- \par, 108, 162, 192, 202, 207
- \paragraph, 58, 93
- paralist, 91, 92, 296
- \parbox, 125–127
- \parencite, 147, 149, 151
- \parindent, 63, 127
- parskip, 63
- \parskip, 62–64, 113
- \part, 58
- \part*, 60
- pc (picas), 31
- PC-Write*, 108
- PCWriTeX*, 222
- pdfbox*, 223, 224, 237
- pdflatex*, 117, 193, 276
- pdftotext*, 223, 237
- People**
 - Flynn, Peter, 1, 3
 - Gregorio, Enrico, 117
 - Kohm, Markus, 66
 - Sperberg-McQueen, Michael, 9
 - Stephani, Philipp, 117
 - Wallace, Bob, 108
- People**
 - Beeton, Barbara, 9, 39
 - Berry, Karl, 242
- Carlisle, David, 192
- Chassell, Bob, xxvii
- Chikrii, Kirill A, 232
- Dorner, Fernando, 232
- DuBois, Paul, 223
- Fine, Jonathan, xxxviii
- Granzer, Andreas, 232
- Hagen, Hans, xxvi, 6
- Hans, Hagen, 5
- Henkel, Hartmut, 6
- Hennings, Wilfried, 232
- Hoekwater, Taco, 6
- Joshi, Yateendra, 35
- Jørgensen, Palle, 181, 197
- Kastrup, David, xxxviii
- Kay, Michael, xxxix
- Kew, Jonathan, xxvi, 5, 180
- Knuth, Donald, xxii, xxiii, 209, 297
- Koch, Richard, 242
- Lamport, Leslie, xxiii, 113, 210
- Lotz, Manfred, 242
- Ludwichowski, Jerzy, 299
- Maden, Christopher, 35
- Malyshev, Basil K, xxxviii
- Maranget, Luc, 235
- McKenna, Doug, 192
- Musacchio, Fabrizio, 9
- Ota, Takaaki, 105
- Otten, Ton, 5
- Pakin, Scott, 180
- Raggett, Dave, 222
- Rahtz, Sebastian, 242
- Rees, Clea F, 150
- Robertson, Will, 82
- Sathyam, Ujwal, 223
- Scarso, Luigi, 6

FORMATTING INFORMATION

Schenk, Christian, 241, 242
Singleton, Leila, 35
Stallman, Richard, xxvi
Szabó, Péter, 117
Thành, Hàn Thé, xxvi, 5
Tschichold, Jan, 35
Wawrykiewicz, Staszek, 118
Perl, 231
\person, 209, 210
PhotoShop, 118, 120
picas, 31
picture, 115
pifont, 89
plain, 165
plaintext, 1
points, 31
polyglossia, 26, 37, 38, 63, 110,
 150
PostScript, xxiv, 79, 119, 275,
 278
pound
 sterling, 23
 weight, 23
Powershell, 81, 224
Preamble, 15
Preview, xxxiv, 9, 247
preview-latex, xxxviii
\printbibliography, 151, 152
\printglossaries, 156
\printindex, 155
printing, 285
\product, 188, 195, 207, 208
Products
 AbiWord, 221, 225, 226
 Acrobat Reader, 9, 237, 247
 ADA, 132
 apt, xxxv, 244
 apt-get, xxxv
ArcInfo, 120
AutoCAD, 120
awk, 231
BaKoMa TeX, xxxviii
bash, 224
biber, xv, 6, 7, 76, 143, 145,
 150–153, 156
biblatex, 7, 142
bibtex, 7, 76, 142, 143, 153,
 156
Calabash, 222
Calibre, 2
cep, 118
charmap, 27
ChemDraw, 120
Chocolate Stout, 154
Command, 273
Computer, xxx, 260, 273
configure, 77
Crayola, xxi, 196
Cygwin, 81
DCF, 4
detex, 231, 238
dnf, xxxv, 244
DocBook, xxvii, 220, 221,
 225, 231, 235, 236
Docbook, 236
DocBook5, xxxix
Docs, 2
Dolphin, xxx, 75, 271
Draw, 118, 120
dvips, 119, 123
DynaTag, 224
El Capitan, 247
elisp, 236
Emacs, xxxvi, 2, 6, 9, 10, 25,
 105, 106, 236, 292
emacs, 172, 173

INDEX

EuroMath, 222
Evince, 9, 245
fc-cache, 170, 276
Finder, xxx, 75
FontBook, 171
FontConfig, 276, 277
FontForge, 190
FrameMaker, 219
gedit, 172, 173
Ghostscript, 241
GIMP, 118, 120
GML, 4
GNUpot, 121
grep, 231
GrindEQ, 222
GSview, 241
Haskell, 220
HTML Tidy, 222
Illustrator, 120
ImageMagick, 117
InDesign, 219, 220
InkScape, 121
install-tl, 243
Instant Preview, xxxviii
JabRef, 141, 150, 151
Java, xxxix, 222, 225
JSTOR, 141
kate, 172, 173
kdvi, 245
Kile, xxvi, xxxvi, 9
kindlegen, 2
kpdf, 245
kpsewhich, 283
LyX, 9
latex, xxvi, 193
latex-mode, 25
latexmk, 61, 76, 153, 156
Libre Office, xxx, 2, 220–223, 225, 235
Lisp, 10
Lua, xxvi, 6, 231
makeglossaries, 155, 156
makeglossariesgui, 155
makeindex, 76, 153, 155, 156
man, 236
Maple, 120, 222
Markdown, 220
MathCAD, 120
Mathematica, 120, 222
Mendeley, 141
mktexlsr, 77, 282
My Computer, xxx, 75, 260, 273
N800, xxv
Nautilus, xxx, 271
NetPBM, 117
NotePad, xxx, 2
Notes, xxx
Okular, 9, 245
Omnimark, 225
OpenOffice, 222, 223, 225
Overleaf, xxix, xxxiv, 11, 12
oxygen, 225
PageMaker, 219
Pages, xxx, 2
PaintShop Pro, 120
Pandoc, 220
PC-Write, 108
PCWriTeX, 222
pdfbox, 223, 224, 237
pdflatex, 117, 193, 276
pdftotext, 223, 237
Perl, 231
PhotoShop, 118, 120

FORMATTING INFORMATION

PostScript, xxiv, 79, 119, 275, 278
Powershell, 81, 224
Preview, xxxiv, 9, 247
Publisher, 219
PubMed, 141
Python, 231
qpdfview, 9, 245
Rexx, 10
rtf2latex2e, 223, 232
Runoff, 4
sam2p, 117
Saxon, xxxix, 225, 229
Scientific Word, xxxvii
Scientific Workplace, 221
Scribe, 4
Script, 4
sed, 231
SGML Author for Word, 234
SGMLS, 236
Software, xxxv, 243
Spotlight, 272
StarOffice, 223
Sublime, 2
Synaptic, xxxv, 243, 244
tables-mode, 105
Tcl, 231
Terminal, 272
tex, xxvi
texconfig, 245–247
texhash, 77, 282
texifier, 9
TeX Live, 244
TeXShop, 254
TeXStudio, 149, 267, 269
TextEdit, xxx, 2
Thunar, xxx, 75, 271
Tidy, 233
TikZ, 115
tkPaint, 121
tlmgr, 70, 71, 78, 80, 244
tr, 231
Tralics, 237
Ubuntu, 244
Ubuntu Software Centre, 244
Velcro, 208
Verilog, 132
vi, xxxvi, 2, 10, 172, 173
VS Code, 2
Web of Science, 141
which, 283
Windows, xxxiv, 9
WinEdt, xxvi
Word, xxii, xxx, xxxiii, 2, 24, 220, 222–225, 231–235
WordPerfect, xxx, 194
XEdit, 10
xelatex, 151
xkeycaps, 27
XPress, 219
yum, xxxv
Zaurus, xxv
Zoom, 300
Zotero, 141
`\protect`, 136, 137
pt (points), 31
Publisher, 219
PubMed, 141
Python, 231
qpdfview, 9, 245
`\qquad`, 164
`\quad`, 31, 164
quotation, xl, 112, 124, 202
quotation marks, 24
ragged2e, 36

INDEX

\RaggedCenter, 36
\RaggedLeft, 36
\raggedleft, 36, 104
 raggedleft, 36, 110
\RaggedRight, 36
\raggedright, 32, 36, 104, 126
 raggedright, 36, 110
Raggett, Dave, 222
Rahtz, Sebastian, 242
\raisebox, 215
 Rees, Clea F, 150
\ref, 93, 139, 140
 references, 140
 REHASH, 246
\reindex, 209, 210
 reledpar, 111
\renewcommand, 55, 59, 106, 107, 163, 206, 213
 report, 44, 213
 report, 57
\RequirePackage, 193
 revtex, 243
 Rexx, 10
\rightmark, 167
 Robertson, Will, 82
 rotate, 120
 rotating, 105
 rtf2latex2e, 223, 232
 rtf2latex2e, 223
rule
 em, 34
 en, 34
\rule, 102
 Runoff, 4
\S, 139
 sam2p, 117
Sathyam, Ujwal, 223

 Saxon, xxxix, 225, 229
 Sbox, 127, 128, 211
scale, 120
Scale=MatchLowercase, 186, 201
scaled, 120
Scarso, Luigi, 6
scheme-basic, 243
scheme-small, 242, 243
Schenk, Christian, 241, 242
Scientific Word, xxxvii
Scientific Workplace, 221
scoped, 190
scrartcl, 66
Scribe, 4
Script, 4
\scriptsize, 192
\scriptstyle, 192
\scshape, 189, 190
secnumdepth, 15, 59, 60
section, 58, 162
 section, 4, 58, 64, 136, 213
 section, xl, 213, 214
 section numbering, 59
 sections, 56
 sectsty, 58, 162
 sed, 231
\selectfont, 189
\selectlanguage, 38
\sentinel, 210
\setcounter, 59, 62
\setlength, 62, 63, 127
\setmainfont, 183
\setmonofont, 183
\setsansfont, 183
 setspace, 163
\sffamily, 189, 206
 SGML Author for Word, 234
 SGMLS, 236

FORMATTING INFORMATION

\shadowbox, 128, 211
 sidebar, 128
 sidebars, 125
\singlspacing, 163
 Singleton, Leila, 35
 siunitx, 84
 size (fonts), 191
 size steps, 191
\slshape, 189
\small, 123, 192
\smallskip, 162
 Software, xxxv, 243
 soul, 36, 165
 sp (scaled points), 31
 space, *see* white-space
\spaceskip, 32
 spacing, 163
 special characters, 22, 38
 Sperberg-McQueen, Michael, 9
 Spotlight, 272
\ss, 28
 Stallman, Richard, xxvi
 StarOffice, 223
 Stephani, Philipp, 117
 sterling, 23
 style (fonts), 189
 Sublime, 2
\subparagraph, 58, 93
\subparagraph*, 60
\subsection, 58
\subsubsection, 58
 sudo, 171–173, 246
 summaries, 53
 svgnames, 196
 Synaptic, xxxv, 243, 244
 Szabó, Péter, 117

t, 126

\t, 28
\tabcolsep, 105
 table, 97–99, 114, 202
 table of contents
 adding manual entry, 61
 automated entries, 60
 *table**, 158
\tableofcontents, 16, 60, 61, 291
 tables, 95
 tables-mode, 105
\tablesfont, 187
 tabular, 96, 99, 101, 103, 108–110, 112, 113, 115, 127
 tabularx, 105
 tabulary, 105
 Tcl, 231
 temporary directory, 73
 term, xl
 Terminal, 272
 terminal, 285
 tex, xxvi
 texconfig, 245–247
 texconfig, 245
 texdoc, 69
 texhash, 77, 282
 texifier, 9
 TeX Live, 244
 TEXMF SYSVAR, 171
 TeXShop, 254
 TeXStudio, 149, 267, 269
\text..., 154
\textbf, 190
\textbrokenbar, 39
\textbullet, 89
\textcite, 147, 149, 151
\textcolor, 195, 196
 textcomp, 23, 24, 39, 89

INDEX

\textdegree, 40
TextEdit, xxx, 2
\texteuro, 23
\textit, 21, 190, 195
\textangle, 39
\textrangle, 39
\textsc, 190
\textsf, 190
\textsl, 190
\textsterling, 23
\textsuperscript, 24
\texttrademark, 208
\texttt, 190
\textwidth, xl
tgcursor, 201
\the..., 213
\thechapter, 214
\theenumi, 94
\theenumii, 94
\theenumiii, 94
\theenumiv, 94
\theexample, 94
\TheSbox, 211
\thesection, 213
thesis, 44
\thinspace, 25, 26, 164
\thispagestyle, 165
Thunar, xxx, 75, 271
Thành, Hàn Thế, xxvi, 5
Tidy, 233
TikZ, 115
tikz, 115
tilde, 23
\tiny, 192
\title, 52, 54, 136, 205
\titlecite, 148
titlepage, 47
titles, 52

tkPaint, 121
tlmgr, 70, 71, 78, 80, 244
\tmpproduct, 207, 208
tocdepth, 60, 61
tocloft, 62
\today, 21
tools, 135
tr, 231
tracking, *see* letterspacing
Tralics, 237
Tschichold, Jan, 35
\ttfamily, 189
tth, 236
twocolumn, 158
twoside, 47
typographics, 159

\u, 28
Ubuntu, 244
Ubuntu Software Centre, 244
ulem, 191
\uline, 191
unboxed, 91
underlining, 191
units, 30
Unix
 installation, 243
\upshape, 189
url, 12, 130, 131
\url, 131, 133, 137, 229
\UrlFont, 131
\usepackage, 49, 67, 115, 122,
 133, 195, 228, 276, 278,
 296

\v, 28
varioref, 139, 140
Velcro, 208

FORMATTING INFORMATION

- \verb, 129–133, 137
- Verbatim*, 132, 133
- \verb, 133
- verbatim*, 132, 133
- \verb+text+, 128
- \VerbFootnotes, 137
- Verilog*, 132
- vi*, xxxvi, 2, 10, 172, 173
- viewer, 285
- VS Code*, 2
- \vspace, 162–164
- \vspace*, 163
 - Wallace, Bob, 108
 - Wawrykiewicz, Staszek, 118
 - Web of Science*, 141
 - which, 283
 - white-space, 19
 - baselines, 163
 - double-spacing, 163, 164
 - hard, 33
 - horizontal, 164
 - margins, 161
- vertical
 - disappearing, 162
 - fixed, 162
 - flexible, 162
- Windows, xxxiv, 9
- WinEdt, xxvi
- Word, xxii, xxx, xxxiii, 2, 24, 220, 222–225, 231–235
- WordPerfect, xxx, 194
- xcolor, xi, 67–70, 74, 128, 195–197, 205, 351
- XEdit, 10
- xelatex, 151
- xelatex, xxxvi, 12, 289
- X_ET_EX, xxvi
- xkeycaps, 27
- XPress, 219
- yum, xxxx
- Zaurus, xxv
- Zoom, 300
- Zotero, 141

Revision history

Revision history

- v8.07 — 1 August 2023** Switched back to XeLaTeX on KB's recommendation because of speed concerns with LuaLaTeX. Started work on an appendix on implementing designs, with a section of metadata and titling.
- v8.06 — 27 July 2023** Extensively rewrote the section on alignment outside a tabular environment.
- v8.05 — 12 June 2023** Added Barbara Beeton's comment on math delimiters; extracts from TYPO-L about em rules and en rules.
- v8.04 — 7 May 2023** Added GUIT23 and DANTE meetings, corrected expansion of plural/suffix on defining instances of acronyms.
- v8.03 — 18 April 2023** Added ConTeXt meeting (Sept 23), corrected misleading markup on Personal TeX Directories.
- v8.02 — 14 April 2023** Resolved personname references to xml:ids, replaced more character entity references.
- v8.01 — 4 April 2023** Removed (obsolete) list of commercial systems, edited surrounding text, and replaced links to the table with links to the subsection. Corrected @startinglinenumber on included code; resolved the right incantation for Windows to place the PTD; replaced dozens of character entity references no longer needed with their actual Unicode character.
- v8.0 — 1 April 2023** Finally switched to LuaLaTeX, edited references to fit. Tidied up acronym crossrefs, updated lots of package references.
- v7.99 — 8 March 2023** Added a few more exercises. Clarified some explanations. Completely rewrote the section on installation. Tidied up cross-reference linking in the PDF.
- v7.98 — 31 January 2023** Added many more exercises. Corrected many bits of poor grammar and wordy explanations.

Revision history

Completely rewrote the section on fonts. pdflatex and plain LaTeX are now omitted (ie XeLaTeX only).

v7.97 — 1 November 2022 Started work on adding exercises.
Added Discord to help section.

v7.96 — 11 October 2022 Added docx2tex converter and rationalised the section.

v7.95 — 23 September 2022 Rewrote the terminology and description of floats.

v7.93 — 13 August 2022 Rewrite of the TTF and OTF font installation section, updates to the accuracy of the other font installation sections.

v7.92 — 9 August 2022 Updated BachoTeX conference cancellation.

v7.91 — 9 June 2022 Updated BachoTeX conference.

v7.9 — 20 February 2022 Updated conferences. Changed the Quick Start to use XeLaTeX and updated the commentary on the commands used.

v7.85 — 10 July 2021 Updated list of commercial implementations to remove companies no longer trading.

v7.84 — 16 February 2021 Added new favicon.

v7.83 — 10 December 2020 Updated reference to csvtools in tables to datatool, and added image of table being edited in LyX.

v7.82 — 23 April 2020 Added footnote in verbatim about the alignment of the end command in other packages

v7.81 — 19 November 2018 Updated and rewrote the section on image file formats

v7.8 — 25 February 2018 Updated BachoTeX and MarkupUP

v7.7 — 14 February 2018 Updated conference dates; added details of lwwarp; fixed bibref pointer to PDF pages where given.

Revision history

v7.6 — 14 May 2017 Added salient comments about how to choose an editor from Michael Sperberg-McQueen, and slides from TUG 2017 from Barbara Beeton on how to handle L^AT_EX errors.

v7.5 — 21 January 2017 Full update of Mac and Windows installation with new screenshots and a new layout for procedures; introduction of an XSLT routine to test when an element is immediately preceded by another element with only white-space intervening, and to generate a space token if needed (this overcomes the design flaw alluded to in the revision comments to v3.7 below); many updates to phraseology, and removal of obsolete mentions of packages and practices.

v7.45 — 4 November 2016 Updated details of TDS package installation

v7.44 — 11 October 2016 Updated details of meetings

v7.43 — 15 April 2016 Updated comments on superscripted ordinals, spacing around em rules, and details of loading OTF/TTF fonts

v7.42 — 1 March 2016 Edited all sections, corrected spellings, updated package details and all examples to X_EL^AT_EX/biblatex/biber, fixed stray typos, checked links,. This is preparatory to v8, due for later in 2016.

v7.41 — 30 January 2016 Minor typos, updated event dates

v7.4 — 16 November 2015 Started updating converters

v7.3 — 26 October 2015 Updated meetings for 2016

v7.2 — 12 July 2015 Several sections re-ordered to present the material in a more logical fashion. Numerous grammatical elisions corrected, and some late typos (thanks to Rob Borland).

v7.1 — 10 June 2015 Minor changes to accommodate revised PDF format.

Revision history

v7.0 — 30 July 2014 Completely re-edited, large sections rewritten, obsolete material removed, including installation changes for the 2014 DVD, and a completely new responsive web site launched.

v6.0 — 30 December 2013 Updated links, replaced references to obsolescent packages, rewrote installation for the 2013 DVD

v5.7 — 21 December 2011 Moved and expanded the details of creating a Personal TeX Directory. Added new section on using the LaTeX Font Catalogue.

v5.6 — 1 November 2011 Revised installation details for TL2011.

v5.5 — 25 May 2011 Minor revision; added details of page references in citations, a warning about the broken harvard.sty and its solution with natbib and har2nat, and a reference to bibunits.

v5.4 — 27 April 2011 Minor revision; added details of packages for body type size options; fixed bug in HTML bibrefs which were failing to retrieve the date.

v5.3 — 22 March 2011 Minor revision; removed mention of VTeX as a synchronous typographic editor and replaced with BaKoMa TeX. Located and fixed XSLT bug which was preventing cross-reference IDs being used correctly. Finally tracked down the non-appearance of italics in some places (no Lite Italic in my copy of Antique Olive).

v5.2 — 13 March 2011 Minor revision; even finer details of the problems Windows users face at installation.

v5.1 — 5 March 2011 Minor revision; spellings and font selection errors repaired; missing rule in HTML table example; better details of the problems Windows users face at installation.

v5 — 28 January 2011 Major revision; Installation and Editors sections rewritten, remaining package references updated, and more new ones added.

Revision history

v4 — 1 April 2009 Major revision; Installation and Editors sections reorganised, all package references updated, and new ones added.

v3.7 — 22 December 2006 There have again been some small but significant improvements, both in the \LaTeX code, and in the default installations and implementations. The default colour package is now `xcolor`; the default output for many people is now `PDF`; and the advent of \XeTeX means that TrueType fonts and Unicode are now much more easily supported. The DocBook DTD has been updated to 4.4, and the TypeBook DTD shim likewise, and the IGNOREd code from 3.5 and earlier versions has now finally been dropped. `XSLT` still has the notorious design flaw of ignoring whitespace nodes in mixed content when a DTD is used, but this seems to have gone unnoticed except by the publishing industry. The use of the `citetitle` element for bibliographic references has been replaced by `biblioref`.

v3.6 — 31 March 2005 Since the publication of the November 2003 edition in TUGboat, several new books on \LaTeX have been released, and this edition reflects some of the new material and approaches contained in them. See the Bibliography for details of these publications. The only technical change has been to use empty elements for the \TeX , \LaTeX , and other logos instead of the more usual entities so that the `HTML` version can use `CSS` to produce better logos. Thanks to whoever wrote the `CSS` for \TeX4ht , which is where I found the styles.

v3.5 — 29 July 2004 Modified DTD to add `span` element type to allow use of external entities for formatted \TeX , \LaTeX , and other logos in the `HTML` version. Changed entity declaration in the internal subset to enable this, and switched declarations and marked sections in the DTD. This now means it needs Saxon 7 or 8 to process, as Saxon 6 does not handle parameter entities values used as parameter entity declarations.

Revision history

v3.4 — 9 November 2003 Applied all Barbara Beeton's corrections (see separate emails) and rewrote a few formatting macros to allow the document to fit more easily into the US Letter shape. It would be nice if it would also format for A5 so that it could become a paperback but that's another day's work. Started on writing the missing sections (Installing Type 1 CM Fonts and Going beyond L^AT_EX, but these are not finished yet) and rewrote entirely the existing (non-CM) Type 1 font installation procedure in line with the new (unreleased) Gutta-Percha script. Added hidden meanings for CD, DVD, IBM.

v3.3 — 20 August 2003 Fixed XSLT bug which wrongly lettered appendices. Fixed problem which called wrong font for examples of Times and Helvetica (thanks to William Adams). Updated numerous typos, added comments about pdftex option to color. Rewrote formatting for TUGboat.

v3.2 — 5 March 2003 Finished rewrite. Revised and expanded almost everything.

v3.1 — 28 August 2002 Recast in DocBook and reworded some sections. Started the big rewrite.