

Index

See Table 2 on page xxx for the meanings of the typographic formatting used here and in the text.

- \", 21
- \', 21, 22
- \(, 31, 32
- \), 31, 32
- \-, 26
- \., 21
- /p, 230
- \=, 21
- \@, 158, 160
- \[, 31, 32
- \], 31, 32
- \^, 21
- \`, 21
- \ , 21

- 10pt, 37
- 11pt, 37
- 12pt, 9, 37

- a4paper, 36, 38
- \AA, 21
- \aa, 21
- AbiWord, 171, 173, 174
- abstract, 43, 44
- \abstractname, 44
- abstracts, 43
- accents, 18
- Acrobat Reader, 181, 188, 216, 249
- acronym, 122
- \addbibresource, 117
- \addcontentsline, 51
- \addtocontents, 51
- \AE, 21

- \ae, 21
- \affiliation, 41
- afm2tfm, 228
- textbf, 16
- Apple Mac
 - editor, 183, 187
 - installation, 183
- apt, 185
- apt-get, xxvi
- Aquamacs, 216
- \arabic, 166
- ArcInfo, 94
- textbf, 12
- array, 83
- \arraybackslash, 83
- \arraystretch, 85
- article, 9, 35
- \author, xxx, 41–43, 106, 158
- AutoCAD, 93
- avant, 139

- b, 98
- \b, 21
- babel, 20, 29, 30, 49
- textbf, 9
- textbf, 245
- BaKoMa TeX, xxix
- \baselinestretch, 129
- bbding, 71, 167
- beer, 120
 - lite, 120
 - American, 120
 - Rogue

FORMATTING INFORMATION

Chocolate Stout, 120
`\begin`, 19, 39, 40, 44, 72, 80, 159, 176
`\bfseries`, 11, 145
biber, ix, 5, 18, 19, 60, 110–112, 117, 119, 122
biber, 239, 241
biplatex, 5, 110, 111
biplatex, ix, 5, 18, 19, 110–112, 114–118
biplatex-apa, 111
biplatex-cheatsheet, 112
biplatex-chicago, 111
`textbf`, 110
bibliographies, 109
`\bibliography`, 118
`\bibliographystyle`, 115, 118
bibtex, 5, 60, 110–112, 119, 122
bibtex, 239, 241
`\bigskip`, 128
`textbf`, 2, 223
book, 35
book, 46
bookman, 139
boxes, 97
bp (big points), 25
`\c`, 21
`\c` , 21
Calibre, 2
`\caption`, 79, 87, 109
`cat`, 231
cc (Ciceros), 25
`cd`, 64, 241
`center`, 11, 29, 85, 86, 144
`\centering`, 29, 83, 85, 144
cep, 91
chancery, 139
`textbf`, 239
`\chapter`, 46, 47
chapter, 166
characters
 accented, 18
 ASCII, 257
 math, 30
 special, 15, 30
charmap, 20
charter, 140
ChemDraw, 93
Chocolate Stout, 121
Chocolate Stout, 120
`\cite`, 110, 114–116, 118, 119, 122
`\citep`, 116, 118
`\citet`, 116, 118
`textbf`, 54
Classes
 article, 9, 35
 book, 35
 letter, 35
 memoir, xxx
 report, 34
 thesis, 34
classes, 54
`\clearpage`, xxx
`\cline`, 82
cm (centimeters), 25
`\color`, 56, 151
`\colorbox`, 100, 152
`colortbl`, 84
colour, 151
columns, 124
`\columnsep`, 124
Command, 212
Commands

`\", 21`
`\', 21, 22`
`\(, 31, 32`
`\), 31, 32`
`\-, 26`
`\., 21`
`\=, 21`
`\@, 158, 160`
`\[, 31, 32`
`\], 31, 32`
`\^, 21`
`\`, 21`
`\ , 21`
`\AA, 21`
`\aa, 21`
`\abstractname, 44`
`\addbibresource, 117`
`\addcontentsline, 51`
`\addtocontents, 51`
`\AE, 21`
`\ae, 21`
`\affiliation, 41`
`\arabic, 166`
`\arraybackslash, 83`
`\arraystretch, 85`
`\author, xxx, 41–43, 106, 158`
`\b, 21`
`\begin, 19, 39, 40, 44, 72, 80, 159, 176`
`\bfseries, 11, 145`
`biber, 239, 241`
`\bibliography, 118`
`\bibliographystyle, 115, 118`
`bibtex, 239, 241`
`\bigskip, 128`
`\c, 21`
`\c , 21`
`\caption, 79, 87, 109`
`cat, 231`
`cd, 64, 241`
`\centering, 29, 83, 85, 144`
`\chapter, 46, 47`
`\cite, 110, 114–116, 118, 119, 122`
`\citep, 116, 118`
`\citet, 116, 118`
`\clearpage, xxx`
`\cline, 82`
`\color, 56, 151`
`\colorbox, 100, 152`
`\d, 21`
`\date, 41, 43, 158, 244, 245`
`\datesubmitted, 41`
`\DeclareFontFamily, 233`
`\DeclareFontShape, 233, 234`
`\def, 163`
`\definecolor, 151, 152`
`del, 240`
`\documentclass, 19, 34, 44, 55, 148, 176`
`\doublespacing, 129`
`dvips, 95, 186`
`\EF, 158`
`\emph, 150, 176`
`\end, 9, 11, 39, 44, 103, 176`
`\enspace, 130`
`\EUR, 16, 83`
`exit, 135, 238`
`\fancyhead, 132`
`\fbox, 88, 99, 100, 152`
`fc-cache, 135`
`\fcolorbox, 100, 152`

<code>\flushleft</code> , 144	<code>\labelitemiv</code> , 168
<code>\flushright</code> , 144	<code>\LARGE</code> , 148
<code>\fnsymbol</code> , 106	<code>\Large</code> , 11, 148
<code>\fontencoding</code> , 143	<code>\large</code> , 148
<code>\fontfamily</code> , 139, 144	<code>\LaTeX</code> , 175
<code>\fontsize</code> , 148	<code>latex</code> , 8, 60, 186, 239, 240
<code>\footcite</code> , 115, 116	<code>latexmk</code> , 239, 240
<code>\footnote</code> , xxx, 101, 105, 106	<code>\leftmark</code> , 133
<code>\footnotesize</code> , 148	<code>\linebreak</code> , 162
<code>\foreign</code> , 150, 161	<code>\listoffigures</code> , 50
<code>\foreignlanguage</code> , 30	<code>\listoftables</code> , 50
<code>\gloss</code> , 122	<code>ls</code> , 220
<code>\glossary</code> , 121	<code>\lstineline</code> , 102, 104
<code>\gls</code> , 122	<code>\makeatletter</code> , 159
<code>\graphicspath</code> , 94, 95	<code>\makeatother</code> , 159
<code>\H</code> , 21	<code>\makeglossary</code> , 121
<code>.hl</code> , 3	<code>\makeindex</code> , 120
<code>:hl</code> , 3	<code>makeindex</code> , 121, 239, 241
<code>@Heading</code> , 3	<code>\maketitle</code> , 41–44, 51, 56, 143, 158, 159, 245
<code>\hline</code> , 82	<code>man</code> , 121
<code>\hrule</code> , 160	<code>\marginal</code> , 107
<code>\hspace</code> , 130	<code>\markboth</code> , 131
<code>\Huge</code> , 148	<code>\markright</code> , 131
<code>\huge</code> , 148	<code>\mbox</code> , 26, 162
<code>\hyphenation</code> , 26, 27	<code>\medskip</code> , 128
<code>\i</code> , 22	<code>mkdir</code> , 211, 212, 225, 230
<code>\includegraphics</code> , 88– 91, 94, 95, 101	<code>\multicolumn</code> , 84, 86
<code>\index</code> , 120, 121, 164	<code>\newcommand</code> , 158, 163
<code>\input</code> , 122	<code>\newcounter</code> , 76
<code>\item</code> , 70	<code>\newfontface</code> , 142
<code>\itshape</code> , 145	<code>\newfontfamily</code> , 142
<code>kpsewhich</code> , 154	<code>\newgeometry</code> , 128
<code>\L</code> , 21	<code>\newglossaryentry</code> , 122
<code>\l</code> , 21	<code>\noindent</code> , 96
<code>\label</code> , 75, 79, 87, 108–110	<code>\normalsize</code> , 148
<code>\labelitemi</code> , 167	<code>\O</code> , 21
	<code>\o</code> , 21

`\OE`, 21
`\oe`, 21
`\onehalfspacing`, 129
`\ovalbox`, 100
`\P`, 108
`\pageref`, 109
`\pagestyle`, 131, 132
`\par`, 86, 128, 144, 148, 160
`\paragraph`, 46, 75
`\parbox`, 97–99
`\parencite`, 115, 116
`\part`, 46
`\part*`, 48
 `pdflatex`, 239, 240
`\person`, 163, 164
`\printbibliography`,
 117
`\printglossaries`, 122
`\printindex`, 121
`\product`, 150, 161
`\protect`, 106
`\ProvidesPackage`, 232
`\qqquad`, 130
`\quad`, 24, 130
`\RaggedLeft`, 29
`\raggedleft`, 28, 83
`\RaggedRight`, 29
`\raggedright`, 28, 83, 98
`\raisebox`, 167
`\ref`, 75, 108–110
`\reindex`, 163, 164
`\renewcommand`, 44, 48, 85,
 129, 159, 166
`\RequirePackage`, 148
`\rightmark`, 133
 `rm`, 240
`\rmdefault`, 232
`\rule`, 82
`\S`, 108
`\scriptsize`, 148
`\scshape`, 145
`\section`, 3, 46, 50, 166
`\selectfont`, 143, 144, 146
`\selectlanguage`, 30
`\sentinel`, 163, 164
`\setcounter`, 48
`\setlength`, 48–50, 99
`\setmainfont`, 135
`\setmonofont`, 135
`\setsansfont`, 135
`\sfdefault`, 232
`\sffamily`, 11, 145, 160
`\shadowbox`, 100, 164
`\singlespacing`, 129
`\slshape`, 145
`\small`, 96, 148
`\smallskip`, 128
`\ss`, 21
`\subparagraph`, 46, 75
`\subparagraph*`, 48
`\subsection`, 46
`\subsubsection`, 46
 `sudo`, 134, 185
`\t`, 21
`\tableofcontents`, 13,
 50, 51, 242
`\tablesfont`, 142
 `texconfig`, 185
 `texdoc`, 57
`\text`, 120
`\textbf`, 146
`\textbrokenbar`, 31
`\textbullet`, 71
`\textcite`, 115, 116
`\textcolor`, 151, 152
`\textdegree`, 31

`\texteuro`, 16
`\textit`, 146, 150
`\textlangle`, 31
`\textrangle`, 31
`\textsc`, 146
`\textsf`, 146
`\textsl`, 146
`\textsterling`, 16
`\textsuperscript`, 17
`\texttrademark`, 162
`\texttt`, 146
`\thechapter`, 166
`\theenumi`, 76
`\theenumii`, 76
`\theenumiii`, 76
`\theenumiv`, 76
`\theexample`, 76
`\TheSbox`, 164
`\thesection`, 166
`\thinspace`, 18, 130
`\thispagestyle`, 131
`\tiny`, 148
`\title`, 41, 43, 106, 158
`\titlecite`, 116
`\tmproduct`, 161
`\ttdefault`, 232
`\ttfamily`, 145
`\u`, 21
`\uline`, 147
 `updmap`, 155
`\upshape`, 145
`\url`, 102, 104, 106, 176
`\usepackage`, 55, 56, 89, 95, 104, 151, 155, 176, 225, 233, 246
`\v`, 21
`\verb`, 100–104, 106
`\VerbatimFootnotes`, 106
`\vspace`, 128, 130
`\vspace*`, 129
 `xelatex`, xxvii, 239, 240
commands, 11
`textbf`, 15
commercial distributions, xxix
`textbf`, 146
Computer, 153, 200, 213
concrete, 138
configure, 63
ConT_EXt, xviii
`textbf`, 9
Counters
 chapter, 166
 enumi, 76
 enumii, 76
 enumiii, 76
 enumiv, 76
 example, 76
 footnote, 106
 secnumdepth, 9, 47, 48
 section, xxx, 166, 167
 tocdepth, 48, 51
courier, 139
Crayola, xv, 151
cross-references, 107
`csquotes`, 117
`textbf`, 12, 13
Cygwin, 65
`cyriot`, 142
`\d`, 21
 dash, 27
 long, 28
 short, 28
`datatool`, 79, 84

- `\date`, 41, 43, 158, 244, 245
- `\datesubmitted`, 41
 - DCF*, 3
 - `dcolumn`, 84
 - `dd` (Didot points), 25
- `\DeclareFontFamily`, 233
- `\DeclareFontShape`, 233, 234
- `\def`, 163
- `\definecolor`, 151, 152
- `del`, 240
- `textbf`, 240
- `description`, 72, 73
- `description*`, 73
- detex*, 181
- `textbf`, 48
- dimensions, 22
- DOCT_EX, 59
- DocBook*, 173
- DocBook 5*, xxxi
- document, xxiii, 9, 11, 19, 40, 41
- document class, 34
- `\documentclass`, 19, 34, 44, 55, 148, 176
 - Dolphin*, 60, 153, 211
 - double-spacing, 129
- `\doublespacing`, 129
 - draft*, 37
 - Draw*, 90, 94
 - duerer, 138
 - dviaw*, 251
 - dviaps*, 251
 - dvihp*, 251
 - dvips*, 91, 95, 248, 249, 251
 - dvips*, 95, 186
 - dvipsnames*, 151
 - dviview*, 247
 - DynaTag*, 172
- `\EF`, 158
- eiad*, 138
- El Capitan*, 188
- `em` (relative measure), 25
- Emacs*, xxvi, 10, 18, 84, 85, 216, 217, 243, 251
- emacs*, 134
- `\emph`, 150, 176
- empty*, 131
- `\end`, 9, 11, 39, 44, 103, 176
- `endnote`, 106
- `\enspace`, 130
- `enumerate`, 71
- `enumerate*`, 73, 74
- enumi*, 76
- enumii*, 76
- enumiii*, 76
- `enumitem`, 63, 72, 73, 75, 128
- enumiv*, 76
- environment, 70
- environment, xxx
 - `textbf`, 9, 39
- Environments**
 - `abstract`, 43, 44
 - `center`, 11, 29, 85, 86, 144
 - `description`, 72, 73
 - `description*`, 73
 - document, xxiii, 9, 11, 19, 40, 41
 - `enumerate`, 71
 - `enumerate*`, 73, 74
 - environment, xxx
 - `equation`, 32
 - `figure`, 87, 144
 - `figure*`, 124
 - `flushleft`, 86, 160
 - `flushright`, 86
 - `inparaenum`, 74

FORMATTING INFORMATION

itemize, 11, 71
itemize*, 73
lrbox, 99
minipage, 98–100, 106, 164
multicols, 124
picture, 88, 89
quotation, xxx, 96, 144
raggedleft, 29
raggedright, 29
Sbox, 99, 100, 164
spacing, 129
table, 79, 80, 88, 144
table*, 124
tabular, 80, 86, 88, 99
Verbatim, 103
verbatim, 103
epsf, 89
equation, 32
error
 messages, 235
Error messages
 Capacity exceeded, 245
 File not found, 246
 Overfull hbox, 246
 Runaway argument, 245
 Too many }'s, 244
 Undefined control sequence, 244
 Underfull hbox, 245
etruscan, 142
\EUR, 16, 83
Euro, 16
EuroMath, 171
Evince, 185, 216
ex (relative measure), 25
example, 76
exit, 135, 238
extarticle, 38
extbook, 38
extreport, 38
extsizes, 38
fancybox, 99, 100, 164
fancyhdr, 131, 132
\fancyhead, 132
fancyvrb, 103, 106
\fbox, 88, 99, 100, 152
\fboxrule, 99, 152
\fboxsep, 99, 152
fc-cache, 135, 224
fc-cache, 135
\fcolorbox, 100, 152
figure, 87, 144
figure*, 124
figures, 87
filenames, 236
Finder, 60, 153
fix-cm, 148
float, 78
floats, 77, 87
\flushleft, 144
flushleft, 86, 160
\flushright, 144
flushright, 86
fnpara, 106
\fnsymbol, 106
textbf, 232
textbf, 145
textbf, 145
fontenc, 19, 22
\fontencoding, 143
\fontfamily, 139, 144
FontForge, 146, 226
fontname, 227
fontname, 226, 233

- fonts
 - METAFONT, 133
 - changing temporarily, 142, 143
 - colour, 151
 - Computer Modern, 133
 - encoding, 228
 - families, 140
 - in general, 133
 - installing, 223
 - METAFONT, 139
 - PostScript, 139, 225
 - setting the default, 137
 - sizes, 37
 - TrueType, 139
 - Type 1, 139
- `\fontsize`, 148
- fontspec, 135, 137
- `\footcite`, 115, 116
- footmisc, xxx
- `\footnote`, xxx, 101, 105, 106
 - footnote*, 106
 - footnotes, 105
- `\footnotesize`, 148
- `\foreign`, 150, 161
- `\foreignlanguage`, 30
 - FrameMaker*, 170
 - FreeType*, 140
- gedit*, 134
- geometry, 36, 37, 56–58, 107, 127, 131
- Ghostsript*, 183, 249, 251
- GIMP*, 90, 94
- gloss, 122
- `\gloss`, 122
- glossaries, 120
- glossaries, 122, 123
- glossary, 122
- `\glossary`, 121
- `\gls`, 122
- GML*, 3
- GNUplot*, 94
- graphics, 89
- graphics, 59
- `\graphicspath`, 94, 95
- graphicx, 88, 89, 92
- textbf, 29, 143, 144
- grouping, 144
- groups, 144
- GView*, 183, 249–251
- `\H`, 21
- .h1, 3
- :h1, 3
- har2nat, 118
- textbf, 16
- @Heading, 3
- headings*, 131
- help, 65
- helvet, 139, 141
- textbf, 147
- `\hline`, 82
- `\hrule`, 160
- `\hspace`, 130
- HTML Tidy*, 171
- `\Huge`, 148
- `\huge`, 148
- hyphen*, 102
- hyphenation, 26
- `\hyphenation`, 26, 27
- hyphens, 26
 - soft, 26
- `\i`, 22
- Illustrator*, 94

ImageMagick, 91
images, 89
in (inches), 25
`\includegraphics`, 88–91, 94, 95, 101
InDesign, 170
`\index`, 120, 121, 164
indexes, 120
InkScape, 94
inparaenum, 74
`\input`, 122
inputenc, 19, 21, 22, 31, 257
Installation
 Apple Mac, 183
 Linux, 183
 Mac OS X, 183
 Microsoft Windows, 183
 OS X, 183
 Unix, 183
Instant Preview, xxviii
`\item`, 70
itemize, 11, 71
itemize*, 73
`\itshape`, 145

JabRef, 111, 116, 254
Java, xxxi, 173
JSTOR, 111

kate, 134
kdvi, 185
Kile, xix, xxvi, 6, 10, 216
kindlegen, 2
komascript, 35
kpdf, 185
kpsewhich, 222
kpsewhich, 154
Keyword, 171

`\L`, 21
`\l`, 21
`\label`, 75, 79, 87, 108–110
`\labelitemi`, 167
`\labelitemiv`, 168
landscape, 84
`\LARGE`, 148
`\Large`, 11, 148
`\large`, 148
`\LaTeX`, 175
latex, 8, 60, 186, 239, 240
latex-mode, 18
latex2rtf, 179
latexmk, 60, 122
latexmk, 239, 240
`\leftmark`, 133
textbf, 48
Lengths
 `\baselinestretch`, 129
 `\columnsep`, 124
 `\fboxrule`, 99, 152
 `\fboxsep`, 99, 152
 `\parindent`, 49, 99
 `\parskip`, 48–50
 `\spaceskip`, 26
 `\tabcolsep`, 84
 `\textwidth`, xxx
letter, 35
letterpaper, 36, 38
letterspacing, 130
linearb, 142
`\linebreak`, 162
Linux
 installation, 183
Lisp, 217
listings, 102–104
`\listoffigures`, 50
`\listoftables`, 50

- lists, 70
 - bulleted, 71
 - description, 72
 - discussion, 72
 - enumerated, 71
 - inline, 73
 - itemized, 71
 - numbered, 71
- longtable, 84
- lrbox, 99
- ls, 220
- `\lstinline`, 102, 104
- Mac OS X
 - installation, 183
- macros, 157
- textbf, 157
- `\makeatletter`, 159
- `\makeatother`, 159
- makeglossaries*, 122
- makeglossariesgui*, 122
- `\makeglossary`, 121
- makeidx, 120
- makeindex*, 60, 120–122
- `\makeindex`, 120
- makeindex, 121, 239, 241
- `\maketitle`, 41–44, 51, 56, 143, 158, 159, 245
- man, 121
- Maple*, 94, 171
- `\marginal`, 107
- marginal notes, 107
- margins, 127
- `\markboth`, 131
- `\markright`, 131
- textbf, 2
- marvosym, 16, 82
- math characters, 30
- MathCAD*, 93
- Mathematica*, 94, 171
- mathematics, xxiv, 30
- mathpazo, 139, 141
- mathptmx, 139, 141
- `\mbox`, 26, 162
- measurements, 22
- `\medskip`, 128
- memoir**, xxx
- memoir, 35
- Mendeley*, 111
- textbf, 15
- textbf, 41
- Microbrew, *see* beer
- Microsoft Windows
 - installation, 183
- minipage, 98–100, 106, 164
- mirror, 92
- mkdir, 211, 212, 225, 230
- mktxlsr*, 63, 220, 221
- mm (millimeters), 25
- multicol, 124
- multicols, 124
- `\multicolumn`, 84, 86
- textbf, 85
- multirow, 84
- My Computer*, 60, 153, 200, 213
- myheadings*, 131
- N800*, xx
- natbib, 116, 118
- Nautilus*, 153, 211
- NetPBM*, 180
- newcent, 139, 141
- `\newcommand`, 158, 163
- `\newcounter`, 76
- `\newfontface`, 142
- `\newfontfamily`, 142

- `\newgeometry`, 128
- `\newglossaryentry`, 122
- nimbus, 140
- `\noindent`, 96
- noitemsep*, 72
- normalem*, 147
- `\normalsize`, 148
- nosep*, 72
- Notepad*, xxii
- Notes*, xxii

- `\O`, 21
- `\o`, 21
- textbf*, 16
- `\OE`, 21
- `\oe`, 21
- Okular*, 185, 216
- oldgerm, 138
- Omnimark*, 172
- `\onehalfspacing`, 129
- oneside*, 37
- OpenOffice*, xxii, 171, 173
- OpenType*, 140
- Options**
 - /p*, 230
 - 10pt*, 37
 - 11pt*, 37
 - 12pt*, 9, 37
 - a4paper*, 36, 38
 - b*, 98
 - draft*, 37
 - dvipsnames*, 151
 - empty*, 131
 - headings*, 131
 - hyphen*, 102
 - letterpaper*, 36, 38
 - myheadings*, 131
 - noitemsep*, 72
 - normalem*, 147
 - nosep*, 72
 - oneside*, 37
 - plain*, 131
 - Scale*, 137
 - scaled*, 92, 141
 - Show Library Folder*, 212
 - svgnames*, 151
 - t*, 98
 - T1*, 22
 - titlepage*, 37
 - twocolumn*, 124
 - twoside*, 37
 - unboxed*, 73
 - utf8*, 19
 - utf8x*, 19, 22
 - V*, 229
- options, *see* Class Options
- textbf*, 55
- Rogue, 121
- OS X
 - installation, 183
- `\ovalbox`, 100
- oXygen*, 173

- `\P`, 108
- package, xxx
- Packages**
 - acronym, 122
 - array, 83
 - avant, 139
 - babel, 20, 29, 30, 49
 - bbding, 71, 167
 - biblatex, ix, 5, 18, 19, 110–112, 114–118
 - biblatex-apa, 111
 - biblatex-cheatsheet, 112
 - biblatex-chicago, 111

book, 46
bookman, 139
chancery, 139
charter, 140
colortbl, 84
concrete, 138
courier, 139
csquotes, 117
cypriot, 142
datatool, 79, 84
dcolumn, 84
duerer, 138
eiad, 138
endnote, 106
enumitem, 63, 72, 73, 75, 128
epsf, 89
etruscan, 142
extarticle, 38
extbook, 38
extreport, 38
extsizes, 38
fancybox, 99, 100, 164
fancyhdr, 131, 132
fancyvrb, 103, 106
fix-cm, 148
float, 78
fnpara, 106
fontenc, 19, 22
fontname, 226, 233
fontspec, 135, 137
footmisc, xxx
geometry, 36, 37, 56–58, 107,
127, 131
gloss, 122
glossaries, 122, 123
glossary, 122
graphics, 59
graphicx, 88, 89, 92
har2nat, 118
helvet, 139, 141
inputenc, 19, 21, 22, 31, 257
komascript, 35
landscape, 84
linearb, 142
listings, 102–104
longtable, 84
makeidx, 120
marvosym, 16, 82
mathpazo, 139, 141
mathptmx, 139, 141
memoir, 35
multicol, 124
multirow, 84
natbib, 116, 118
newcent, 139, 141
nimbus, 140
oldgerm, 138
package, xxx
palatino, 9, 141
pandora, 138
paralist, 73–75, 246
parskip, 50
phoenician, 142
pifont, 71, 139
preview-latex, xxviii
pslatex, 141
ragged2e, 29
report, 46
rotating, 84
runic, 142
rustic, 138
section, 46, 128
sectsty, 46, 128
setspace, 129
soul, 28, 130
tabularx, 84

- tabulary, 84
- textcomp, 16, 17, 31, 71
- times, 141
- tocloft, 52
- ulem, 147
- uncial, 138
- uni, 138
- url, 9, 101, 102
- urw, 140
- utopia, 140
- varioref, 109
- verbatim, 103
- xcolor, 55–57, 59, 100, 151, 152, 159, 299
- packages, 54
 - documentation, 57
 - downloading, 57
 - indexing, 62
 - installing, 57, 59
- textbf, 35, 54
- page size
 - scaling, 251
- PageMaker*, 170
- `\pageref`, 109
- `\pagestyle`, 131, 132
- PaintShop Pro*, 94
- palatino, 9, 141
- Pandoc*, 171, 178
- pandora, 138
- panels, 97
- paper sizes, 36
- `\par`, 86, 128, 144, 148, 160
- `\paragraph`, 46, 75
- paralist, 73–75, 246
- `\parbox`, 97–99
- `\parencite`, 115, 116
- `\parindent`, 49, 99
- parskip, 50
- `\parskip`, 48–50
- `\part`, 46
- `\part*`, 48
- pc (picas), 25
- PDF_{TEX}, xxix
- pdf2ps*, 249
- pdflatex*, 188
- pdflatex*, 239, 240
- pdfxtext*, 181
- `\person`, 163, 164
- textbf, 211
- textbf, 211
- phoenician, 142
- PhotoShop*, 90, 94
- picas, 25
- picture, 88, 89
- pifont, 71, 139
- plain*, 131
- textbf, 1
- points, 25
- PostScript*, xvii, 61, 91, 95, 139, 140, 153, 154, 223, 225, 226, 228–230, 248–251
- textbf, 19
- Preview*, xxv, 188, 216
- preview, 247
- preview-latex, xxviii
- `\printbibliography`, 117
- `\printglossaries`, 122
- `\printindex`, 121
- printing, 235, 250
 - reverse order, 251
 - selected pages, 251
- `\product`, 150, 161
- Products**
 - AbiWord*, 171, 173, 174
 - Acrobat Reader*, 181, 188, 216, 249

- afm2tfm*, 228
- apt*, 185
- apt-get*, xxvi
- Aquamacs*, 216
- ArcInfo*, 94
- AutoCAD*, 93
- BaKoMa T_EX*, xxix
- biber*, ix, 5, 18, 19, 60, 110–112, 117, 119, 122
- biblatex*, 5, 110, 111
- bibtex*, 5, 60, 110–112, 119, 122
- Calibre*, 2
- cep*, 91
- charmap*, 20
- ChemDraw*, 93
- Chocolate Stout*, 120
- Command*, 212
- Computer*, 153, 200, 213
- configure*, 63
- Crayola*, xv, 151
- Cygwin*, 65
- DCF*, 3
- detex*, 181
- DocBook*, 173
- DocBook 5*, xxxi
- Dolphin*, 60, 153, 211
- Draw*, 90, 94
- dviaw*, 251
- dviaps*, 251
- dvihp*, 251
- dvips*, 91, 95, 248, 249, 251
- dviview*, 247
- DynaTag*, 172
- El Capitan*, 188
- Emacs*, xxvi, 10, 18, 84, 85, 216, 217, 243, 251
- emacs*, 134
- EuroMath*, 171
- Evince*, 185, 216
- fc-cache*, 135, 224
- Finder*, 60, 153
- FontForge*, 146, 226
- fontname*, 227
- FrameMaker*, 170
- FreeType*, 140
- gedit*, 134
- Ghostsript*, 183, 249, 251
- GIMP*, 90, 94
- GML*, 3
- GNUplot*, 94
- GSview*, 183, 249–251
- HTML Tidy*, 171
- Illustrator*, 94
- ImageMagick*, 91
- InDesign*, 170
- InkScape*, 94
- Instant Preview*, xxviii
- JabRef*, 111, 116, 254
- Java*, xxxi, 173
- JSTOR*, 111
- kate*, 134
- kdvi*, 185
- Kile*, xix, xxvi, 6, 10, 216
- kindlegen*, 2
- kpdf*, 185
- kpsewhich*, 222
- Kword*, 171
- latex-mode*, 18
- latex2rtf*, 179
- latexmk*, 60, 122
- Lisp*, 217
- makeglossaries*, 122
- makeglossariesgui*, 122
- makeindex*, 60, 120–122
- Maple*, 94, 171

FORMATTING INFORMATION

MathCAD, 93
Mathematica, 94, 171
Mendeley, 111
mktexlsr, 63, 220, 221
My Computer, 60, 153, 200, 213
N800, xx
Nautilus, 153, 211
NetPBM, 180
Notepad, xxii
Notes, xxii
Okular, 185, 216
Omnimark, 172
OpenOffice, xxii, 171, 173
OpenType, 140
oXygen, 173
PageMaker, 170
PaintShop Pro, 94
Pandoc, 171, 178
pdf2ps, 249
pdflatex, 188
pdftotext, 181
PhotoShop, 90, 94
PostScript, xvii, 61, 91, 95, 139, 140, 153, 154, 223, 225, 226, 228–230, 248–251
Preview, xxv, 188, 216
ps2pdf, 249
psnup, 251
pstops, 251
Publisher, 170
PubMed, 111
qpdfview, 185, 216
Rexx, 217
rpm, xxvi
rtf2latex2e, 173, 179
Runoff, 3
Saxon, xxxi, 173, 176
Scientific Word, xxviii
Scribe, 3
Script, 3
Software Center, 184
Software Installer, xxvi
Synaptic, xxvi, 184
t1binary, 226
t1utils, 226
T_EXShop, 20
T_EXshop, 188
tables-mode, 84
Terminal, 212
texconfig, 185, 187
texhash, 63, 221
T_EX Live, 184
texlive-full, 186
T_EXStudio, 117, 207, 209
TextEdit, xxii
Textures, xxviii
Thunar, 60, 153, 211
Tidy, 180
TikZ, 89
tkPaint, 94
tlmgr, 55, 57, 63, 64
TrueType, 140
Ubuntu, 184
Ubuntu Software Centre, 185
updmap, 155
Velcro, 161
Verilog, 102
vi, xxvi, 134, 217
vptovf, 228, 229
Web of Science, 111
which, 222
Windows, xxv, 216
Windows 7/8, 213
WinEdt, xix

- Word*, xvi, xxii, xxiv, 17, 171–173, 179–181
- WordPerfect*, xxii, 149
- xdvi*, 247, 249
- XEdit*, 217
- xkeycaps*, 20
- XPress*, 170
- XQuartz*, 247
- yap*, 247
- yum*, xxvi, 185
- Zaurus*, xx
- Zotero*, 111
- textbf, 238
- \protect, 106
- \ProvidesPackage, 232
- ps2pdf*, 249
- pslatex, 141
- psnup*, 251
- pstops*, 251
- pt (points), 25
- Publisher*, 170
- PubMed*, 111

- qpdfview*, 185, 216
- \qqquad, 130
- \quad, 24, 130
- quotation, xxx, 96, 144
- quotation marks, 16

- ragged2e, 29
- \RaggedLeft, 29
- \raggedleft, 28, 83
- raggedleft, 29
- \RaggedRight, 29
- \raggedright, 28, 83, 98
- raggedright, 29
- \raisebox, 167
- \ref, 75, 108–110

- references, 109
- \reindex, 163, 164
- textbf, 240
- \renewcommand, 44, 48, 85, 129, 159, 166
- report**, 34
- report, 46
- \RequirePackage, 148
- Rexx*, 217
- \rightmark, 133
- rm, 240
- \rmdefault, 232
- rotate, 92
- rotating, 84
- rpm*, xxvi
- rtf2latex2e*, 173, 179
- rule
 - em, 28
 - en, 28
- \rule, 82
- runic, 142
- Runoff*, 3
- rustic, 138

- \S, 108
- Saxon*, xxxi, 173, 176
- Sbox*, 99, 100, 164
- Scale*, 137
- scale, 92
- scaled*, 92, 141
- Scientific Word*, xxviii
- textbf, 146
- Scribe*, 3
- Script*, 3
- \scriptsize, 148
- \scshape, 145
- secnumdepth*, 9, 47, 48
- section, 46, 128

`\section`, 3, 46, 50, 166
 `section`, `xxx`, 166, 167
 section numbering, 47
 sections, 46
 `sectsty`, 46, 128
`\selectfont`, 143, 144, 146
`\selectlanguage`, 30
`\sentinel`, 163, 164
`\setcounter`, 48
`\setlength`, 48–50, 99
`\setmainfont`, 135
`\setmonofont`, 135
`\setsansfont`, 135
 `setspace`, 129
`\sfdefault`, 232
`\sffamily`, 11, 145, 160
`\shadowbox`, 100, 164
 Show Library Folder, 212
 sidebars, 97
`\singlespacing`, 129
 size (fonts), 147
 `textbf`, 147
`\slshape`, 145
`\small`, 96, 148
`\smallskip`, 128
 Software Center, 184
 Software Installer, xxvi
 `soul`, 28, 130
 `sp` (scaled points), 25
 space, *see* white-space
`\spaceskip`, 26
 spacing, 129
 special characters, 15, 30
`\ss`, 21
 `textbf`, 82
 style (fonts), 145
`\subparagraph`, 46, 75
`\subparagraph*`, 48
`\subsection`, 46
`\subsubsection`, 46
 `sudo`, 134, 185
 summaries, 43
 `svgnames`, 151
 Synaptic, xxvi, 184

 t, 98
`\t`, 21
 T1, 22
 t1binary, 226
 t1utils, 226
 T_EXShop, 20
 T_EXshop, 188
`\tabcolsep`, 84
 table, 79, 80, 88, 144
 table of contents
 adding manual entry, 51
 automated entries, 50
 `table*`, 124
`\tableofcontents`, 13, 50, 51,
 242
 tables, 77
 tables-mode, 84
`\tablefont`, 142
 tabular, 80, 86, 88, 99
 tabularx, 84
 tabulary, 84
 `textbf`, 58
 `textbf`, `xxx`
 Terminal, 212
 terminal, 235
 texconfig, 185, 187
 `texconfig`, 185
 `texdoc`, 57
 texhash, 63, 221
 T_EX Live, 184
 texlive-full, 186

- TeXStudio, 117, 207, 209
- `\text`, 120
- `textbf`, 236
- `\textbf`, 146
- `\textbrokenbar`, 31
- `\textbullet`, 71
- `\textcite`, 115, 116
- `\textcolor`, 151, 152
- `textcomp`, 16, 17, 31, 71
- `\textdegree`, 31
- TextEdit*, xxii
- `\texteuro`, 16
- `\textit`, 146, 150
- `\textlangle`, 31
- `\textrangle`, 31
- `\textsc`, 146
- `\textsf`, 146
- `\textsl`, 146
- `\textsterling`, 16
- `\textsuperscript`, 17
- `\texttrademark`, 162
- `\texttt`, 146
- Textures*, xxviii
- `\textwidth`, xxx
- `\thechapter`, 166
- `\theenumi`, 76
- `\theenumii`, 76
- `\theenumiii`, 76
- `\theenumiv`, 76
- `\theexample`, 76
- `\TheSbox`, 164
- `\thesection`, 166
- thesis**, 34
- `\thinspace`, 18, 130
- `\thispagestyle`, 131
- Thunar*, 60, 153, 211
- Tidy*, 180
- TikZ*, 89
- `textbf`, 16
- `times`, 141
- `\tiny`, 148
- `\title`, 41, 43, 106, 158
- `\titlecite`, 116
- titlepage*, 37
- titles, 41
- tkPaint*, 94
- tlmgr*, 55, 57, 63, 64
- `\tmproduct`, 161
- tocdepth*, 48, 51
- `tocloft`, 52
- tools, 105
- tracking, *see* `letterspacing`
- TrueTeX, xxix
- TrueType*, 140
- `\ttdefault`, 232
- `\ttfamily`, 145
- twocolumn*, 124
- twoside*, 37
- typographics, 125
- `\u`, 21
- Ubuntu*, 184
- Ubuntu Software Centre*, 185
- `ulem`, 147
- `\uline`, 147
- unboxed*, 73
- `uncial`, 138
- `textbf`, 147
- `uni`, 138
- units, 23
- Unix
 - installation, 183
- `textbf`, 144
- updmap*, 155
- `updmap`, 155
- `\upshape`, 145

FORMATTING INFORMATION

url, 9, 101, 102
`\url`, 102, 104, 106, 176
urw, 140
`\usepackage`, 55, 56, 89, 95,
104, 151, 155, 176, 225,
233, 246
utf8, 19
utf8x, 19, 22
utopia, 140

V, 229
`\v`, 21
varioref, 109
Velcro, 161
`\verb`, 100–104, 106
Verbatim, 103
verbatim, 103
verbatim, 103
verbatim text, 100
`\VerbatimFootnotes`, 106
Verilog, 102
vi, xxvi, 134, 217
viewer, 235
vptovf, 228, 229
`\vspace`, 128, 130
`\vspace*`, 129
V_TE_X, xxix

Web of Science, 111
which, 222
white-space

baselines, 129
double-spacing, 129
hard, 27
horizontal, 130
margins, 127
vertical
 disappearing, 128
 fixed, 128
 flexible, 128

textbf, 13
Windows, xxv, 216
Windows 7/8, 213
WinEdt, xix
Word, xvi, xxii, xxiv, 17, 171–173,
179–181
WordPerfect, xxii, 149

xcolor, 55–57, 59, 100, 151, 152,
159, 299
xdvi, 247, 249
XEdit, 217
xelatex, xxvii, 239, 240
X_YT_EX, xviii
xkeycaps, 20
XPress, 170
XQuartz, 247

yap, 247
yum, xxvi, 185

Zaurus, xx
Zotero, 111