

Index

See Table 2 on page xxx for the meanings of the typographic formatting used here and in the text.

- \", 21
- \', 21, 22
- \(, 31, 32
- \), 31, 32
- \-, 26
- \., 21
- /p, 232
- \=, 21
- \@, 158, 160
- \[, 31, 32
- \], 31, 32
- \^, 21
- \`, 21
- \ , 21

- 10pt, 37
- 11pt, 37
- 12pt, 9, 37

- a4paper, 36, 38
- \AA, 21
- \aa, 21
- AbiWord, 171, 173, 174
- abstract, 43, 44
- \abstractname, 44
- abstracts, 43
- accents, 18
- Acrobat Reader, 181, 190, 218, 251
- acronym, 123
- \addbibresource, 118
- \addcontentsline, 51
- \addtocontents, 51
- \AE, 21

- \ae, 21
- \affiliation, 41
- afm2tfm, 230
- textbf, 16
- Apple Mac
 - editor, 185, 189
 - installation, 185
- apt, 187
- apt-get, xxvi
- Aquamacs, 218
- \arabic, 166
- ArcInfo, 94
- textbf, 12
- array, 83
- \arraybackslash, 83
- \arraystretch, 85
- article, 9, 35
- \author, xxx, 41–43, 106, 158
- AutoCAD, 93
- avant, 139

- b, 98
- \b, 21
- babel, 20, 29, 30, 49, 117
- textbf, 9
- textbf, 247
- BaKoMa TeX, xxix
- \baselinestretch, 129
- bbding, 71, 167
- beer, 121
 - lite, 121
 - American, 121
 - Rogue

FORMATTING INFORMATION

Chocolate Stout, 121
`\begin`, 19, 39, 40, 44, 72, 80, 159, 176
`\bfseries`, 11, 145
biber, ix, 5, 18, 19, 60, 110–112, 117–120, 123
biber, 241, 243
biplatex, 5, 110, 111
biplatex, ix, 5, 18, 19, 110–112, 114–119
biplatex-apa, 112
biplatex-cheatsheet, 112
biplatex-chicago, 112
`textbf`, 110
bibliographies, 109
`\bibliography`, 119
`\bibliographystyle`, 115, 119
bibtex, 5, 60, 110–112, 116, 119, 120, 123
bibtex, 241, 243
`\bigskip`, 128
`textbf`, 2, 225
book, 35
book, 46
bookman, 139
boxes, 97
bp (big points), 25
`\c`, 21
`\c` , 21
Calibre, 2
`\caption`, 79, 87, 109
cat, 233
cc (Ciceros), 25
cd, 64, 243
center, 11, 29, 85, 86, 144
`\centering`, 29, 83, 85, 144
cep, 91
chancery, 139
`textbf`, 241
`\chapter`, 46, 47
chapter, 166
characters
 accented, 18
 ASCII, 259
 math, 30
 special, 15, 30
charmap, 20
charter, 140
ChemDraw, 93
Chocolate Stout, 121
Chocolate Stout, 121
`\cite`, 110, 114, 116, 119, 120, 122
`\citep`, 116, 119
`\citet`, 116, 119
`textbf`, 54
Classes
 article, 9, 35
 book, 35
 letter, 35
 memoir, xxx
 report, 34
 thesis, 34
classes, 54
`\clearpage`, xxx
`\cline`, 82
cm (centimeters), 25
`\color`, 56, 151
`\colorbox`, 100, 152
colortbl, 84
colour, 151
columns, 124
`\columnsep`, 124
Command, 214

Commands

`\`, 21
`\'`, 21, 22
`\(`, 31, 32
`\)`, 31, 32
`\-`, 26
`\.`, 21
`\=`, 21
`\@`, 158, 160
`\[`, 31, 32
`\]`, 31, 32
`\^`, 21
`\``, 21
`\`, 21
`\AA`, 21
`\aa`, 21
`\abstractname`, 44
`\addbibresource`, 118
`\addcontentsline`, 51
`\addtocontents`, 51
`\AE`, 21
`\ae`, 21
`\affiliation`, 41
`\arabic`, 166
`\arraybackslash`, 83
`\arraystretch`, 85
`\author`, xxx, 41–43, 106, 158
`\b`, 21
`\begin`, 19, 39, 40, 44, 72, 80, 159, 176
`\bfseries`, 11, 145
 biber, 241, 243
`\bibliography`, 119
`\bibliographystyle`, 115, 119
 bibtex, 241, 243
`\bigskip`, 128
`\c`, 21
`\c` , 21
`\caption`, 79, 87, 109
 cat, 233
 cd, 64, 243
`\centering`, 29, 83, 85, 144
`\chapter`, 46, 47
`\cite`, 110, 114, 116, 119, 120, 122
`\citep`, 116, 119
`\citet`, 116, 119
`\clearpage`, xxx
`\cline`, 82
`\color`, 56, 151
`\colorbox`, 100, 152
`\d`, 21
`\date`, 41, 43, 158, 246, 247
`\datesubmitted`, 41
`\DeclareFontFamily`, 235
`\DeclareFontShape`, 235, 236
`\def`, 163
`\definecolor`, 151, 152
 del, 242
`\documentclass`, 19, 34, 44, 55, 148, 176
`\doublespacing`, 129
 dvips, 95, 188
`\EF`, 158
`\emph`, 150, 176
`\end`, 9, 11, 39, 44, 103, 176
`\enspace`, 130
`\EUR`, 16, 83
 exit, 135, 240
`\fancyhead`, 132
`\fbox`, 88, 99, 100, 152
 fc-cache, 135

FORMATTING INFORMATION

`\fcolorbox`, 100, 152
`\flushleft`, 144
`\flushright`, 144
`\fnsymbol`, 106
`\fontencoding`, 143
`\fontfamily`, 139, 144
`\fontsize`, 148
`\footcite`, 116
`\footnote`, xxx, 101, 105, 106
`\footnotesize`, 148
`\foreign`, 150, 161
`\foreignlanguage`, 30
`\gloss`, 122
`\glossary`, 122
`\gls`, 123
`\graphicspath`, 94, 95
`\H`, 21
`.h1`, 3
`:h1`, 3
`@Heading`, 3
`\hline`, 82
`\hrule`, 160
`\hspace`, 130
`\Huge`, 148
`\huge`, 148
`\hyphenation`, 26, 27
`\i`, 22
`\includegraphics`, 88–91, 94, 95, 101
`\index`, 121, 122, 164
`\input`, 123
`\item`, 70
`\itshape`, 145
`kpsewhich`, 154
`\L`, 21
`\l`, 21
`\label`, 75, 79, 87, 108–110
`\labelitemi`, 167
`\labelitemiv`, 168
`\LARGE`, 148
`\Large`, 11, 148
`\large`, 148
`\LaTeX`, 175
`latex`, 8, 60, 188, 241, 242
`latexmk`, 241, 242
`\leftmark`, 133
`\linebreak`, 162
`\listoffigures`, 50
`\listoftables`, 50
`ls`, 223
`\lstinline`, 102, 104
`\makeatletter`, 159
`\makeatother`, 159
`\makeglossary`, 122
`\makeindex`, 121
`makeindex`, 122, 241, 243
`\maketitle`, 41–44, 51, 56, 143, 158, 159, 247
`man`, 122
`\marginal`, 107
`\markboth`, 131
`\markright`, 131
`\mbox`, 26, 162
`\medskip`, 128
`mkdir`, 213, 214, 227, 232
`\multicolumn`, 84, 86
`\newcommand`, 158, 163
`\newcounter`, 76
`\newfontface`, 142
`\newfontfamily`, 142
`\newgeometry`, 128
`\newglossaryentry`, 122
`\noindent`, 96
`\normalsize`, 148
`\O`, 21

`\o`, 21
`\OE`, 21
`\oe`, 21
`\onehalfspacing`, 129
`\ovalbox`, 100
`\P`, 108
`\pageref`, 109
`\pagestyle`, 131, 132
`\par`, 86, 128, 144, 148, 160
`\paragraph`, 46, 75
`\parbox`, 97–99
`\parencite`, 115, 116
`\part`, 46
`\part*`, 48
 `pdflatex`, 241, 242
`\person`, 163, 164
`\printbibliography`,
 118
`\printglossaries`, 123
`\printindex`, 122
`\product`, 150, 161
`\protect`, 106
`\ProvidesPackage`, 234
`\qqquad`, 130
`\quad`, 24, 130
`\RaggedLeft`, 29
`\raggedleft`, 28, 83
`\RaggedRight`, 29
`\raggedright`, 28, 83, 98
`\raisebox`, 167
`\ref`, 75, 108–110
`\reindex`, 163, 164
`\renewcommand`, 44, 48, 85,
 129, 159, 166
`\RequirePackage`, 148
`\rightmark`, 133
 `rm`, 242
`\rmdefault`, 234
`\rule`, 82
`\S`, 108
`\scriptsize`, 148
`\scshape`, 145
`\section`, 3, 46, 50, 166
`\selectfont`, 143, 144, 146
`\selectlanguage`, 30
`\sentinel`, 163, 164
`\setcounter`, 48
`\setlength`, 48–50, 99
`\setmainfont`, 135
`\setmonofont`, 135
`\setsansfont`, 135
`\sfdefault`, 234
`\sffamily`, 11, 145, 160
`\shadowbox`, 100, 164
`\singlespacing`, 129
`\slshape`, 145
`\small`, 96, 148
`\smallskip`, 128
`\ss`, 21
`\subparagraph`, 46, 75
`\subparagraph*`, 48
`\subsection`, 46
`\subsubsection`, 46
 `sudo`, 134, 187
`\t`, 21
`\tableofcontents`, 13,
 50, 51, 244
`\tablesfont`, 142
 `texconfig`, 187
 `texdoc`, 57
`\text`, 121
`\textbf`, 146
`\textbrokenbar`, 31
`\textbullet`, 71
`\textcite`, 115, 116
`\textcolor`, 151, 152

`\textdegree`, 31
`\texteuro`, 16
`\textit`, 146, 150
`\textlangle`, 31
`\textrightangle`, 31
`\textsc`, 146
`\textsf`, 146
`\textsl`, 146
`\textsterling`, 16
`\textsuperscript`, 17
`\texttrademark`, 162
`\texttt`, 146
`\thechapter`, 166
`\theenumi`, 76
`\theenumii`, 76
`\theenumiii`, 76
`\theenumiv`, 76
`\theexample`, 76
`\TheSbox`, 164
`\thesection`, 166
`\thinspace`, 18, 130
`\thispagestyle`, 131
`\tiny`, 148
`\title`, 41, 43, 106, 158
`\titlecite`, 116
`\tmproduct`, 161
`\ttdefault`, 234
`\ttfamily`, 145
`\u`, 21
`\uline`, 147
 `updmap`, 155
`\upshape`, 145
`\url`, 102, 104, 106, 176
`\usepackage`, 55, 56, 89, 95, `\d`, 21
 104, 151, 155, 176, 227, 235, 248
`\v`, 21
`\verb`, 100–104, 106
`\VerbatimFootnotes`, 106
`\vspace`, 128, 130
`\vspace*`, 129
 `xelatex`, xxvii, 241, 242
commands, 11
`textbf`, 15
commercial distributions, xxix
`textbf`, 146
Computer, 153, 202, 215
concrete, 138
configure, 63
ConT_EXt, xviii
`textbf`, 9
Counters
 chapter, 166
 enumi, 76
 enumii, 76
 enumiii, 76
 enumiv, 76
 example, 76
 footnote, 106
 secnumdepth, 9, 47, 48
 section, xxx, 166, 167
 tocdepth, 48, 51
courier, 139
Crayola, xv, 151
cross-references, 107
csquotes, 117
`textbf`, 12, 13
Cygwin, 65
cypriot, 142

- `\date`, 41, 43, 158, 246, 247
- `\datesubmitted`, 41
 - DCF*, 3
 - `dcolumn`, 84
 - `dd` (Didot points), 25
- `\DeclareFontFamily`, 235
- `\DeclareFontShape`, 235, 236
- `\def`, 163
- `\definecolor`, 151, 152
- `del`, 242
- `textbf`, 242
- `description`, 72, 73
- `description*`, 73
- detex*, 182
- `textbf`, 48
- dimensions, 22
- DOCT_EX, 59
- DocBook*, 173
- DocBook 5*, xxxi
- document, xxiii, 9, 11, 19, 40, 41
- document class, 34
- `\documentclass`, 19, 34, 44, 55, 148, 176
 - Dolphin*, 60, 153, 213
 - double-spacing, 129
- `\doublespacing`, 129
 - draft*, 37
 - Draw*, 90, 94
 - duerer, 138
 - dviaw*, 253
 - dviaps*, 253
 - dvihp*, 253
 - dvips*, 91, 95, 250, 251, 253
 - dvips*, 95, 188
 - dvipsnames*, 151
 - dviview*, 249
 - DynaTag*, 172
- `\EF`, 158
- eiad*, 138
- El Capitan*, 190
- `em` (relative measure), 25
- Emacs*, xxvi, 10, 18, 84, 85, 218–220, 245, 253
- emacs*, 134
- `\emph`, 150, 176
- empty*, 131
- `\end`, 9, 11, 39, 44, 103, 176
- `endnote`, 106
- `\enspace`, 130
- `enumerate`, 71
- `enumerate*`, 73, 74
- enumi*, 76
- enumii*, 76
- enumiii*, 76
- `enumitem`, 63, 72, 73, 75, 128
- enumiv*, 76
- environment, 70
- environment, xxx
 - `textbf`, 9, 39
- Environments**
 - `abstract`, 43, 44
 - `center`, 11, 29, 85, 86, 144
 - `description`, 72, 73
 - `description*`, 73
 - document, xxiii, 9, 11, 19, 40, 41
 - `enumerate`, 71
 - `enumerate*`, 73, 74
 - environment, xxx
 - `equation`, 32
 - `figure`, 87, 144
 - `figure*`, 124
 - `flushleft`, 86, 160
 - `flushright`, 86
 - `inparaenum`, 74

FORMATTING INFORMATION

itemize, 11, 71
itemize*, 73
lrbox, 99
minipage, 98–100, 106, 164
multicols, 124
picture, 88, 89
quotation, xxx, 96, 144
raggedleft, 29
raggedright, 29
Sbox, 99, 100, 164
spacing, 129
table, 79, 80, 88, 144
table*, 124
tabular, 80, 86, 88, 99
Verbatim, 103
verbatim, 103
epsf, 89
equation, 32
error
 messages, 237
Error messages
 Capacity exceeded, 247
 File not found, 248
 Overfull hbox, 248
 Runaway argument, 247
 Too many }'s, 246
 Undefined control sequence, 246
 Underfull hbox, 247
etruscan, 142
\EUR, 16, 83
Euro, 16
EuroMath, 171
Evince, 187, 218
ex (relative measure), 25
example, 76
exit, 135, 240
extarticle, 38
extbook, 38
extreport, 38
extsizes, 38
fancybox, 99, 100, 164
fancyhdr, 131, 132
\fancyhead, 132
fancyvrb, 103, 106
\fbox, 88, 99, 100, 152
\fboxrule, 99, 152
\fboxsep, 99, 152
fc-cache, 135, 226
fc-cache, 135
\fcolorbox, 100, 152
figure, 87, 144
figure*, 124
figures, 87
filenames, 238
Finder, 60, 153
fix-cm, 148
float, 78
floats, 77, 87
\flushleft, 144
flushleft, 86, 160
\flushright, 144
flushright, 86
fnpara, 106
\fnsymbol, 106
textbf, 234
textbf, 145
textbf, 145
fontenc, 19, 22
\fontencoding, 143
\fontfamily, 139, 144
FontForge, 146, 228
fontname, 229
fontname, 228, 235

- fonts
 - METAFONT, 133
 - changing temporarily, 142, 143
 - colour, 151
 - Computer Modern, 133
 - encoding, 230
 - families, 140
 - in general, 133
 - installing, 225
 - METAFONT, 139
 - PostScript, 139, 227
 - setting the default, 137
 - sizes, 37
 - TrueType, 139
 - Type 1, 139
- `\fontsize`, 148
- fontspec, 135, 137
- `\footcite`, 116
- footmisc, xxx
- `\footnote`, xxx, 101, 105, 106
 - footnote*, 106
- footnotes, 105
- `\footnotesize`, 148
- `\foreign`, 150, 161
- `\foreignlanguage`, 30
 - FrameMaker*, 170
 - FreeType*, 140
- gedit*, 134
- geometry, 36, 37, 56–58, 107, 127, 131
- Ghostsript*, 185, 251, 253
- GIMP*, 90, 94
- gloss, 122
- `\gloss`, 122
- glossaries, 120
- glossaries, 122, 123
- glossary, 122
- `\glossary`, 122
- `\gls`, 123
- GML*, 3
- GNUplot*, 94
- graphics, 89
- graphics, 59
- `\graphicspath`, 94, 95
- graphicx, 88, 89, 92
- textbf, 29, 143, 144
- grouping, 144
- groups, 144
- GView*, 185, 251–253
- `\H`, 21
- .h1, 3
- :h1, 3
- har2nat, 119
- textbf, 16
- @Heading, 3
- headings*, 131
- help, 65
- helvet, 139, 141
- textbf, 147
- `\hline`, 82
- `\hrule`, 160
- `\hspace`, 130
- HTML Tidy*, 171
- `\Huge`, 148
- `\huge`, 148
- hyphen*, 102
- hyphenation, 26
- `\hyphenation`, 26, 27
- hyphens, 26
 - soft, 26
- `\i`, 22
- Illustrator*, 94

ImageMagick, 91
images, 89
in (inches), 25
`\includegraphics`, 88–91, 94, 95, 101
InDesign, 170
`\index`, 121, 122, 164
indexes, 120
InkScape, 94
inparaenum, 74
`\input`, 123
inputenc, 19, 21, 22, 31, 259
Installation
 Apple Mac, 185
 Linux, 185
 Mac OS X, 185
 Microsoft Windows, 185
 OS X, 185
 Unix, 185
Instant Preview, xxviii
`\item`, 70
itemize, 11, 71
itemize*, 73
`\itshape`, 145

JabRef, 111, 117, 257
Java, xxxi, 173
JSTOR, 111

kate, 134
kdvi, 187
Kile, xix, xxvi, 6, 10, 218
kindlegen, 2
komascript, 35
kpdf, 187
kpsewhich, 224
kpsewhich, 154
Kword, 171

`\L`, 21
`\l`, 21
`\label`, 75, 79, 87, 108–110
`\labelitemi`, 167
`\labelitemiv`, 168
landscape, 84
`\LARGE`, 148
`\Large`, 11, 148
`\large`, 148
`\LaTeX`, 175
latex, 8, 60, 188, 241, 242
latex-mode, 18
latex2rtf, 180
latexmk, 60, 123
latexmk, 241, 242
`\leftmark`, 133
textbf, 48
Lengths
 `\baselinestretch`, 129
 `\columnsep`, 124
 `\fboxrule`, 99, 152
 `\fboxsep`, 99, 152
 `\parindent`, 49, 99
 `\parskip`, 48–50
 `\spaceskip`, 26
 `\tabcolsep`, 84
 `\textwidth`, xxx
letter, 35
letterpaper, 36, 38
letterspacing, 130
linearb, 142
`\linebreak`, 162
Linux
 installation, 185
Lisp, 220
listings, 102–104
`\listoffigures`, 50
`\listoftables`, 50

- lists, 70
 - bulleted, 71
 - description, 72
 - discussion, 72
 - enumerated, 71
 - inline, 73
 - itemized, 71
 - numbered, 71
- longtable, 84
- lrbox, 99
- ls, 223
- `\lstinline`, 102, 104
- lwarp*, 179
- `lwarp`, iv, 179, 180
- Mac OS X
 - installation, 185
- macros, 157
- `textbf`, 157
- `\makeatletter`, 159
- `\makeatother`, 159
- makeglossaries*, 122, 123
- makeglossariesgui*, 122
- `\makeglossary`, 122
- `makeidx`, 121
- makeindex*, 60, 120, 122, 123
- `\makeindex`, 121
- `makeindex`, 122, 241, 243
- `\maketitle`, 41–44, 51, 56, 143, 158, 159, 247
- man, 122
- Maple*, 94, 171
- `\marginal`, 107
- marginal notes, 107
- margins, 127
- `\markboth`, 131
- `\markright`, 131
- `textbf`, 2
- marvosym, 16, 82
- math characters, 30
- MathCAD*, 93
- Mathematica*, 94, 171
- mathematics, xxiv, 30
- MathJax*, 180
- mathpazo, 139, 141
- mathptmx, 139, 141
- `\mbox`, 26, 162
- measurements, 22
- `\medskip`, 128
- memoir**, xxx
- memoir, 35
- Mendeley*, 111
- `textbf`, 15
- `textbf`, 41
- Microbrew, *see* beer
- Microsoft Windows
 - installation, 185
- minipage, 98–100, 106, 164
- mirror, 92
- `mkdir`, 213, 214, 227, 232
- mktexlsr*, 63, 223
- mm (millimeters), 25
- multicol, 124
- multicols, 124
- `\multicolumn`, 84, 86
- `textbf`, 85
- multirow, 84
- My Computer*, 60, 153, 202, 215
- myheadings*, 131
- N800*, xx
- natbib, 116, 119
- Nautilus*, 153, 213
- NetPBM*, 180
- newcent, 139, 141
- `\newcommand`, 158, 163

- `\newcounter`, 76
- `\newfontface`, 142
- `\newfontfamily`, 142
- `\newgeometry`, 128
- `\newglossaryentry`, 122
 - nimbus, 140
- `\noindent`, 96
 - noitemsep*, 72
 - normalem*, 147
- `\normalsize`, 148
 - nosep*, 72
 - Notepad*, xxii
 - Notes*, xxii
- `\O`, 21
- `\o`, 21
 - textbf*, 16
- `\OE`, 21
- `\oe`, 21
 - Okular*, 187, 218
 - oldgerm, 138
 - Omnimark*, 172
- `\onehalfspacing`, 129
 - oneside*, 37
 - OpenOffice*, xxii, 171, 173
 - OpenType*, 140
 - Options**
 - /p*, 232
 - 10pt*, 37
 - 11pt*, 37
 - 12pt*, 9, 37
 - a4paper*, 36, 38
 - b*, 98
 - draft*, 37
 - dvipsnames*, 151
 - empty*, 131
 - headings*, 131
 - hyphen*, 102
 - letterpaper*, 36, 38
 - myheadings*, 131
 - noitemsep*, 72
 - normalem*, 147
 - nosep*, 72
 - oneside*, 37
 - plain*, 131
 - Scale*, 137
 - scaled*, 92, 141
 - Show Library Folder*, 214
 - svgnames*, 151
 - t*, 98
 - T1*, 22
 - titlepage*, 37
 - twocolumn*, 124
 - twoside*, 37
 - unboxed*, 73
 - utf8*, 19
 - utf8x*, 19, 22
 - V*, 231
 - options, *see* Class Options
 - textbf*, 55
 - Rogue, 122
 - OS X
 - installation, 185
- `\ovalbox`, 100
 - oXygen*, 173
- `\P`, 108
 - package, xxx
 - Packages**
 - acronym, 123
 - array, 83
 - avant, 139
 - babel, 20, 29, 30, 49, 117
 - bbding, 71, 167
 - biblatex, ix, 5, 18, 19, 110–112, 114–119

biblatex-apa, 112
biblatex-cheatsheet, 112
biblatex-chicago, 112
book, 46
bookman, 139
chancery, 139
charter, 140
colortbl, 84
concrete, 138
courier, 139
csquotes, 117
cypriot, 142
datatool, 79, 84
dcolumn, 84
duerer, 138
eiad, 138
endnote, 106
enumitem, 63, 72, 73, 75, 128
epsf, 89
etruscan, 142
extarticle, 38
extbook, 38
extreport, 38
extsizes, 38
fancybox, 99, 100, 164
fancyhdr, 131, 132
fancyvrb, 103, 106
fix-cm, 148
float, 78
fnpara, 106
fontenc, 19, 22
fontname, 228, 235
fontspec, 135, 137
footmisc, xxx
geometry, 36, 37, 56–58, 107,
127, 131
gloss, 122
glossaries, 122, 123
glossary, 122
graphics, 59
graphicx, 88, 89, 92
har2nat, 119
helvet, 139, 141
inputenc, 19, 21, 22, 31, 259
komascript, 35
landscape, 84
linearb, 142
listings, 102–104
longtable, 84
lwrap, iv, 179, 180
makeidx, 121
marvosym, 16, 82
mathpazo, 139, 141
mathptmx, 139, 141
memoir, 35
multicol, 124
multirow, 84
natbib, 116, 119
newcent, 139, 141
nimbus, 140
oldgerm, 138
package, xxx
palatino, 9, 141
pandora, 138
paralist, 73–75, 248
parskip, 50
phoenician, 142
pifont, 71, 139
preview-latex, xxviii
pslatex, 141
ragged2e, 29
report, 46
rotating, 84
runic, 142
rustic, 138
section, 46, 128

- sectsty, 46, 128
- setspace, 129
- soul, 28, 130
- tabularx, 84
- tabulary, 84
- textcomp, 16, 17, 31, 71
- times, 141
- tocloft, 52
- ulem, 147
- uncial, 138
- uni, 138
- url, 9, 101, 102
- urw, 140
- utopia, 140
- varioref, 109
- verbatim, 103
- xcolor, 55–57, 59, 100, 151, 152, 159, 301
- packages, 54
 - documentation, 57
 - downloading, 57
 - indexing, 62
 - installing, 57, 59
- textbf, 35, 54
- page size
 - scaling, 253
- PageMaker*, 170
- `\pageref`, 109
- `\pagestyle`, 131, 132
- PaintShop Pro*, 94
- palatino, 9, 141
- Pandoc*, 171, 178
- pandora, 138
- panels, 97
- paper sizes, 36
- `\par`, 86, 128, 144, 148, 160
- `\paragraph`, 46, 75
- paralist, 73–75, 248
- `\parbox`, 97–99
- `\parencite`, 115, 116
- `\parindent`, 49, 99
 - parskip, 50
- `\parskip`, 48–50
- `\part`, 46
- `\part*`, 48
- pc (picas), 25
- PDF_{TEX}, xxix
- pdf2ps*, 251
- pdflatex*, 190
- pdflatex, 241, 242
- pdftotext*, 182
- `\person`, 163, 164
- textbf, 213
- textbf, 213
- phoenician, 142
- PhotoShop*, 90, 94
- picas, 25
- picture, 88, 89
- pifont, 71, 139
- plain*, 131
- textbf, 1
- points, 25
- PostScript*, xvii, 61, 91, 95, 139, 140, 153, 154, 225, 227, 228, 230–232, 250–253
- textbf, 19
- Preview*, xxv, 190, 218
- preview, 249
- preview-latex, xxviii
- `\printbibliography`, 118
- `\printglossaries`, 123
- `\printindex`, 122
- printing, 237, 252
 - reverse order, 253
 - selected pages, 253
- `\product`, 150, 161

Products

- AbiWord*, 171, 173, 174
- Acrobat Reader*, 181, 190, 218, 251
- afm2tfm*, 230
- apt*, 187
- apt-get*, xxvi
- Aquamacs*, 218
- ArcInfo*, 94
- AutoCAD*, 93
- BaKoMa T_EX*, xxix
- biber*, ix, 5, 18, 19, 60, 110–112, 117–120, 123
- biblatex*, 5, 110, 111
- bibtex*, 5, 60, 110–112, 116, 119, 120, 123
- Calibre*, 2
- cep*, 91
- charmap*, 20
- ChemDraw*, 93
- Chocolate Stout*, 121
- Command*, 214
- Computer*, 153, 202, 215
- configure*, 63
- Crayola*, xv, 151
- Cygwin*, 65
- DCF*, 3
- detex*, 182
- DocBook*, 173
- DocBook 5*, xxxi
- Dolphin*, 60, 153, 213
- Draw*, 90, 94
- dviaw*, 253
- dviaps*, 253
- dvihp*, 253
- dvips*, 91, 95, 250, 251, 253
- dviview*, 249
- DynaTag*, 172
- El Capitan*, 190
- Emacs*, xxvi, 10, 18, 84, 85, 218–220, 245, 253
- emacs*, 134
- EuroMath*, 171
- Evince*, 187, 218
- fc-cache*, 135, 226
- Finder*, 60, 153
- FontForge*, 146, 228
- fontname*, 229
- FrameMaker*, 170
- FreeType*, 140
- gedit*, 134
- Ghostsript*, 185, 251, 253
- GIMP*, 90, 94
- GML*, 3
- GNUplot*, 94
- GSview*, 185, 251–253
- HTML Tidy*, 171
- Illustrator*, 94
- ImageMagick*, 91
- InDesign*, 170
- InkScape*, 94
- Instant Preview*, xxviii
- JabRef*, 111, 117, 257
- Java*, xxxi, 173
- JSTOR*, 111
- kate*, 134
- kdvi*, 187
- Kile*, xix, xxvi, 6, 10, 218
- kindlegen*, 2
- kpdf*, 187
- kpsewhich*, 224
- Kword*, 171
- latex-mode*, 18
- latex2rtf*, 180
- latexmk*, 60, 123
- Lisp*, 220

FORMATTING INFORMATION

lwarp, 179
makeglossaries, 122, 123
makeglossariesgui, 122
makeindex, 60, 120, 122, 123
Maple, 94, 171
MathCAD, 93
Mathematica, 94, 171
MathJax, 180
Mendeley, 111
mktexlsr, 63, 223
My Computer, 60, 153, 202, 215
N800, xx
Nautilus, 153, 213
NetPBM, 180
Notepad, xxii
Notes, xxii
Okular, 187, 218
Omnimark, 172
OpenOffice, xxii, 171, 173
OpenType, 140
oXygen, 173
PageMaker, 170
PaintShop Pro, 94
Pandoc, 171, 178
pdf2ps, 251
pdflatex, 190
pdftotext, 182
PhotoShop, 90, 94
PostScript, xvii, 61, 91, 95, 139, 140, 153, 154, 225, 227, 228, 230–232, 250–253
Preview, xxv, 190, 218
ps2pdf, 251
psnup, 253
pstops, 253
Publisher, 170
PubMed, 111
qpdfview, 187, 218
Rexx, 220
rpm, xxvi
rtf2latex2e, 173, 180
Runoff, 3
Saxon, xxxi, 173, 176
Scientific Word, xxviii
Scribe, 3
Script, 3
Software Center, 186
Software Installer, xxvi
Synaptic, xxvi, 186
t1binary, 228
t1utils, 228
T_EXShop, 20
T_EXshop, 190
tables-mode, 84
Terminal, 214
texconfig, 187, 189
texhash, 63, 223
T_EX Live, 186
texlive-full, 188
T_EXStudio, 117, 209, 211
TextEdit, xxii
Textures, xxviii
Thunar, 60, 153, 213
Tidy, 180
TikZ, 89
tkPaint, 94
tlmgr, 55, 57, 63, 64
TrueType, 140
Ubuntu, 186
Ubuntu Software Centre, 187
updmap, 155
Velcro, 161
Verilog, 102
vi, xxvi, 134, 219, 220

- vptovf*, 230, 231
- Web of Science*, 111
- which*, 224
- Windows*, xxv, 218
- Windows 7/8*, 215
- WinEdt*, xix
- Word*, xvi, xxii, xxiv, 17, 171–173, 179–181
- WordPerfect*, xxii, 149
- xdvi*, 249, 251
- XEdit*, 220
- xkeycaps*, 20
- XPress*, 170
- XQuartz*, 249
- yap*, 249
- yum*, xxvi, 187
- Zaurus*, xx
- Zotero*, 111
- textbf*, 240
- `\protect`, 106
- `\ProvidesPackage`, 234
- ps2pdf*, 251
- pslatex*, 141
- psnup*, 253
- pstops*, 253
- pt (points), 25
- Publisher*, 170
- PubMed*, 111

- qpdfview*, 187, 218
- `\qqquad`, 130
- `\quad`, 24, 130
- quotation, xxx, 96, 144
- quotation marks, 16

- ragged2e, 29
- `\RaggedLeft`, 29
- `\raggedleft`, 28, 83

- raggedleft, 29
- `\RaggedRight`, 29
- `\raggedright`, 28, 83, 98
- raggedright, 29
- `\raisebox`, 167
- `\ref`, 75, 108–110
- references, 109
- `\reindex`, 163, 164
- textbf*, 242
- `\renewcommand`, 44, 48, 85, 129, 159, 166
- report**, 34
- report, 46
- `\RequirePackage`, 148
- Rexx*, 220
- `\rightmark`, 133
- rm, 242
- `\rmdefault`, 234
- rotate, 92
- rotating, 84
- rpm*, xxvi
- rtf2latex2e*, 173, 180
- rule
 - em, 28
 - en, 28
- `\rule`, 82
- runic, 142
- Runoff*, 3
- rustic, 138

- `\S`, 108
- Saxon*, xxxi, 173, 176
- Sbox*, 99, 100, 164
- Scale*, 137
- scale, 92
- scaled*, 92, 141
- Scientific Word*, xxviii
- textbf*, 146

Scribe, 3
Script, 3
`\scriptsize`, 148
`\scshape`, 145
 secnumdepth, 9, 47, 48
 section, 46, 128
`\section`, 3, 46, 50, 166
 section, xxx, 166, 167
 section numbering, 47
 sections, 46
 sectsty, 46, 128
`\selectfont`, 143, 144, 146
`\selectlanguage`, 30
`\sentinel`, 163, 164
`\setcounter`, 48
`\setlength`, 48–50, 99
`\setmainfont`, 135
`\setmonofont`, 135
`\setsansfont`, 135
 setspace, 129
`\sfdefault`, 234
`\sffamily`, 11, 145, 160
`\shadowbox`, 100, 164
 Show Library Folder, 214
 sidebars, 97
`\singlespacing`, 129
 size (fonts), 147
 textbf, 147
`\slshape`, 145
`\small`, 96, 148
`\smallskip`, 128
 Software Center, 186
 Software Installer, xxvi
 soul, 28, 130
 sp (scaled points), 25
 space, *see* white-space
`\spaceskip`, 26
 spacing, 129
 special characters, 15, 30
`\ss`, 21
 textbf, 82
 style (fonts), 145
`\subparagraph`, 46, 75
`\subparagraph*`, 48
`\subsection`, 46
`\subsubsection`, 46
 sudo, 134, 187
 summaries, 43
 svgnames, 151
 Synaptic, xxvi, 186

 t, 98
`\t`, 21
 T1, 22
 t1binary, 228
 t1utils, 228
 TeXShop, 20
 TeXshop, 190
`\tabcolsep`, 84
 table, 79, 80, 88, 144
 table of contents
 adding manual entry, 51
 automated entries, 50
 table*, 124
`\tableofcontents`, 13, 50, 51,
 244
 tables, 77
 tables-mode, 84
`\tablefont`, 142
 tabular, 80, 86, 88, 99
 tabularx, 84
 tabulary, 84
 textbf, 58
 textbf, xxx
 Terminal, 214
 terminal, 237

- texconfig*, 187, 189
- texconfig, 187
- texdoc, 57
- texhash*, 63, 223
- TeX Live, 186
- texlive-full*, 188
- TeXStudio, 117, 209, 211
- \text, 121
- textbf, 238
- \textbf, 146
- \textbrokenbar, 31
- \textbullet, 71
- \textcite, 115, 116
- \textcolor, 151, 152
- textcomp, 16, 17, 31, 71
- \textdegree, 31
 - TextEdit*, xxii
- \texteuro, 16
- \textit, 146, 150
- \textlangle, 31
- \textrangle, 31
- \textsc, 146
- \textsf, 146
- \textsl, 146
- \textsterling, 16
- \textsuperscript, 17
- \texttrademark, 162
- \texttt, 146
 - Textures*, xxviii
- textwidth*, xxx
- \thechapter, 166
- \theenumi, 76
- \theenumii, 76
- \theenumiii, 76
- \theenumiv, 76
- \theexample, 76
- \TheSbox, 164
- \thesection, 166
- thesis**, 34
- \thinspace, 18, 130
- \thispagestyle, 131
- Thunar*, 60, 153, 213
- Tidy*, 180
- TikZ*, 89
- textbf, 16
- times, 141
- \tiny, 148
- \title, 41, 43, 106, 158
- \titlecite, 116
- titlepage*, 37
- titles, 41
- tkPaint*, 94
- tlmgr*, 55, 57, 63, 64
- \tmproduct, 161
- tocdepth*, 48, 51
- tocloft, 52
- tools, 105
- tracking, *see* letterspacing
- TrueTeX, xxix
- TrueType*, 140
- \ttdefault, 234
- \ttfamily, 145
- twocolumn*, 124
- twoside*, 37
- typographics, 125
- \u, 21
- Ubuntu*, 186
- Ubuntu Software Centre*, 187
- ulem, 147
- \uline, 147
- unboxed*, 73
- uncial, 138
- textbf, 147
- uni, 138
- units, 23

- Unix
 - installation, 185
 - textbf, 144
 - updmap, 155
 - updmap, 155
 - \upshape, 145
 - url, 9, 101, 102
 - \url, 102, 104, 106, 176
 - urw, 140
 - \usepackage, 55, 56, 89, 95, 104, 151, 155, 176, 227, 235, 248
 - utf8, 19
 - utf8x, 19, 22
 - utopia, 140
 - V, 231
 - \v, 21
 - varioref, 109
 - Velcro, 161
 - \verb, 100–104, 106
 - Verbatim, 103
 - verbatim, 103
 - verbatim, 103
 - verbatim text, 100
 - \VerbatimFootnotes, 106
 - Verilog, 102
 - vi, xxvi, 134, 219, 220
 - viewer, 237
 - vptovf, 230, 231
 - \vspace, 128, 130
 - \vspace*, 129
 - VI_EX, xxix
 - Web of Science, 111
- which, 224
- white-space
 - baselines, 129
 - double-spacing, 129
 - hard, 27
 - horizontal, 130
 - margins, 127
 - vertical
 - disappearing, 128
 - fixed, 128
 - flexible, 128
- textbf, 13
- Windows, xxv, 218
- Windows 7/8, 215
- WinEdt, xix
- Word, xvi, xxii, xxiv, 17, 171–173, 179–181
- WordPerfect, xxii, 149
- xcolor, 55–57, 59, 100, 151, 152, 159, 301
- xdvi, 249, 251
- XEdit, 220
- xelatex, xxvii, 241, 242
- X_YTEX, xviii
- xkeycaps, 20
- XPress, 170
- XQuartz, 249
- yap, 249
- yum, xxvi, 187
- Zaurus, xx
- Zotero, 111