

## Index

See Table 2 on page xxx for the meanings of the typographic formatting used here and in the text.

- `\", 22`
- `\', 22`
- `\(, 31, 32`
- `\), 31, 32`
- `\-, 26`
- `\., 22`
- `/p, 236`
- `\=, 22`
- `\@, 162, 164`
- `\[, 32`
- `\], 32`
- `\^, 21, 22`
- `\`, 22`
- `\ , 21, 22`
  
- `10pt, 37`
- `11pt, 37`
- `12pt, 11, 37`
  
- `a4paper, 36, 38`
- `\AA, 22`
- `\aa, 22`
- `AbiWord, 175, 177, 178`
- `abstract, 44, 45`
- `\abstractname, 45`
- `abstracts, 44`
- `accents, 19`
- `Acrobat Reader, 185, 194, 222, 258`
- `acronym, 126`
- `\addbibresource, 120`
- `\addcontentsline, 52`
- `\addtocontents, 53`
- `\AE, 22`
  
- `\ae, 22`
- `\affiliation, 42`
- `afm2tfm, 234`
- `textbf, 17`
- Apple Mac
  - editor, 189, 194
  - installation, 189
- `apt, 190`
- `apt-get, xxvi`
- `Aquamacs, 222`
- `\arabic, 170`
- `ArcInfo, 96`
- `textbf, 13`
- array, 85
- `\arraybackslash, 85`
- `\arraystretch, 87`
- `article, 11, 35`
- `\author, xxx, 42–44, 108, 162`
- `AutoCAD, 95`
- avant, 143
  
- `b, 100`
- `\b, 22`
- babel, 20, 30, 50, 120
- `textbf, 9`
- `textbf, 254`
- BaKoMa TeX, xxix
- `\baselinestretch, 133`
- bbding, 73, 171
- beer, 123
  - lite, 123
  - American, 123
  - Rogue

FORMATTING INFORMATION

---

*Chocolate Stout*, 124  
`\begin`, 20, 40, 41, 45, 74, 82, 163, 180  
`\bfseries`, 12, 149  
*biber*, ix, 5, 19, 62, 112–114, 120–122, 125  
*biber*, 247, 249  
BIBINPUTS, 116  
*biblatex*, 5, 112, 113  
*biblatex*, ix, 5, 19, 112–114, 116–121  
*biblatex-apa*, 114  
*biblatex-cheatsheet*, 114  
*biblatex-chicago*, 114  
`textbf`, 112  
bibliographies, 111  
`\bibliography`, 121  
`\bibliographystyle`, 117, 121  
*bibtex*, 5, 62, 112–114, 118, 122, 125  
*bibtex*, 247, 249  
`\bigskip`, 132  
`textbf`, 2, 229  
**book**, 35  
*book*, 47  
*bookman*, 143  
*boxes*, 99  
*bp* (big points), 25  
`\c`, 22  
`\c` , 22  
*Calibre*, 2  
`\caption`, 81, 89, 111  
*cat*, 237  
*cc* (Ciceros), 25  
*cd*, 66, 250  
*center*, 11, 12, 29, 87, 88, 148  
`\centering`, 29, 85, 87, 148  
*cep*, 93  
*chancery*, 143  
`textbf`, 247  
`\chapter`, 47, 48  
*chapter*, 170  
characters  
    accented, 19  
    ASCII, 267  
    math, 31  
    special, 15, 31  
*charmap*, 21  
*charter*, 144  
*ChemDraw*, 95  
*Chocolate Stout*, 124  
*Chocolate Stout*, 124  
`\cite`, 112, 117–119, 121, 122, 125  
`\citep`, 118, 121, 122  
`\citet`, 118, 121  
`textbf`, 56  
Classes  
    **article**, 11, 35  
    **book**, 35  
    **letter**, 35  
    **memoir**, xxx  
    **report**, 34  
    **thesis**, 34  
classes, 56  
`\clearpage`, xxx  
`\cline`, 84  
    cm (centimeters), 25  
`\color`, 58, 155  
`\colorbox`, 102, 156  
*colortbl*, 86  
    colour, 155  
    columns, 127  
`\columnsep`, 127

*Command*, 218

**Commands**

\", 22  
\', 22  
\(, 31, 32  
\), 31, 32  
\-, 26  
\., 22  
\=, 22  
\@, 162, 164  
\[, 32  
\], 32  
\^, 21, 22  
\`, 22  
\ , 21, 22  
\AA, 22  
\aa, 22  
\abstractname, 45  
\addbibresource, 120  
\addcontentsline, 52  
\addtocontents, 53  
\AE, 22  
\ae, 22  
\affiliation, 42  
\arabic, 170  
\arraybackslash, 85  
\arraystretch, 87  
\author, xxx, 42–44, 108, 162  
\b, 22  
\begin, 20, 40, 41, 45, 74, 82, 163, 180  
\bfseries, 12, 149  
  biber, 247, 249  
\bibliography, 121  
\bibliographystyle, 117, 121  
  bibtex, 247, 249  
\bigskip, 132  
\c, 22  
\c , 22  
\caption, 81, 89, 111  
  cat, 237  
  cd, 66, 250  
\centering, 29, 85, 87, 148  
\chapter, 47, 48  
\cite, 112, 117–119, 121, 122, 125  
\citep, 118, 121, 122  
\citet, 118, 121  
\clearpage, xxx  
\cline, 84  
\color, 58, 155  
\colorbox, 102, 156  
\d, 22  
\date, 42, 44, 162, 252, 253  
\datesubmitted, 42  
\DeclareFontFamily, 239  
\DeclareFontShape, 239, 240  
\def, 167  
\definecolor, 155, 156  
  del, 248  
\documentclass, 20, 34, 38, 45, 57, 152, 180  
\doublespacing, 133  
  dvips, 97, 193  
\EF, 162  
\emph, 154, 180  
\end, 11, 39, 40, 45, 105, 180  
\enspace, 134  
\EUR, 17, 85  
  exit, 139, 246  
\fancyhead, 136  
\fbox, 90, 101, 102, 156

FORMATTING INFORMATION

---

`fc-cache`, 139  
`fc-list`, 230  
`\fcolorbox`, 102, 156  
`\flushleft`, 148  
`\flushright`, 148  
`\fnsymbol`, 108  
`\fontencoding`, 147  
`\fontfamily`, 143, 148  
`\fontsize`, 152  
`\footcite`, 118, 119  
`\footnote`, xxx, 103, 107, 108  
`\footnotesize`, 152  
`\foreign`, 154, 165  
`\foreignlanguage`, 30  
`\gloss`, 125  
`\glossary`, 125  
`\gls`, 125  
`\graphicspath`, 96, 97  
  `grep`, 230  
`\H`, 22  
  `.h1`, 3  
  `:h1`, 3  
  `@Heading`, 3  
`\hline`, 84  
`\hrule`, 164  
`\hspace`, 134  
`\Huge`, 152  
`\huge`, 152  
`\hyphenation`, 26, 27  
`\i`, 22  
`\includegraphics`, 90–93, 96, 97, 103  
`\index`, 123–125, 168  
`\input`, 125  
`\item`, 72  
`\itshape`, 149  
  `kpsewhich`, 158  
`\L`, 22  
`\l`, 22  
`\label`, 77, 81, 89, 110–112  
`\labelitemi`, 171  
`\labelitemiv`, 172  
`\LARGE`, 152  
`\Large`, 12, 152  
`\large`, 152  
`\LaTeX`, 179  
  `latex`, 8, 62, 193, 247, 249  
  `latexmk`, 247, 249  
`\leftmark`, 137  
`\linebreak`, 166  
`\listoffigures`, 52  
`\listoftables`, 52  
  `ls`, 227  
`\lstinline`, 104, 106  
`\makeatletter`, 163  
`\makeatother`, 163  
`\makeglossary`, 124  
`\makeindex`, 123  
  `makeindex`, 124, 247, 249  
`\maketitle`, 42–45, 52, 58, 147, 162, 163, 253  
  `man`, 124  
`\marginal`, 109  
`\markboth`, 135  
`\markright`, 135  
`\mbox`, 27, 166  
`\medskip`, 132  
  `mkdir`, 217, 218, 231, 236  
`\multicolumn`, 86, 88  
  `mv`, 248  
`\newcommand`, 162, 167  
`\newcounter`, 78  
`\newfontface`, 146  
`\newfontfamily`, 146  
`\newgeometry`, 132

`\newglossaryentry`, 125  
`\noindent`, 98  
`\normalsize`, 152  
`\O`, 22  
`\o`, 22  
`\OE`, 22  
`\oe`, 22  
`\onehalfspacing`, 133  
`\ovalbox`, 102  
`\P`, 110  
`\pageref`, 111  
`\pagestyle`, 135, 136  
`\par`, 88, 132, 148, 152, 164  
`\paragraph`, 47, 77  
`\parbox`, 99–101  
`\parencite`, 117–119  
`\part`, 47  
`\part*`, 49  
`pdflatex`, 247, 249  
`\person`, 167, 168  
`\printbibliography`, 120  
`\printglossaries`, 125  
`\printindex`, 124  
`\product`, 154, 165  
`\protect`, 108  
`\ProvidesPackage`, 238  
`\qqquad`, 134  
`\quad`, 25, 134  
`\RaggedLeft`, 29  
`\raggedleft`, 29, 85  
`\RaggedRight`, 29  
`\raggedright`, 29, 85, 100  
`\raisebox`, 171  
`\ref`, 77, 110–112  
`\reindex`, 167, 168  
`ren`, 248  
`\renewcommand`, 45, 49, 87, 133, 163, 170  
`\RequirePackage`, 152  
`\rightmark`, 137  
`rm`, 248  
`\rmdefault`, 238  
`\rule`, 84  
`\S`, 110  
`\scriptsize`, 152  
`\scshape`, 149  
`\section`, 3, 47, 51, 170  
`\selectfont`, 147, 148, 150  
`\selectlanguage`, 30  
`\sentinel`, 167, 168  
`\setcounter`, 49  
`\setlength`, 49–51, 101  
`\setmainfont`, 139  
`\setmonofont`, 139  
`\setsansfont`, 139  
`\sfdefault`, 238  
`\sffamily`, 12, 149, 164  
`\shadowbox`, 102, 168  
`\singlespacing`, 133  
`\slshape`, 149  
`\small`, 98, 152  
`\smallskip`, 132  
`\ss`, 22  
`\subparagraph`, 47, 77  
`\subparagraph*`, 49  
`\subsection`, 47  
`\subsubsection`, 47  
`sudo`, 138, 191  
`\t`, 22  
`\tableofcontents`, 14, 51, 52, 250  
`\tablesfont`, 146  
`texconfig`, 191  
`texdoc`, 59

`\text`, 124  
`\textbf`, 150  
`\textbrokenbar`, 31  
`\textbullet`, 73  
`\textcite`, 117–119  
`\textcolor`, 155, 156  
`\textdegree`, 32  
`\texteuro`, 17  
`\textit`, 150, 154  
`\textlangle`, 31  
`\textrangle`, 31  
`\textsc`, 150  
`\textsf`, 150  
`\textsl`, 150  
`\textsterling`, 17  
`\textsuperscript`, 18  
`\texttrademark`, 166  
`\texttt`, 150  
`\thechapter`, 170  
`\theenumi`, 78  
`\theenumii`, 78  
`\theenumiii`, 78  
`\theenumiv`, 78  
`\theexample`, 78  
`\TheSbox`, 168  
`\thesection`, 170  
`\thinspace`, 18, 19, 134  
`\thispagestyle`, 135  
`\tiny`, 152  
`\title`, 42, 44, 108, 162  
`\titlecite`, 118  
`\tmproduct`, 165  
`\ttdefault`, 238  
`\ttfamily`, 149  
`\u`, 22  
`\uline`, 151  
`\upshape`, 149  
`\url`, 104, 106, 108, 180  
`\usepackage`, 38, 57, 58, 91, 97, 106, 155, 159, 180, 231, 239, 255  
`\v`, 22  
`\verb`, 102–106, 108  
`\VerbatimFootnotes`, 108  
`\vspace`, 132, 134  
`\vspace*`, 133  
`xelatex`, xxvii, 247, 249  
commands, 13  
`textbf`, 16  
commercial distributions, xxix  
`textbf`, 150  
*Computer*, 157, 206, 219  
concrete, 142  
*configure*, 65  
ConTeXt, xvii  
`textbf`, 11  
**Counters**  
*chapter*, 170  
*enumi*, 78  
*enumii*, 78  
*enumiii*, 78  
*enumiv*, 78  
*example*, 78  
*footnote*, 108  
*secnumdepth*, 11, 49  
*section*, xxx, 170, 171  
*tocdepth*, 49, 52  
courier, 143  
*Crayola*, xv, 155  
cross-references, 109  
csquotes, 120  
`textbf`, 13, 14  
*Cygwin*, 67  
cypriot, 146

- `\d`, 22
- `dash`, 28
  - `long`, 28
  - `short`, 28
- `datatool`, 81, 86
- `\date`, 42, 44, 162, 252, 253
- `\datesubmitted`, 42
  - DCF*, 3
  - `dcolumn`, 86
  - `dd` (Didot points), 25
- `\DeclareFontFamily`, 239
- `\DeclareFontShape`, 239, 240
- `\def`, 167
- `\definecolor`, 155, 156
- `del`, 248
- `textbf`, 248
- `description`, 74, 75
- `description*`, 75
- detex*, 186
- `textbf`, 49
- `dimensions`, 23
- `DOCTEX`, 61
- DocBook*, 177
- DocBook 5*, xxxi
- `document`, xxiii, 11, 12, 20, 41, 42
- `document class`, 34
- `\documentclass`, 20, 34, 38, 45, 57, 152, 180
  - Dolphin*, 62, 157, 217
- `double-spacing`, 133
- `\doublespacing`, 133
  - draft*, 37
  - Draw*, 92, 96
  - `duerer`, 142
  - dviaw*, 260
  - dvieps*, 260
  - dvihp*, 260
  - dvips*, 93, 97, 257, 259
  - dvips*, 97, 193
  - dvipsnames*, 155
  - dviview*, 255
  - DynaTag*, 176
- `\EF`, 162
- `eiad`, 142
- El Capitan*, 194
- `em` (relative measure), 25
- Emacs*, xxvi, 10, 18, 86, 87, 222–224, 251, 259
- emacs*, 138
- `\emph`, 154, 180
- empty*, 135
- `\end`, 11, 39, 40, 45, 105, 180
- `endnote`, 108
- `\enspace`, 134
- `enumerate`, 73
- `enumerate*`, 75, 76
- enumi*, 78
- enumii*, 78
- enumiii*, 78
- `enumitem`, 65, 74, 75, 77, 132
- enumiv*, 78
- `environment`, 72
- `environment`, xxx
- `textbf`, 11, 40
- Environments**
  - `abstract`, 44, 45
  - `center`, 11, 12, 29, 87, 88, 148
  - `description`, 74, 75
  - `description*`, 75
  - `document`, xxiii, 11, 12, 20, 41, 42
  - `enumerate`, 73
  - `enumerate*`, 75, 76

FORMATTING INFORMATION

---

environment, xxx  
equation, 32  
figure, 89, 148  
figure\*, 127  
flushleft, 88, 164  
flushright, 88  
inparaenum, 76  
itemize, 11, 73  
itemize\*, 75  
lrbbox, 101  
minipage, 100–102, 108, 168  
multicols, 127  
picture, 90, 91  
quotation, xxx, 98, 148  
raggedleft, 29  
raggedright, 29  
Sbox, 101, 102, 168  
spacing, 133  
table, 81, 82, 90, 148  
table\*, 127  
tabular, 82, 88, 90, 101  
Verbatim, 105  
verbatim, 105  
epsf, 91  
equation, 32  
error  
  messages, 243  
Error messages  
  Capacity exceeded, 253  
  File not found, 254  
  Overfull hbox, 254  
  Runaway argument, 253  
  Too many }'s, 252  
  Undefined control sequence, 252  
  Underfull hbox, 253  
etruscan, 146  
\EUR, 17, 85  
Euro, 17  
*EuroMath*, 175  
*Evince*, 191, 222  
ex (relative measure), 25  
*example*, 78  
exit, 139, 246  
extarticle, 38  
extbook, 38  
extreport, 38  
extsizes, 38  
fancybox, 101, 102, 168  
fancyhdr, 135, 136  
\fancyhead, 136  
fancyvrb, 105, 108  
\fbox, 90, 101, 102, 156  
\fboxrule, 101, 156  
\fboxsep, 101, 156  
*fc-cache*, 139, 230  
fc-cache, 139  
fc-list, 230  
\fcolorbox, 102, 156  
figure, 89, 148  
figure\*, 127  
figures, 89  
filenames, 244  
*Finder*, 62, 157  
fix-cm, 152  
float, 80  
floats, 79, 89  
\flushleft, 148  
flushleft, 88, 164  
\flushright, 148  
flushright, 88  
fnpara, 108  
\fnsymbol, 108  
textbf, 238



- textbf, 149
- textbf, 149
- fontenc, 19, 23
- \fontencoding, 147
- \fontfamily, 143, 148
  - FontForge, 150, 232
  - fontname, 234
  - fontname, 233, 239
- fonts
  - METAFONT, 137
  - changing temporarily, 146, 147
  - colour, 155
  - Computer Modern, 137
  - encoding, 234
  - families, 144
  - in general, 137
  - installing, 229
  - METAFONT, 143
  - PostScript, 143, 231
  - setting the default, 141
  - sizes, 37
  - TrueType, 143
  - Type 1, 143
- \fontsize, 152
- fontspec, 139, 141
- \footcite, 118, 119
- footmisc, xxx
- \footnote, xxx, 103, 107, 108
  - footnote, 108
- footnotes, 107
- \footnotesize, 152
- \foreign, 154, 165
- \foreignlanguage, 30
  - FrameMaker, 174
  - FreeType, 144
- gedit, 138
- geometry, 37, 58–60, 109, 131, 135
- Ghostsript, 189, 257, 259
- GIMP, 92, 96
- gloss, 125
- \gloss, 125
- glossaries, 123
- glossaries, 125, 126
- glossary, 125
- \glossary, 125
- \gls, 125
- GML, 3
- GNUplot, 96
- graphics, 91
- graphics, 61
- \graphicspath, 96, 97
- graphicx, 90, 91, 94
- grep, 230
- textbf, 29, 147, 148
- grouping, 148
- groups, 148
- GSview, 189, 257–259
- \H, 22
- .h1, 3
- :h1, 3
- har2nat, 121
- textbf, 17
- @Heading, 3
- headings, 135
- help, 67
- helvet, 143, 145
- textbf, 151
- \hline, 84
- \hrule, 164
- \hspace, 134
- HTML Tidy, 175
- \Huge, 152

- `\huge`, 152
- hyphen*, 104
- hyphenation, 26
- `\hyphenation`, 26, 27
- hyphens, 26
  - soft, 26
- `\i`, 22
  - Illustrator*, 96
  - ImageMagick*, 93
  - images, 91
  - in (inches), 25
- `\includegraphics`, 90–93, 96,
  - 97, 103
  - InDesign*, 174
- `\index`, 123–125, 168
- indexes, 123
  - InkScape*, 96
  - inline*, 75
  - inparaenum*, 76
- `\input`, 125
- inputenc, 19, 21, 23, 32, 267
- Installation
  - Apple Mac, 189
  - Linux, 189
  - Mac OS X, 189
  - Microsoft Windows, 189
  - OS X, 189
  - Unix, 189
  - Instant Preview*, xxviii
- `\item`, 72
- itemize, 11, 73
- itemize\*, 75
- `\itshape`, 149
- JabRef*, 113, 120, 263
- Java*, xxxi, 177
- JSTOR*, 113
- kate*, 138
- kdvi*, 191
- Kile*, xviii, xxvi, 6, 10, 222
- kindlegen*, 2
- komascript, 35
- kpdf*, 191
- kpsewhich*, 228
- kpsewhich*, 158
- Kword*, 175
- `\L`, 22
- `\l`, 22
- `\label`, 77, 81, 89, 110–112
- `\labelitemi`, 171
- `\labelitemiv`, 172
- landscape, 86
- `\LARGE`, 152
- `\Large`, 12, 152
- `\large`, 152
- `\LaTeX`, 179
- latex, 8, 62, 193, 247, 249
- latex-mode*, 18
- latex2rtf*, 184
- latexmk*, 62, 125
- latexmk*, 247, 249
- `\leftmark`, 137
- textbf, 49
- Lengths**
  - `\baselinestretch`, 133
  - `\columnsep`, 127
  - `\fboxrule`, 101, 156
  - `\fboxsep`, 101, 156
  - `\parindent`, 50, 101
  - `\parskip`, 49–51
  - `\spaceskip`, 26
  - `\tabcolsep`, 86
  - `\textwidth`, xxx
- letter**, 35

- letterpaper*, 37, 38
- letterspacing, 134
- linearb, 146
- \linebreak, 166
- Linux
  - installation, 189
- Lisp*, 224
- listings, 104–106
- \listoffigures, 52
- \listoftables, 52
- lists, 72
  - bulleted, 73
  - description, 74
  - discussion, 74
  - enumerated, 73
  - inline, 75
  - itemized, 73
  - numbered, 73
- longtable, 86
- lrbbox, 101
- ls, 227
- \lstineline, 104, 106
- lwrap*, 183
- lwrap, iv, 183, 184
- Mac OS X
  - installation, 189
- macros, 161
- textbf, 161
- \makeatletter, 163
- \makeatother, 163
- makeglossaries*, 125
- makeglossariesgui*, 125
- \makeglossary, 124
- makeidx, 123
- makeindex*, 62, 123–125
- \makeindex, 123
- makeindex, 124, 247, 249
- \maketitle, 42–45, 52, 58, 147, 162, 163, 253
  - man, 124
  - Maple*, 96, 175
- \marginal, 109
- marginal notes, 109
- margins, 131
- \markboth, 135
- \markright, 135
- textbf, 2
- marvosym, 17, 84
- math characters, 31
- MathCAD*, 95
- Mathematica*, 96, 175
- mathematics, xxiv, 31
- MathJax*, 184
- mathpazo, 143, 145
- mathptmx, 143, 145
- \mbox, 27, 166
- measurements, 23
- \medskip, 132
- memoir**, xxx
- memoir, 35
- Mendeley*, 113
- textbf, 15
- textbf, 42
- Microbrew, *see* beer
- Microsoft Windows
  - installation, 189
- minipage, 100–102, 108, 168
- mirror, 94
- mkdir, 217, 218, 231, 236
- mktxlsr*, 65, 227
- mm (millimeters), 25
- textbf, 248
- multicol, 127
- multicols, 127
- \multicolumn, 86, 88

- textbf, 87
- multirow, 86
- mv, 248
- My Computer*, 62, 157, 206, 219
- myheadings*, 135
  
- N800, xix
- natbib, 118, 121
- Nautilus*, 157, 217
- NetPBM*, 184
- newcent, 143, 145
- \newcommand, 162, 167
- \newcounter, 78
- \newfontface, 146
- \newfontfamily, 146
- \newgeometry, 132
- \newglossaryentry, 125
- nimbus, 144
- \noindent, 98
- noitemsep*, 74
- normalem*, 151
- \normalsize, 152
- nosep*, 74
- Notepad*, xxii, 241
- Notes*, xxii
  
- \O, 22
- \o, 22
- textbf, 17
- \OE, 22
- \oe, 22
- Okular*, 191, 222
- oldgerm, 142
- Omnimark*, 176
- \onehalfspacing, 133
- oneside*, 37
- OpenOffice*, xxii, 175, 177
- OpenType*, 144
  
- Options**
  - /p*, 236
  - 10pt*, 37
  - 11pt*, 37
  - 12pt*, 11, 37
  - a4paper*, 36, 38
  - b*, 100
  - draft*, 37
  - dvipsnames*, 155
  - empty*, 135
  - headings*, 135
  - hyphen*, 104
  - inline*, 75
  - letterpaper*, 37, 38
  - myheadings*, 135
  - noitemsep*, 74
  - normalem*, 151
  - nosep*, 74
  - oneside*, 37
  - plain*, 135
  - Scale*, 141
  - scaled*, 94, 145
  - Show Library Folder*, 218
  - svgnames*, 155
  - t*, 100
  - T1*, 23
  - titlepage*, 37
  - twocolumn*, 127
  - twoside*, 37
  - unboxed*, 75
  - utf8*, 19
  - utf8x*, 19, 23
  - V*, 235
- options, *see* Class Options
- textbf, 57
- Rogue, 124
- OS X
  - installation, 189

- `\ovalbox`, 102
- `oXygen`, 177
- `\P`, 110
- package, `xxx`
- Packages**
  - acronym, 126
  - array, 85
  - avant, 143
  - babel, 20, 30, 50, 120
  - bbding, 73, 171
  - biblatex, ix, 5, 19, 112–114, 116–121
  - biblatex-apa, 114
  - biblatex-cheatsheet, 114
  - biblatex-chicago, 114
  - book, 47
  - bookman, 143
  - chancery, 143
  - charter, 144
  - colortbl, 86
  - concrete, 142
  - courier, 143
  - csquotes, 120
  - cyriot, 146
  - datatool, 81, 86
  - dcolumn, 86
  - duerer, 142
  - eiad, 142
  - endnote, 108
  - enumitem, 65, 74, 75, 77, 132
  - epsf, 91
  - etruscan, 146
  - extarticle, 38
  - extbook, 38
  - extreport, 38
  - extsizes, 38
  - fancybox, 101, 102, 168
  - fancyhdr, 135, 136
  - fancyvrb, 105, 108
  - fix-cm, 152
  - float, 80
  - fnpara, 108
  - fontenc, 19, 23
  - fontname, 233, 239
  - fontspec, 139, 141
  - footmisc, `xxx`
  - geometry, 37, 58–60, 109, 131, 135
  - gloss, 125
  - glossaries, 125, 126
  - glossary, 125
  - graphics, 61
  - graphicx, 90, 91, 94
  - har2nat, 121
  - helvet, 143, 145
  - inputenc, 19, 21, 23, 32, 267
  - komascript, 35
  - landscape, 86
  - linearb, 146
  - listings, 104–106
  - longtable, 86
  - lwrap, iv, 183, 184
  - makeidx, 123
  - marvosym, 17, 84
  - mathpazo, 143, 145
  - mathptmx, 143, 145
  - memoir, 35
  - multicol, 127
  - multirow, 86
  - natbib, 118, 121
  - newcent, 143, 145
  - nimbus, 144
  - oldgerm, 142
  - package, `xxx`
  - palatino, 11, 145

FORMATTING INFORMATION

---

pandora, 142  
paralist, 75–77, 255  
parskip, 51  
phoenician, 146  
pifont, 73, 143  
preview-latex, xxviii  
pslatex, 145  
ragged2e, 29  
report, 47  
rotating, 86  
runic, 146  
rustic, 142  
section, 47, 132  
sectsty, 47, 132  
setspace, 133  
soul, 29, 134  
tabularx, 86  
tabulary, 86  
textcomp, 17, 18, 31, 73  
times, 145  
tocloft, 53  
ulem, 151  
uncial, 142  
uni, 142  
url, 11, 103, 104  
urw, 144  
utopia, 144  
varioref, 111  
verbatim, 105  
xcolor, 57–59, 61, 102, 155,  
156, 163, 311  
packages, 56  
  documentation, 59  
  downloading, 59  
  indexing, 64  
  installing, 59, 61  
textbf, 35, 56  
page size  
  scaling, 259  
*PageMaker*, 174  
\pageref, 111  
\pagestyle, 135, 136  
*PaintShop Pro*, 96  
palatino, 11, 145  
*Pandoc*, 175, 182  
pandora, 142  
panels, 99  
paper sizes, 36  
\par, 88, 132, 148, 152, 164  
\paragraph, 47, 77  
  paralist, 75–77, 255  
\parbox, 99–101  
\parencite, 117–119  
\parindent, 50, 101  
  parskip, 51  
\parskip, 49–51  
\part, 47  
\part\*, 49  
  pc (picas), 25  
  PCT<sub>E</sub>X, xxix  
  *pdf2ps*, 257  
  *pdflatex*, 8, 194  
  *pdflatex*, 247, 249  
  *pdftotext*, 186  
\person, 167, 168  
  textbf, 217  
  textbf, 217  
  phoenician, 146  
  *PhotoShop*, 92, 96  
  picas, 25  
  picture, 90, 91  
  pifont, 73, 143  
  *plain*, 135  
  textbf, 1  
  points, 25

- PostScript*, xviii, 63, 93, 97, 143, 144, 157, 158, 229, 231, 232, 234–236, 256, 257, 259
- textbf*, 20
- Preview*, xxv, 194, 222
- preview*, 255
- preview-latex*, xxviii
- `\printbibliography`, 120
- `\printglossaries`, 125
- `\printindex`, 124
- printing*, 243, 258
  - reverse order, 259
  - selected pages, 259
- `\product`, 154, 165
- Products**
  - AbiWord*, 175, 177, 178
  - Acrobat Reader*, 185, 194, 222, 258
  - afm2tfm*, 234
  - apt*, 190
  - apt-get*, xxvi
  - Aquamacs*, 222
  - ArcInfo*, 96
  - AutoCAD*, 95
  - BaKoMa T<sub>E</sub>X*, xxix
  - biber*, ix, 5, 19, 62, 112–114, 120–122, 125
  - biblatex*, 5, 112, 113
  - bibtex*, 5, 62, 112–114, 118, 122, 125
  - Calibre*, 2
  - cep*, 93
  - charmmap*, 21
  - ChemDraw*, 95
  - Chocolate Stout*, 124
  - Command*, 218
  - Computer*, 157, 206, 219
  - configure*, 65
  - Crayola*, xv, 155
  - Cygwin*, 67
  - DCF*, 3
  - detex*, 186
  - DocBook*, 177
  - DocBook 5*, xxxi
  - Dolphin*, 62, 157, 217
  - Draw*, 92, 96
  - dviaw*, 260
  - dvieps*, 260
  - dvihp*, 260
  - dvips*, 93, 97, 257, 259
  - dviview*, 255
  - DynaTag*, 176
  - El Capitan*, 194
  - Emacs*, xxvi, 10, 18, 86, 87, 222–224, 251, 259
  - emacs*, 138
  - EuroMath*, 175
  - Evince*, 191, 222
  - fc-cache*, 139, 230
  - Finder*, 62, 157
  - FontForge*, 150, 232
  - fontname*, 234
  - FrameMaker*, 174
  - FreeType*, 144
  - gedit*, 138
  - Ghostsript*, 189, 257, 259
  - GIMP*, 92, 96
  - GML*, 3
  - GNUplot*, 96
  - GSview*, 189, 257–259
  - HTML Tidy*, 175
  - Illustrator*, 96
  - ImageMagick*, 93
  - InDesign*, 174
  - InkScape*, 96

*Instant Preview*, xxviii  
*JabRef*, 113, 120, 263  
*Java*, xxxi, 177  
*JSTOR*, 113  
*kate*, 138  
*kdvi*, 191  
*Kile*, xviii, xxvi, 6, 10, 222  
*kindlegen*, 2  
*kpdf*, 191  
*kpsewhich*, 228  
*Kword*, 175  
*latex-mode*, 18  
*latex2rtf*, 184  
*latexmk*, 62, 125  
*Lisp*, 224  
*lwrap*, 183  
*makeglossaries*, 125  
*makeglossariesgui*, 125  
*makeindex*, 62, 123–125  
*Maple*, 96, 175  
*MathCAD*, 95  
*Mathematica*, 96, 175  
*MathJax*, 184  
*Mendeley*, 113  
*mktextlsr*, 65, 227  
*My Computer*, 62, 157, 206, 219  
*N800*, xix  
*Nautilus*, 157, 217  
*NetPBM*, 184  
*Notepad*, xxii, 241  
*Notes*, xxii  
*Okular*, 191, 222  
*Omnimark*, 176  
*OpenOffice*, xxii, 175, 177  
*OpenType*, 144  
*oXygen*, 177  
*PageMaker*, 174  
*PaintShop Pro*, 96  
*Pandoc*, 175, 182  
*pdf2ps*, 257  
*pdflatex*, 8, 194  
*pdftotext*, 186  
*PhotoShop*, 92, 96  
*PostScript*, xviii, 63, 93, 97, 143, 144, 157, 158, 229, 231, 232, 234–236, 256, 257, 259  
*Preview*, xxv, 194, 222  
*ps2pdf*, 257  
*psnup*, 259  
*pstops*, 259  
*Publisher*, 174  
*PubMed*, 113  
*qpdfview*, 191, 222  
*Rexx*, 224  
*rpm*, xxvi  
*rtf2latex2e*, 177, 184  
*Runoff*, 3  
*Saxon*, xxxi, 177, 180  
*Scientific Word*, xxviii  
*Scribe*, 3  
*Script*, 3  
*Software Center*, 190  
*Software Installer*, xxvi  
*Synaptic*, xxvi, 190, 191  
*t1binary*, 232  
*t1utils*, 232  
*T<sub>E</sub>XShop*, 20  
*T<sub>E</sub>Xshop*, 194  
*tables-mode*, 86  
*Terminal*, 218  
*texconfig*, 191, 193  
*texhash*, 65, 227  
*T<sub>E</sub>X Live*, 191  
*texlive-full*, 192



- TeXStudio, 119, 213, 215
- TextEdit, xxii
- Textures, xxviii
- Thunar, 62, 157, 217
- Tidy, 184
- TikZ, 91
- tkPaint, 96
- tlmgr, 57, 59, 65, 66
- TrueType, 144
- Ubuntu, 191
- Ubuntu Software Centre, 190
- updmap, 159
- Velcro, 165
- Verilog, 104
- vi, xxvi, 138, 223, 224
- vptovf, 234, 235
- Web of Science, 113
- which, 228
- Windows, xxv, 222
- Windows 7/8, 219
- WinEdt, xviii
- Word, xvi, xxii, xxiv, 18, 175–177, 183–185
- WordPerfect, xxii, 153
- xdvi, 255–258
- XEdit, 224
- xkeycaps, 21
- XPress, 174
- XQuartz, 255
- yap, 255
- yum, xxvi, 190
- Zaurus, xix
- Zotero, 113
- textbf, 246
- \protect, 108
- \ProvidesPackage, 238
- ps2pdf, 257
- pslatex, 145
- psnup, 259
- pstops, 259
- pt (points), 25
- Publisher, 174
- PubMed, 113
- qpdfview, 191, 222
- \qqquad, 134
- \quad, 25, 134
- quotation, xxx, 98, 148
- quotation marks, 17
- ragged2e, 29
- \RaggedLeft, 29
- \raggedleft, 29, 85
- raggedleft, 29
- \RaggedRight, 29
- \raggedright, 29, 85, 100
- raggedright, 29
- \raisebox, 171
- \ref, 77, 110–112
- references, 111
- \reindex, 167, 168
- textbf, 248
- ren, 248
- textbf, 248
- \renewcommand, 45, 49, 87, 133, 163, 170
- report**, 34
- report, 47
- \RequirePackage, 152
- Rexx, 224
- \rightmark, 137
- rm, 248
- \rmdefault, 238
- rotate, 94
- rotating, 86
- rpm, xxvi

*rtf2latex2e*, 177, 184  
rule  
    em, 28  
    en, 28  
\rule, 84  
runic, 146  
*Runoff*, 3  
rustic, 142  
  
\S, 110  
*Saxon*, xxxi, 177, 180  
Sbox, 101, 102, 168  
*Scale*, 141  
scale, 94  
*scaled*, 94, 145  
*Scientific Word*, xxviii  
textbf, 150  
*Scribe*, 3  
*Script*, 3  
  
\scriptsize, 152  
\scshape, 149  
    *secnumdepth*, 11, 49  
    section, 47, 132  
\section, 3, 47, 51, 170  
    *section*, xxx, 170, 171  
    section numbering, 48  
    sections, 47  
    sectsty, 47, 132  
\selectfont, 147, 148, 150  
\selectlanguage, 30  
\sentinel, 167, 168  
\setcounter, 49  
\setlength, 49–51, 101  
\setmainfont, 139  
\setmonofont, 139  
\setsansfont, 139  
    setspace, 133  
\sfdefault, 238  
  
\sffamily, 12, 149, 164  
\shadowbox, 102, 168  
    *Show Library Folder*, 218  
    sidebars, 99  
\singlespacing, 133  
    size (fonts), 151  
    textbf, 151  
\slshape, 149  
\small, 98, 152  
\smallskip, 132  
    *Software Center*, 190  
    *Software Installer*, xxvi  
    soul, 29, 134  
    sp (scaled points), 25  
    space, *see* white-space  
\spaceskip, 26  
    spacing, 133  
    special characters, 15, 31  
\ss, 22  
    textbf, 84  
    style (fonts), 149  
  
\subparagraph, 47, 77  
\subparagraph\*, 49  
\subsection, 47  
\subsubsection, 47  
    sudo, 138, 191  
    summaries, 44  
    *svgnames*, 155  
    *Synaptic*, xxvi, 190, 191  
  
t, 100  
\t, 22  
T1, 23  
*t1binary*, 232  
*t1utils*, 232  
*T<sub>E</sub>XShop*, 20  
*T<sub>E</sub>Xshop*, 194  
\tabcolsep, 86

table, 81, 82, 90, 148  
table of contents  
    adding manual entry, 52  
    automated entries, 51  
table\*, 127  
\tableofcontents, 14, 51, 52, 250  
tables, 79  
tables-mode, 86  
\tablesfont, 146  
tabular, 82, 88, 90, 101  
tabularx, 86  
tabulary, 86  
textbf, 60  
textbf, xxx  
*Terminal*, 218  
terminal, 243  
*texconfig*, 191, 193  
texconfig, 191  
texdoc, 59  
*texhash*, 65, 227  
TeX Live, 191  
*texlive-full*, 192  
TeXStudio, 119, 213, 215  
\text, 124  
textbf, 244  
\textbf, 150  
\textbrokenbar, 31  
\textbullet, 73  
\textcite, 117–119  
\textcolor, 155, 156  
textcomp, 17, 18, 31, 73  
\textdegree, 32  
*TextEdit*, xxii  
\texteuro, 17  
\textit, 150, 154  
\textlangle, 31  
\textrangle, 31  
\textsc, 150  
\textsf, 150  
\textsl, 150  
\textsterling, 17  
\textsuperscript, 18  
\texttrademark, 166  
\texttt, 150  
*Textures*, xxviii  
\textwidth, xxx  
\thechapter, 170  
\theenumi, 78  
\theenumii, 78  
\theenumiii, 78  
\theenumiv, 78  
\theexample, 78  
\TheSbox, 168  
\thesection, 170  
**thesis**, 34  
\thinspace, 18, 19, 134  
\thispagestyle, 135  
*Thunar*, 62, 157, 217  
*Tidy*, 184  
*TikZ*, 91  
textbf, 16  
times, 145  
\tiny, 152  
\title, 42, 44, 108, 162  
\titlecite, 118  
*titlepage*, 37  
titles, 42  
*tkPaint*, 96  
*tlmgr*, 57, 59, 65, 66  
\tmproduct, 165  
*tocdepth*, 49, 52  
tocloft, 53  
tools, 107  
tracking, *see* letterspacing  
TrueTeX, xxix

- TrueType*, 144
- `\ttdefault`, 238
- `\ttfamily`, 149
- twocolumn*, 127
- twoside*, 37
- typographics, 129
  
- `\u`, 22
- Ubuntu*, 191
- Ubuntu Software Centre*, 190
- ulem, 151
- `\uline`, 151
- unboxed*, 75
- uncial, 142
- textbf, 151
- uni, 142
- units, 23
- Unix
  - installation, 189
- textbf, 148
- updmap*, 159
- `\upshape`, 149
- url, 11, 103, 104
- `\url`, 104, 106, 108, 180
- urw, 144
- `\usepackage`, 38, 57, 58, 91, 97, 106, 155, 159, 180, 231, 239, 255
- utf8*, 19
- utf8x*, 19, 23
- utopia, 144
  
- V, 235
- `\v`, 22
- varioref, 111
- Velcro*, 165
- `\verb`, 102–106, 108
- Verbatim, 105
  
- verbatim, 105
- verbatim, 105
- verbatim text, 102
- `\VerbatimFootnotes`, 108
- Verilog*, 104
- vi, xxvi, 138, 223, 224
- viewer, 243
- vptovf*, 234, 235
- `\vspace`, 132, 134
- `\vspace*`, 133
- VI<sub>TEX</sub>, xxix
  
- Web of Science*, 113
- which*, 228
- white-space
  - baselines, 133
  - double-spacing, 133
  - hard, 27
  - horizontal, 134
  - margins, 131
  - vertical
    - disappearing, 132
    - fixed, 132
    - flexible, 132
- textbf, 14
- Windows, xxv, 222
- Windows 7/8, 219
- WinEdt*, xviii
- Word, xvi, xxii, xxiv, 18, 175–177, 183–185
- WordPerfect*, xxii, 153
  
- xcolor, 57–59, 61, 102, 155, 156, 163, 311
- xdvi*, 255–258
- XEdit*, 224
- xelatex, xxvii, 247, 249
- X<sub>VI</sub>TEX, xviii

*xkeycaps*, 21  
*XPress*, 174  
*XQuartz*, 255  
*yap*, 255

*yum*, xxvi, 190  
*Zaurus*, xix  
*Zotero*, 113

